






NOTES:

(b)

1. RoHS COMPLIANT
2. FOR WAVE SOLDERING (SOLDER BATH TEMPERATURE 260°C FOR 5 SEC. AND SOLDER PREHEAT 100°C FOR 30 SEC.)
3. METAL SHELLS: STEEL; min. 315µm TIN over 40-80µm NICKEL
4. INSULATOR: HIGH TEMPERATURE PLASTIC UL 94 V-0; BLACK
5. CONTACTS: COPPER ALLOY
PLATING: GOLD FLASH over NICKEL
6. METAL BRACKETS: ZINC DIE CAST;
300µm COPPER / 40-120µm NICKEL / 120-200µm TIN
7. THREADED INSERTS: COPPER ALLOY;
min. 200µm TIN over 80µm NICKEL
8. PCB-SNAPS: COPPER ALLOY; min. 200µm TIN over 80µm NICKEL
PCB-HOLE: $\varnothing 3,1 \pm 0,1$; PCB THICKNESS 1,6mm
9. FIXING-PLATE: PBT GF UL 94 V-0; BLACK
10. P.C.B. HOLE DRILLINGS ON SHEET 2
11. CAPACITANCE: 370pF $\pm 20\%$
12. DIELECTRIC WITHSTANDING VOLTAGE: 300 VDC
13. MAXIMUM TORQUE VALUE FOR THREAD: 6 in. LB
14. CONNECTOR IS PART MARKED: 242A25810X CONEC ABC

(5:1)




Directive 2002/95/EC RoHS compliant

THIS DRAWING MAY NOT BE COPIED OR REPRODUCED IN ANY WAY, AND MAY NOT BE PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC GmbH				tolerance ISO 2768-m		 dim. in mm	scale: 2:1 (5:1)		material: SEE NOTES	
				date			name		title: D-SUB HD FILTER FEMALE 90° 62pos. 0.314inch with threaded insert, metal bracket and clip	
				drawn	15.04.02	Parei				
				appd.	15.04.02	Mickenbecker				
				norm						
DO NOT ALTER CAD DRAWING BY HAND				d-old			dwg no:		DIN-A3 sh: 1	
				2 x b	Ä4216	02.02.2012	K.H.		24K1A243	
				a	Original					
				rev.	description	date	name		part no: 242A25810X	

CONEC

P.C.B. HOLE DRILLINGS
(P.C.B. TOP SIDE)



THIS DRAWING MAY NOT BE COPIED OR REPRODUCED IN ANY WAY, AND MAY NOT BE PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC GmbH DO NOT ALTER CAD DRAWING BY HAND				tolerance ISO 2768-m		 dim. in mm	scale: 2:1					
							material: SEE SHEET 1					
								drawn	15.04.02	name Parei	title: P.C.B. HOLE DRILLINGS D-SUB HD FILTER FEMALE 90°, 62pos. thread insert,metal bracket,fixing-plate,ferrit bead	
								appd.	15.04.02	Mickenbecker		
								norm				
				d-old			dwg no:					
2 x b	Ä4216	02.02.2012	K.H.				24K1A243		DIN-A3			
a	Original						part no: SEE SHEET 1		sh: 2			
rev.	description	date	name									

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru