






PRODUCT NO.

SEE TABLE



mat'l. code				surface ISO1302 ✓	tolerance ISO1101 ISO406	projection mm	product family MOD JACK
l'techn nodr				date	tolerances unless otherwise specified	mm	title
R	S00022	BC L	01/26/00		0.X±0.3		6 POS HORIZONTAL
S	N05-0002	YS	01/07/05	angle	0.XX±0.15		P.C.B. MOD JACK ASSY
T	N06-0130	LONG	5/15/06	0°±2'	0.XXX±0.05	scale 2.0	
U	N08-0097	SH MNO	5/10/08	dr	JANET	01/26/00	dwg no
V	ELX-N-010699	SH MNO	03/14/12	engr	TONY CHIEN	01/26/00	sheet 1 of 2
				chr	TONY CHIEN	01/26/00	size
				appd	JENN TSAO	01/26/00	A4
sheet index	revision	nv	v				type
sheet	1	2					Product Customer Drawing


PRODUCT NO. (NOTE 1)	POSITIONS LOADED	CONTACT PLATING	HOUSING COLOR	EARS	REMARKS
68898-001/-001LF	ALL	5u" Au + high performance lubricant @ TM	BLACK	YES	-
68898-001R/-001RLF	ALL	5u" Au + high performance lubricant @ TM	RED	YES	-
68898-001G/-001GLF	ALL	5u" Au + high performance lubricant @ TM	GREEN	YES	-
-002/-002LF	2,3,4,5	5u" Au + high performance lubricant @ TM	BLACK	YES	-
-003/-003LF	3,4	5u" Au + high performance lubricant	BLACK	YES	-
-004/-004LF	2,3,4,5	5u" Au + high performance lubricant	BLACK	YES	-
-005/-005LF	ALL	5u" Au + high performance lubricant	BLACK	YES	-
-006/-006LF	3,4	5u" Au + high performance lubricant @ TM	BLACK	YES	-
-007	2,3,4,5	GXT @ TM	GRAY	YES	OBSOLETE
-008/-008LF	ALL	5u" Au + high performance lubricant	BLACK	NO	-
-009/-009LF	2,3,4,5	1,27um /50u" GXT	BLACK	YES	-
-010/-010LF	ALL	1,27um /50u" GXT	BLACK	YES	-
-011/-011LF	2,3,4,5	2u" GXT	BLACK	YES	-
-012/-012LF	2,3,4,5	6u" GXT	BLACK	YES	-
-013/-013LF	ALL	5u" Au + high performance lubricant @ TM	BLACK	YES	HI TEMP MATERIAL
-014/-014LF	3,4	6u" GXT	BLACK	YES	
-015/-015LF	3,4	5u" Au + high performance lubricant @ TM	BLACK	NO	
-016/-016LF	2,3,4,5	5u" Au + high performance lubricant @ TM	BLACK	NO	
-017LF	ALL	5u" Au + high performance lubricant @ TM	BLACK	YES	-



VIEW A-A

NOTES :

- WHEN PRODUCT CALLS FOR PACKAGING IN TRAY ORDER THE PRODUCT WITH PART NUMBER 68898-XXXT OR -XXXTLF FOR PACKAGING IDENTIFICATION. FOR PRODUCT NUMBER WITHOUT SUFFIX "T" OR "TLF", THE PRODUCT WILL BE PACKED IN TUBE AS PER DUPONT STANDARD PACKAGING.
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- IF LF P/N PACKAGING MEETS GS-14-920 SPECIFICATION.
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.60mm MINIMUM THICK CIRCUIT BOARD.
- FOR 68898-013/013LF THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- EQUIVALENT THICKNESS Au AND GXT PLATING HAVE SAME FUNCTION AND THEY ARE ALTERNATIVE BY THE CUSTOMER.



mat'l. code				surface	tolerance	projection	product family
ISO1302				ISO1101	ISO406		MOD JACK
l t r e c n n o d r				tolerances unless otherwise specified			
R	S00022	BC L	01/26/00	angle	0.X±0.3	mm	6 POS HORIZONTAL
S	N05-0002	YS	01/07/05		0.XX±0.15		P.C.B. MOD JACK ASSY
T	N06-0130	LONG	5/15/06	0'±2'	0.XXX±0.05	scale 2.0	
U	N08-0097	SH MNO	5/10/08	dr	JANET	01/26/00	dwg no
V	ELX-N-010699	SH MNO	03/14/12	engr	TONY CHIEN	01/26/00	sheet 2 of 2
				chr	TONY CHIEN	01/26/00	size
				appd	JENN TSAO	01/26/00	A4
sheet	revision						type
index	sheet						Product Customer Drawing

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru