




SCALE 2:1




OPTION "B"




OPTION "D"



OPTION "F"




SECTION A-A
SHOWN WITH TPA IN
IT'S PRE-LOADED POSITION
(DELIVERY CONDITON)




MINIMUM FEED THROUGH CONDITION
WITH 1mm CLEARANCE ALL AROUND
SHOWN WITH OPTION WIRESHIELD

1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm²)
3. TPA IS SHIPPED IN IT'S PRE-LOADED POSITION. ALL ASSEMBLIES ARE
TO BE TRAY PACKAGED.
4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A = ASSEMBLY
PROCESS USED) ARE PRINTED IN THIS LOCATION.
5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 14.39 GRAMS.
6. OPTIONAL WIRESHIELD P/N 7-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TE SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



SCALE 2:1




SCALE 1:1

KEYING OPTION "A" SHOWN

[illegible]

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. FORISKA 16APR2002		 TE Connectivity	
DIMENSIONS:		CWN M. FORISKA 16APR2002			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD A. WALASEK 16APR2002		NAME	
mm 		0 PLC ±: 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±: 4 PLC ±: ANGLES ±3°		PRODUCT SPEC 24 WAY ARM, PLUG ASSEMBLY WITHOUT SHORTING BARS, CUSTOMER SPEC.	
MATERIAL		APPLICATION SPEC		SIZE CAGE CODE DRAWING NO	
FINISH		WEIGHT		RESTRICTED TO	
SEE CHART ABOVE		SEE-NOTE 5		A1 00779 C=3-1419157-9	
CUSTOMER DRAWING		SCALE		SHEET	
		3-1		OF 3	
				REV BK	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG M FORISKA 16APR2002	 TE Connectivity	
DIMENSIONS:		CUS M FORISKA 16APR2002	NAME	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.3 1 PLC ± 0.10 2 PLC ± 0.10 3 PLC ± 0.10 4 PLC ± 0.10 ANGLES $\pm 1^\circ$ FINISH -	APP'D A VALASEN 16APR2002	24 WAY ARM, PLUG ASSEMBLY WITHOUT SHORTING BARS, CUSTOMER SPEC.	
		PRODUCT SPEC	SIZE	
MATERIAL		APPLICATION SPEC	CAGE CODE	DRAWING NO
SEE CHART ABOVE		WEIGHT	A1 00779	C=3-1419157-9
		CUSTOMER DRAWING	SCALE	3:1
			SHEET	2 OF 3
			REV	BK

PIN-OUT CHART																							
12	13	14	15	16	17	18	19	20	21									1-1438103-5		KEY "A"			
12			15	16	17	18			21	22	23							1-1438356-2		KEY "D"			
12	13	14	15	16		18	19		21	22	23	24						2-1438095-3		KEY "B"			
12					16	17	18				22	23	24					1-1438103-4		KEY "A"			
	13				16	17	18	19			22	23	24					1438582-3		KEY "E"			
	13	14	15	16	17	18	19	20	21	22	23	24						1-1438356-1		KEY "D"			
12	13		15			18	19				22	23	24					1-1438096-4		KEY "C"			
12	13	14	15			18	19		21	22	23	24						1-1438103-3		KEY "A"			
	13			16	17	18	19	20	21	22	23	24						1-1438356-0		KEY "D"			
12	13	14	15	16		18	19		21	22	23	24						2-1438095-2		KEY "B"			
12	13	14	15	16		18	19		21	22	23	24						1-1438096-3		KEY "C"			
12	13			16		18						24						1-1438096-2		KEY "C"			
12	13		15	16		18	19				22	23	24					1-1438096-1		KEY "C"			
	13			16	17	18	19				22	23	24					1438583-3		KEY "F"			
	13			16			19				22							1438583-2		KEY "F"			
	13	14	15	16	17	18	19	20	21	22	23	24						1438582-2		KEY "E"			
																		1438582-1		KEY "E"			
	13	14	15		17		19	20	21									1-1438103-2		KEY "A"			
12	13	14	15	16		18	19				22	23	24					2-1438095-1		KEY "B"			
12		14		16		18						24						2-1438095-0		KEY "B"			
12	13		15	16		18	19				22	23	24					1-1438095-9		KEY "B"			
	13			16	17	18	19				22	23	24					1-1438103-1		KEY "A"			
12		14		16		18			21			24						1-1438095-8		KEY "B"			
12	13	14	15	16		18	19	21	22	23	24							1-1438095-7		KEY "B"			
12	13	14	15	16	17	18	19	20	21	22	23	24						1-1438103-0		KEY "A"			
	13	14	15		17		19	20	21									2-1438103-0		KEY "A"			
																		1438356-9		KEY "D"			
12			15	16							22	23						1438356-8		KEY "D"			
12			15	16							22	23						1438103-9		KEY "A"			
12		14		16		18						24						1-1438095-6		KEY "B"			
12	13	14	15	16		18	19				22	23	24					1-1438095-5		KEY "B"			
12	13	14		16		18						24						1-1438095-4		KEY "B"			
12			15	16		18			21	22	23							1438356-7		KEY "D"			
12			15	16	17	18			21	22	23							1438356-6		KEY "D"			
12				16		18			21	22	23							1438356-5		KEY "D"			
12			15	16	17	18			21	22	23							1438356-4		KEY "D"			
12			15	16		18			21	22	23							1-1438095-3		KEY "B"			
12			15	16						22	23							1-1438095-2		KEY "B"			
	13				17	18	19	20	21	22	23	24						1438103-8		KEY "A"			
12										22	23							1438356-3		KEY "D"			
											23							1-1438095-1		KEY "B"			
				16		18					23							1-1438096-0		KEY "C"			
				16		18					23							1438096-9		KEY "C"			
					18					22	23							1438096-8		KEY "C"			
	13	14	15	16	17	18	19	20	21	22	23	24						1438096-7		KEY "C"			
				16		18				22	23							1438096-4		KEY "C"			
	13				16		18											1438096-3		KEY "C"			
						18												1438096-2		KEY "C"			
					17					22	23							1-1438095-0		KEY "B"			
				16	17					22	23							1438095-9		KEY "B"			
				17						22								1438095-8		KEY "B"			
				16	17					22								1438095-7		KEY "B"			
12		14		16		18			21			24						1438095-6		KEY "B"			
										22	23							1438095-5		KEY "B"			
12	13		15	16		18	19		21	22	23	24						1438095-3		KEY "B"			
12	13		15	16		18	19			22	23	24						1438095-4		KEY "B"			
										22								1438095-2		KEY "B"			
12			15	16						22	23							1438356-2		KEY "D"			
12			15	16		18			21	22	23							1438103-7		KEY "A"			
12			15	16						22	23							1438103-6		KEY "A"			
	13				17	18	19			22	23	24						1438103-5		KEY "A"			
12	13	14	15	16		18	19		21	22	23	24						1438103-4		KEY "A"			
	13						19			22								1438096-5		KEY "C"			
	13																	1438103-3		KEY "A"			
			16			19				22								1438103-2		KEY "A"			
				17														7-1419157-7		KEY "A"			
13	14	15		17	18	19	20	21	22	23	24							1438096-6		KEY "C"			
																		1438103-1		KEY "A"			
																		1438356-1		KEY "D"			
																		4-1419171-1		KEY "C"			
																		4-1419171-0		KEY "B"			
																		3-1419171-9		KEY "A"			
12	13	14	15	16	17	18	19	20	21	22	23	24						ASSEMBLY PART NUMBER		PLUG KEYING OPTION			

	CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS
	BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS

4805 (3/11)

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru