

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
© COPYRIGHT ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
	N1	ECR-14-003638		12MAR2014	GK	HMR	

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2150046-2

FOR REPLACEMENT PARTS FOR APPLICATOR 687839 REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR 687839



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity		
DIMENSIONS:		CHK	RAGHAVENDRA				
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
		0 PLC ±		END FEED HDM APPLICATOR			
MATERIAL		FINISH		APVD	RAGHAVENDRA		
				PRODUCT SPEC			
				APPLICATION SPEC			
				SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
				A3		©- 687839	
				CUSTOMER DRAWING		SCALE	SHEET 1 OF 2 REV N1

DRAWING MADE IN THIRD ANGLE PROJECTION

687839 687839

/home/us016926/DMTECmod

PART NUMBER	REV	FIRST USED
687839-1	N	122500-1
687839-2	N	565435-5
687839-3	A	SUPSD BY 687839-2
687839-4	C	OBSOLETE
687839-5	A	OBSOLETE
687839-6	A	OBSOLETE
687839-7	SEE DRWG	687839-7



- 1 RECOMMENDED SPARE PARTS.
- 2 GREASE LIGHTLY.
- 3 GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
- 4 LUBRICATE DAILY USING NO. 20 MACHINE OIL.
- 5. ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEMS 78 AND 79) ARE USED ON ITEM 32.
- 6. ITEM 78 USED WITH G TERMINATOR ONLY.

TYCO TERM PN		MFG TERM PN		AMP TERMINAL		AMP CRIMP SPECS	
42099							
42460							
42580							
160452							
160459							
42098							
1572826		6434					

WIRE STRIP LENGTH	TERM APPL SPEC	FEED	APPL INSTRUCTION	SET UP GAGE	LAYOUT
.245-.255	114-2025	1.191	408-8039	458638-1	36

QTY	REF	REV	TER	DESCRIPTION	ITEM NO
2	2	-	C	1-354779-7 PIN, WIRE DISC (.3075)C	128
2	2	-	C	354779-4 PIN, WIRE DISC (.3010)B	127
2	2	-	C	8-354778-5 PIN, WIRE DISC (.2920)A	126
1	1	-	A	986950-1 WASHER, FLAT PRECISION	125
1	1	-	A	217238-1 GENERAL INSTRUCTION PACKAGE	124
1	1	-	-	4088039 EF APPL INST 408-8039	123
					122
					121
REF	REF	-	A	1-21030-7 PIN, DOWEL (Ø.187x1.50)HSG	120
REF	REF	-	A	1-21030-1 PIN, DOWEL (Ø.187x.50)LEVER	119
REF	REF	-	A	21045-3 RING, RET "C" (Ø.187)FD PIN	118
REF	REF	-	A	5-21028-1 PIN, STD SPRING (Ø.12)FD ADJ ROD	117
REF	REF	-	A	21899-4 WASHER, FLAT (Ø5/16)SCR ADJ	116
					115
					114
					113
REF	REF	-	A	21024-5 WASHER, LOCK (NO.10)FD ROD GDE	112
					111
6	6	-	A	21024-4 WASHER, LOCK (NO.8) SHEAR BL	110
					109
2	2	-	A	21018-4 NUT, HEX (4-40) DRAG	108
REF	REF	-	A	21018-5 NUT, HEX (6-32)FD ADJ PL	107
					106
2	2	-	A	21022-2 NUT, HEX SL (8-32)DRAG STUD	105
					104
					103
2	2	-	A	2-21006-6 SCR, SKT SET (4-40x.62)DRAG	102
1	1	-	A	21009-2 SCR, SKT SET (1/4-20x.25)RAM	101
2	2	-	A	21017-2 SCR, DRIVE (#2x.19)ID PLATE	100
1	1	-	A	1-21002-7 SCR, BHC (6-32x.38)CAM	99
1	1	-	B	461264-1 PLATE, IDENTIFICATION	98
REF	REF	-	A	6-23715-5 SCR, PAN HD (6-32x1.50)FEED ADJ	97
					96
2	2	-	A	2-21002-2 SCR, BHC (8-32x.50)STRIPPER	95
REF	REF	-	A	2-21002-9 SCR, BHC (10-32x.75)HSG CAP	94
1	1	-	A	22733-8 SCR, BHC (8-32x.38) LW ANVIL	93
4	4	-	A	3-21002-3 SCR, BHC (1/4-20x.50)ST GD PL	92
REF	REF	-	A	2-22733-8 SCR, BHC (1/4-20x.62)BASE PL	91
					90
					89
					88
2	2	-	A	3-21000-0 SCR, SHC (8-32x.86)SLUG BLADE	87
4	4	-	A	2-21000-6 SCR, SHC (8-32x.38)STRIP GUIDE	86
					85
REF	REF	-	A	3-21000-7 SCR, SHC (10-32x.75)FEED ROD GDE	84
					83
REF	REF	-	A	3-21000-6 SCR, SHC (10-32x.62)FEED ADJ PL	82
REF	REF	-	A	3-21000-4 SCR, SHC (10-32x.38)PIVOT BLOCK	81
2	2	-	A	3-21002-1 SCR, BHC (10-32x1.0)SHEAR PL	80
REF	-	-	A	455745-1 GUARD, WINDOW	79
-	REF	-	A	679532-1 INSERT, GUARD	78
					77
					76
					75
1	1	-	A	690603-1 SPRING, ASSIST	74
1	1	-	A	23030-1 SCR, SKT CAP (6-32x.25)CP DSC	73
REF	REF	-	A	458109-1 WASHER, FLAT (SPECIAL)	72
REF	REF	-	A	690517-1 SPACER	71
					70
					69
					68
					67
					66
					65
					64
					63
					62
					61
					60
					59
					58
					57
					56
					55
					54
					53
					52
					51
					50
					49
1	-	-	B	690501-3 CAM, POST FEED 1 1/8 ST	48
-	1	-	B	690501-4 CAM, POST-FEED 1 5/8 ST	47
					46
1	1	-	A	690191-1 PLUG, NYLON	45
1	1	-	C	455674-1 RAM	44
1	1	-	A	690125-1 WASHER, LAMINATED	43
1	1	-	A	690124-1 WASHER, RAM	42
1	1	-	A	7-21002-9 BOLT, CRIMPER (5/16-24x1.00)	41
1	1	-	A	23241-6 BALL, STEEL	40
1	1	-	A	690170-1 SPRING, COMPRESSION	39
1	1	-	C	1-690142-1 DISC, INSULATION	38
1	1	-	D	354777-1 WIRE DISC, PLASTIC	37
1	1	-	A	22480-5 WASHER, SPRING	36
1	1	-	B	690212-1 POST, RAM	35
					34
					33
1	1	-	D	458980-1 APPLICATOR, BASIC (SUB ASSY)	32
					31
					30
					29
1	1	-	B	3-690451-2 SPACER, STRIPPER	28
1	1	-	A	240639-1 STRIPPER	27
REF	REF	-	C	455676-1 PLATE, BASE	26
2	2	-	A	22354-8 DRAG, STUD	25
1	1	-	B	455678-1 PLATE, STRIP GUIDE	24
					23
2	2	-	A	4-22281-1 SPRING, DRAG	22
					21
1	1	-	A	454177-1 DRAG, STOCK	20
1	1	-	B	458030-4 GUIDE, STRIP (REAR)	19
1	1	-	C	458031-4 GUIDE, STRIP (FRONT)	18
REF	REF	-	A	454178-1 GUIDE, FEED ROD	17
REF	REF	-	A	4-22284-9 SPRING, FEED RETURN	16
					15
1	1	-	C	6-240641-8 SPACER, SLUG BLADE	14
1	1	-	C	1-690481-0 SPACER, HOLD DOWN	13
1	1	-	A	23846-1 SPRING, HOLD DOWN	12
1	1	-	B	240644-1 PLATE, REAR SHEAR	11
					10
1	1	-	B	690482-4 PLATE, FRONT SHEAR	9
1	1	-	D	1-240655-3 ANVIL	8
1	1	-	B	690474-4 BLADE, SLUG	7
1	1	-	D	3-455892-1 HOLD DOWN, TERMINAL	6
1	1	-	C	5-240641-0 SPACER, SLUG BLADE	5
1	1	-	B	238009-1 SPACER, BLOCK CRIMPER	4
1	1	-	C	456134-9 CRIMPER, INSULATION	3
1	1	-	B	455888-8 SPACER, CRIMPER	2
1	1	-	B	456408-5 CRIMPER, WIRE	1

LEADMAKER & BENCH MODEL G		MECH POST FEED			
REF	MODEL	REF	MECH POST FEED		
REF	REF	-	A	22594-8 NUT, HEX	70
REF	REF	-	B	240628-1 PLATE, ADJ	69
REF	REF	-	B	240626-1 SHAFT, PIVOT	68
REF	REF	-	B	240633-1 BUSHING	67
REF	REF	-	A	455680-1 LEVER, INTERMEDIATE	66
REF	REF	-	B	240629-1 BLOCK, PIVOT	65
REF	REF	-	A	240632-2 SCR, ADJ	64
REF	REF	-	B	240659-3 PIN, CAM ROLLER	63
REF	REF	-	B	240658-1 CAM, ROLLER	62
REF	REF	-	B	454398-1 ROD, FEED	61
					60
REF	REF	-	C	454220-1 CAP, RAM	59
REF	REF	-	D	453736-1 HOUSING	58
					57
					56
REF	REF	-	B	240624-1 PIN, FEED FINGER	55
REF	REF	-	B	691499-1 SPRING, FEED FINGER	54
REF	REF	-	B	240635-1 FINGER, FEED	53
REF	REF	-	B	240634-1 LEVER, TERMINAL	52
					51
					50
					49
1	-	-	B	690501-3 CAM, POST FEED 1 1/8 ST	48
-	1	-	B	690501-4 CAM, POST-FEED 1 5/8 ST	47
					46
1	1	-	A	690191-1 PLUG, NYLON	45
1	1	-	C	455674-1 RAM	44
1	1	-	A	690125-1 WASHER, LAMINATED	43
1	1	-	A	690124-1 WASHER, RAM	42
1	1	-	A	7-21002-9 BOLT, CRIMPER (5/16-24x1.00)	41
1	1	-	A	23241-6 BALL, STEEL	40
1	1	-	A	690170-1 SPRING, COMPRESSION	39
1	1	-	C	1-690142-1 DISC, INSULATION	38
1	1	-	D	354777-1 WIRE DISC, PLASTIC	37
1	1	-	A	22480-5 WASHER, SPRING	36
1	1	-	B	690212-1 POST, RAM	35
					34
					33
1	1	-	D	458980-1 APPLICATOR, BASIC (SUB ASSY)	32
					31
					30
					29
1	1	-	B	3-690451-2 SPACER, STRIPPER	28
1	1	-	A	240639-1 STRIPPER	27
REF	REF	-	C	455676-1 PLATE, BASE	26
2	2	-	A	22354-8 DRAG, STUD	25
1	1	-	B	455678-1 PLATE, STRIP GUIDE	24
					23
2	2	-	A	4-22281-1 SPRING, DRAG	22
					21
1	1	-	A	454177-1 DRAG, STOCK	20
1	1	-	B	458030-4 GUIDE, STRIP (REAR)	19
1	1	-	C	458031-4 GUIDE, STRIP (FRONT)	18
REF	REF	-	A	454178-1 GUIDE, FEED ROD	17
REF	REF	-	A	4-22284-9 SPRING, FEED RETURN	16
					15
1	1	-	C	6-240641-8 SPACER, SLUG BLADE	14
1	1	-	C	1-690481-0 SPACER, HOLD DOWN	13
1	1	-	A	23846-1 SPRING, HOLD DOWN	12
1	1	-	B	240644-1 PLATE, REAR SHEAR	11
					10
1	1	-	B	690482-4 PLATE, FRONT SHEAR	9
1	1	-	D	1-240655-3 ANVIL	8
1	1	-	B	690474-4 BLADE, SLUG	7
1	1	-	D	3-455892-1 HOLD DOWN, TERMINAL	6
1	1	-	C	5-240641-0 SPACER, SLUG BLADE	5
1	1	-	B	238009-1 SPACER, BLOCK CRIMPER	4
1	1	-	C	456134-9 CRIMPER, INSULATION	3
1	1	-	B	455888-8 SPACER, CRIMPER	2
1	1	-	B	456408-5 CRIMPER, WIRE	1

LOC	DESCRIPTION
A	LEADMAKER
K	TERMINATOR BENCH MACHINE
G	TERMINATOR BENCH MACHINE

QTY	REF	REV	TER	DESCRIPTION	ITEM NO
1	1	-	A	690603-1 SPRING, ASSIST	74
1	1	-	A	23030-1 SCR, SKT CAP (6-32x.25)CP DSC	73
REF	REF	-	A	458109-1 WASHER, FLAT (SPECIAL)	72
REF	REF	-	A	690517-1 SPACER	71
					70
					69
					68
					67
					66
					65
					64
					63
					62
					61
					60
					59
					58
					57
					56
					55
					54
					53
					52
					51
</					

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru