

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B1	ECR-14-018880	17DEC2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151253-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1426357
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1426357

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity	
DIMENSIONS:		CHK RAGHAVENDRA			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD RAGHAVENDRA	
		0 PLC ±		NAME	
		1 PLC ±		SIDE FEED HD-I APPLICATOR	
MATERIAL		2 PLC ±		PRODUCT SPEC	
		3 PLC ±		APPLICATION SPEC	
		4 PLC ±		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
FINISH		WEIGHT		C- 1426357	
		CUSTOMER DRAWING		SCALE SHEET 1 OF 2 REV B1	

DRAWING MADE IN THIRD ANGLE PROJECTION

1426357

1426357

/home/us02474/tecmold

PART NUMBER	REV	FIRST USED	TERMINATOR	FEED TYPE	DESCRIPTION
1426357-1	B	-	LEADMAKER	MECH POST FEED	CUTS CARRIER
1426357-2	B	-	BENCH	MECH PRE FEED	CUTS CARRIER
1426357-6	B	-	LEADMAKER	MECH POST FEED	CONTINUOUS CARRIER
7-1426357-1	B	-	LEADMAKER	MECH POST FEED	-1 AND SPARE PARTS
7-1426357-2	B	-	BENCH	MECH PRE FEED	-2 AND SPARE PARTS
7-1426357-6	B	-	LEADMAKER	MECH POST FEED	-6 AND SPARE PARTS
7-1426357-7	A	-	-	-	SPARE PARTS KIT

CRIMP DATA AMP TERMINAL AMP CRIMP SPECS

TERMINAL NAME: 090 II MLC RECEPTACLE

CRIMP	SIZE	TYPE	RANGE
WIRE	1.78 [0.070 IN]	F	0.3mm ² - 0.5mm ²
INSUL	2.79 [0.110 IN]	F	1.10-2.30 [0.043-.091 IN]

WIRE STRIP LENGTH

4.00-4.60 [0.157-.181 IN]

APPL INSTRUCTION

408-8322

TERMINAL

APPL SPEC

114-61004

FEED

10.00 [0.394 IN]

TERMINALS APPLIED

368088	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

WIRE SIZE

mm² AWG

CRIMP HEIGHT

PIN PN AND LENGTH [IN]

0.5mm ²	1.09 ±0.05 [0.043 ±.002 IN]	3-354779-9 [0.3185]
0.3mm ²	1.05 ±0.05 [0.041 ±.002 IN]	4-354779-3 [0.3205]
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

1

RECOMMENDED SPARE PARTS.

2.

GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.

3.

LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.

4

CUT TO LENGTH AT ASSEMBLY.

VIEW B ROTATED 180°

POST FEED 40 mm STROKE

POST FEED 30 mm STROKE

PRE FEED 30 mm STROKE

PRE FEED 40 mm STROKE

LOC

A

DIST

66

AMP 1756 REV 3-92

19-DEC-05

06:10:11

us02474

7

6

5

4

3

2

1

-	1	1	1	1	1	1	1426357	PRINT, APPLICATOR LOG SHEET	72
-	1	1	1	1	1	1	1338705-1	DOCUMENTATION PACKAGE	71
-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	68
-	1	1	1	1	1	1	461264-1	PLATE, IDENTIFICATION	67
-	2	2	2	2	2	2	21017-2	SCR, DRIVE (#2X.19) ID PLATE	66
-	-	-	-	-	-	-	-	-	65
-	1	1	1	1	1	1	986950-1	WASHER, FLAT PRECISION	64
-	1	1	1	1	1	1	3-18031-0	SCR, SKT SET (M6X6) RAM	63
-	1	1	1	1	1	1	18023-9	SCR, SHC (M4X6) INS DISC	62
-	2	2	2	2	2	2	1-18024-5	SCR, BHC (M5X25) DRAG	61
-	1	1	1	1	1	1	18024-7	SCR, BHC (M4X10) ANVIL	60
-	1	1	1	1	1	1	5-18022-2	SCR, HEX (M4X8) FEED FINGER	59
-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	57
-	1	1	1	1	1	1	1338685-1	PAWL, FEED	56
-	-	-	-	-	-	-	-	-	55
-	4	4	4	4	4	4	18024-8	SCR, BHC (M4X12) SHEAR HOLDER	54
-	2	2	2	2	2	2	1-18023-4	SCR, SKT CAP (M4X20) HOLD DOWN	53
-	1	1	1	1	1	1	18030-1	NUT, HEX (M3) HOLD DOWN	52
-	1	1	1	1	1	1	811242-5	BUMPER, HOLDDOWN	51
-	1	1	1	1	1	1	690753-2	SPACER, TONKER	50
-	1	1	1	1	1	1	18024-3	SCR, BHC (M3X10) CAM	49
-	-	-	-	-	-	-	-	-	48
-	1	-	1	-	-	-	1338675-1	CAM, PRE FEED 30 & 40 mm ST	47
-	1	-	1	-	-	-	1338676-1	CAM, POST FEED 30 & 40 mm ST	46
-	1	1	1	1	1	1	1320999-3	APPLICATOR BASIC SUBASSY	45
-	1	1	1	1	1	1	690191-1	PLUG, NYLON	44
-	1	1	1	1	1	1	1338660-1	RAM	43
-	1	1	1	1	1	1	690125-1	WASHER, LAMINATED	42
-	1	1	1	1	1	1	690124-1	WASHER, RAM	41
-	1	1	1	1	1	1	2-18024-6	SCR, BHC (M8X25) RAM	40
-	1	1	1	1	1	1	23241-1	BALL, STEEL	39
-	1	1	1	1	1	1	2-22278-7	SPRING, COMPRESSION	38
-	1	1	1	1	1	1	1320922-1	DISC, INSULATION	37
-	1	1	1	1	1	1	354777-1	WIRE DISC, PLASTIC	36
-	1	1	1	1	1	1	22480-5	WASHER, SPRING	35
-	1	1	1	1	1	1	690212-1	POST, RAM	34
-	1	1	1	1	1	1	1320934-2	SUPPORT, TERMINAL	33
-	2	2	2	2	2	2	1-18024-0	SCR, BHC (M4X20) STRIP GUIDE	32
-	1	1	1	1	1	1	18027-2	WASHER, FLAT (M4)	31
-	1	1	1	1	1	1	1-18023-2	SCR, SKT CAP (M4X12) MOUNT BLOCK	30
-	1	1	1	1	1	1	1320908-4	SPACER, STRIP GUIDE	29
-	1	1	1	1	1	1	1633073-1	STRIP GUIDE PLATE ASSY	28
-	1	1	1	1	1	1	455888-6	SPACER, FRONT SHEAR DEP	27
-	2	2	2	2	2	2	1-22284-0	SPRING, DRAG	26
-	1	1	1	1	1	1	356835-1	LEVER, DRAG RELEASE	25
-	1	1	1	1	1	1	240792-1	DRAG, TERMINAL	24
-	1	1	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	23
-	1	1	1	1	1	1	980371-4	SCR, SHC SHLD	22
-	1	-	1	-	-	-	690472-2	STRIPPER	21
-	1	1	1	1	1	1	1-18023-1	SCR, SHC (M4X10) STRIPPER	20
-	4	4	4	4	4	4	18025-2	WASHER, LOCK (M4) STRIPPER	19
-	-	1	-	-	1	-	690472-1	STRIPPER	18
-	1	-	-	1	-	-	1338684-1	HOLDER, SHEAR, FRONT (NO-CUT)	17
-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	13
-	1	1	1	1	1	1	5-22280-0	SPRING, SHEAR	12
-	1	1	1	1	1	1	356885-4	STOP, SHEAR	11
-	-	1	1	-	1	1	1320921-1	HOLDER, SHEAR, FRONT (CUT)	10
-	1	1	1	1	1	1	462006-1	SHEAR, FLOAT (FRONT)	9
-	1	2	2	2	1	1	4-1333203-6	ANVIL	8
-	1	1	1	1	1	1	6-240641-5	SPACER, DEPRESSOR (REAR)	7
-	-	-	-	-	-	-	-	-	6
-	1	1	1	1	1	1	2-455889-0	DEPRESSOR, SHEAR (FRONT)	5
-	1	1	1	1	1	1	1-238011-7	SPACER, BLOCK CRIMPER	4
-	1	2	2	2	1	1	2-456134-9	CRIMPER, INSULATION	3
-	1	1	1	1	1	1	455888-5	SPACER, CRIMPER	2
-	1	2	2	2	1	1	1-456404-8	CRIMPER, WIRE	1
-77	-76	-72	-71	-6	-2	-1	PART NO	DESCRIPTION	ITEM NO
-	-	-	-	-	-	-	REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)	-	-
-	-	-	-	-	-	-	QTY REQD PER ASSY	PARTS LIST	-
-	-	-	-	-	-	-	DIMENSIONS, mm [INCHES]	MATL	-
-	-	-	-	-	-	-	DO NOT SCALE PRINT.	HT TR	-
-	-	-	-	-	-	-	TOLERANCES UNLESS OTHERWISE SPECIFIED:	FIN	-
-	-	-	-	-	-	-	1 PLC DEC ±-	DR	27MAY03
-	-	-	-	-	-	-	2 PLC DEC ±-	L.LOFTHOUSE	F.BACKHURST
-	-	-	-	-	-	-	3 PLC DEC ±-	CHK	REL 15JUL03
-	-	-	-	-	-	-	ANGLES ±-	L.LOFTHOUSE	AMP
-	-	-	-	-	-	-	SURF TEXTURE, ✓	NAME	SIDE FEED HD-I APPLICATOR
-	-	-	-	-	-	-	REMOVE BURRS, BREAK SHARP EDGES RO.38 MAX	SCALE	HD-I APPL
-	-	-	-	-	-	-	CHG CODE	DWG NO	1426357
-	-	-	-	-	-	-	00779	CUSTOMER AND ASSEMBLY DRAWING	SHEET 1 of 1
-	-	-	-	-	-	-	-	-	REV B
-	-	-	-	-	-	-	-	-	RESTRICTED TO

CUSTOMER DRAWING

DRAWING NUMBER - 1426357 SHEET 2 OF 2 REV. B1

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru