



Electrical Characteristics

50 ohms Nominal Impedance: DC to 11 GHz Frequency Range: **VSWR** 1.3:1 maximum Insertion Loss 0.17 dB max

Operating Voltage (rms): 1500 V maximum at sea level Dielectric Withstand Voltage (rms): 2500 V maximum at sea level Contact Resistance: 1.0 milliohms maximum Insulation Resistance: 5000 megohms minimum

Mechanical Characteristics

500 cycles minimum Mating Cycles: Interface Dimensions: Conform to MIL-C-39012

Environmental Characteristics

-65 °C to +165 °C Temperature Range:

	PART	DESCRIPTION
1	Body	Brass, nickel plated
2	Ferrule	Brass, nickel plated
3	Contact	Brass, gold plated
4	Dielectric	Teflon

Dimensions / Material Update	MS	5	03 Jun 19
Contact Dimensions updated	MS	4	24 Apr 09
Crimp dimension was 3.3mm	PDC	3	04 Oct 02
CAD Issue	SN	2	29 Jan 02
First Issue	DW	1	15 Jun 99
DESCRIPTION OF REVISION	APPVD	ISS	DATE

For stripping and assembly instuctions see Drawing Number: VAIN1101

+0.08



ø2.9±0.1

Ø2,4±0.1

CINCH CONNECTORS LTD

SHIREOAKS ROAD, WORKSOP S80 3HA (01909) 474131

17.4±0.1

11 BILTON ROAD, CHELMSFORD

-	SCALE: Not To Scale	DRAWN BY:	P D Couzens
	DIMENSIONS: mm	CHECKED BY:	
	TOLERANCES: ± 0.2mm unless	APPROVED BY:	
	otherwise stated	DATE:	04 Oct 02

TITLE:

N Crimp Plug for RG214

PART NUMBER:

VN10-2019

PAGE: 1 of 1

COPYRIGHT (C)

2019 VITELEC ELECTRONICS LIMITED

THIS DRAWING MAY NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT OUR WRITTEN PERMISSION



OOO «ЛайфЭлектроникс" "LifeElectronics" LLC

ИНН 7805602321 КПП 780501001 P/C 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 3010181090000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный) Email: org@lifeelectronics.ru