






REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
	B1	REVISED PER ECO-15-001494	05FEB2015	AP	DD




- 1 MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- 2 FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN
ON PCB TAILS, NICKEL OVERALL.
3. SCREWS PACKAGED IN END OF PACKAGING TUBE.
- 4 FOR GROUNDED GUIDE PIN USE Ø3.56±0.08 PTH,
Ø3.66 DRILL, AND Ø6.5 PAD.
5. KEYING PIN SHOWN IN POSITION A, SEE KEYING CHART
ON SHEET 2 FOR OTHER POSITIONS.



RIGHT GUIDED
BACKPLANE HOLE PATTERN
(CONNECTOR SIDE)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. K. SHOBER	13JAN2011	 TE Connectivity			
DIMENSIONS: mm		CHK J. EABY	13JAN2011				
		APVD J. EABY	13JAN2011				
		PRODUCT SPEC					
		APPLICATION SPEC		NAME IMPACT, 4 PAIR, 16 COLUMN, HEADER RIGHT GUIDED, LEFT END WALL SIGNAL MODULE, 0.39 PTH	RESTRICTED TO -		
		MATERIAL					
		FINISH					
TOLERANCES UNLESS OTHERWISE SPECIFIED:		WEIGHT		SIZE A100779C=2007831			
0 PLC ±		CUSTOMER DRAWING		SCALE 6:1			
1 PLC ±0.25		SHEET 1 OF 2		REV B1			
2 PLC ±0.13							
3 PLC ±							
4 PLC ±							
ANGLES							
FINISH							
SEE TABLE							

REVISIONS					
P.	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

	H	5.5	8-2007831-3
	H	4.9	8-2007831-2
	H	4.5	8-2007831-1
	G	5.5	7-2007831-3
	G	4.9	7-2007831-2
	G	4.5	7-2007831-1
	F	5.5	6-2007831-3
	F	4.9	6-2007831-2
	F	4.5	6-2007831-1
	E	5.5	5-2007831-3
	E	4.9	5-2007831-2
	E	4.5	5-2007831-1
	D	5.5	4-2007831-3
	D	4.9	4-2007831-2
	D	4.5	4-2007831-1
	C	5.5	3-2007831-3
	C	4.9	3-2007831-2
	C	4.5	3-2007831-1
	B	5.5	2-2007831-3
	B	4.9	2-2007831-2
	B	4.5	2-2007831-1
	A	5.5	1-2007831-3
	A	4.9	1-2007831-2
	A	4.5	1-2007831-1
	-	5.5	2007831-3
	-	4.9	2007831-2
	-	4.5	2007831-1
FINISH	KEY POSITION	DIM M	PART NUMBER

REFER TO WWW.TE.COM
FOR PRODUCT AVAILABILITY

KEY POSITION
CHART

NONE

A

E

B

F

C

G

D

H

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. K. SHOBER 13JAN2011	TE Connectivity	
DIMENSIONS:		CHK J. EABY 13JAN2011		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD J. EABY 13JAN2011	NAME	IMPACT, 4 PAIR, 16 COLUMN, HEADER RIGHT GUIDED, LEFT END WALL SIGNAL MODULE, 0.39 PTH
	0 PLC ± 1 PLC ±0.25 2 PLC ±0.13 3 PLC ± 4 PLC ±	PRODUCT SPEC	SIZE	A1
	ANGLES ±	APPLICATION SPEC	CAGE CODE	00779
MATERIAL	FINISH	WEIGHT	DRAWING NO	2007831
-	SEE TABLE	-	CUSTOMER DRAWING	RESTRICTED TO
-	-	-	SCALE	5:1
			SHEET	2
			OF	2
			REV	B1

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru