






LOC		DIST		REVISIONS					
-		-		P	LTR	DESCRIPTION	DATE	DWN	APVD
					B1	REVISED PER ECO-16-014766	12OCT2016	RS	GJ



POS.	DIM. A
3*5	33.70
3*4	27.70
3*3	21.70



△ MATERIAL:
LEVEL A: PA6 ,COMPLY WITH GLOW WIRE REQUIREMENTS FOR PARTS OF
NON-METALLIC MATERIAL SUPPORTING A CURRENT-CARRYING CONNECTION
DETAILED IN IEC 60335-1, SECTION 30 (GWT),UL 94V-0
LEVEL B: PBT,HOT WIRE IGNITION (HWI) VERSION ARE MOLDED IN
A RESIN THAT COMPLIES WITH TE HOT WIRE IGNITION TEST 109-32026
AND ARE RECOMMENDED FOR USE WITH HWI HOUSINGS THAT ALSO COMPLY,
UL 94V-0

△ MATERIAL MARK:
LEVEL A:GWT,LEVEL B:HWI







3. APPLICABLE CONTACT P/N
RECEPTACLE CONTACT:1971237/1971779/81/83/85/87-*,2238066-*

4. MATING CONN. P/N
CAP HSG: *-2232356/60-
DOUBLE ROW TPA: *-1971778-*;SINGLE ROW TPA: *-1971777-*

5. THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TOMMY_WU 26MAR2013	TE Connectivity	
DIMENSIONS:		CHK HAPYE_WU 26MAR2013		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD YUJHONG_MAO 26MAR2013	NAME PLUG HOUSING,TRIPLE ROW POWER TRIPLE LOCK	
	0 PLC ±-	PRODUCT SPEC	SIZE A100779C=2232357	
	1 PLC ±0.35	108-106118		
	2 PLC ±0.25	APPLICATION SPEC	RESTRICTED TO	
	3 PLC ±-	114-106118		
MATERIAL	ANGLES ±-	WEIGHT -	SCALE 3:1	
	FINISH -	Customer Drawing		
		SHEET 1 OF 2		REV B1

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	OWN
-	-	-	-	-SEE SHEET 1-	-	-




3*5	LEVEL A	DARK GREY	KEY A	5-2232357-7
		BROWN	KEY B	6-2232357-7
		GREEN	KEY C	7-2232357-7
		ORANGE	KEY D	8-2232357-7
3*4	LEVEL B	BLACK	KEY A	1-2232357-5
		DARK GREY	KEY A	5-2232357-4
		BROWN	KEY B	6-2232357-4
		GREEN	KEY C	7-2232357-4
3*3	LEVEL A	ORANGE	KEY D	8-2232357-4
		BLACK	KEY A	1-2232357-4
		DARK GREY	KEY A	5-2232357-3
		BROWN	KEY B	6-2232357-3
3*3	LEVEL B	GREEN	KEY C	7-2232357-3
		ORANGE	KEY D	8-2232357-3
		BLACK	KEY A	1-2232357-6
POS.	MATERIAL	COLOR	KEY	P/N


3*3 POSITIONS

3*4 POSITIONS


3*5 POSITIONS



KEYING FOR 3*3 POS.



KEYING FOR 3*4 POS.



KEYING FOR 3*5 POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN	TOMMY_WU		26MAR2013	 TE Connectivity		
DIMENSIONS: mm		CHK	HAPYE_WU		26MAR2013			NAME
		APVD	YUJHONG_MAO		26MAR2013			
		PRODUCT SPEC						
		108-106118		PLUG HOUSING, TRIPLE ROW POWER TRIPLE LOCK -				
		APPLICATION SPEC		SIZE				
		114-106118		CAGE CODE				
MATERIAL		FINISH		WEIGHT		DRAWING NO		
-		-		-		A100779C=2232357		
				Customer Drawing		RESTRICTED TO		
				SCALE		-		
				SHEET		2		
				OF		2		
				REV		B1		

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru