



DESCRIPTION: HIGH DENSITY - FEMALE - RIGHT ANGLE

ELECTRICAL:

CURRENT RATING: 3 AMPS
CONTACT RESISTANCE: 15 MILLIOhms Max.
INSULATION RESISTANCE: 1,000 MEGOhms Min. AT 500VDC
WITHSTANDING VOLTAGE: 1,000VAC FOR 1 MINUTE
TEMPERATURE: -55°C TO +105°C

MATERIALS:

SHELL: STEEL
INSULATOR: PBT, (UL94-0)
CONTACT: COPPER ALLOY
CONTACT FINISH: SEE PART NUMBER KEY BELOW
BOARD LOCK: BRASS - TIN PLATED
RIVET INSERT: BRASS - NICKEL PLATED



181-078-2 1 3 L YY 1

SERIES 181-078-2
POSITIONS 078
GENDER 2 = FEMALE
TERMINATION 1 = DIP SOLDER
SHELL PLATING 3 = NICKEL PLATED
RoHS COMPLIANT L = LOW TEMP. PROCESS
HARDWARE OPTIONS 53 = 4-40 INSERTS / BOARDLOCKS
56 = 4-40 SCREWLOCKS / BOARDLOCKS
PLATING OPTIONS 1 = GOLD FLASH (MATING AREA)
TIN TAILS (SOLDER AREA)

DO NOT SCALE FROM DRAWING

RoHS COMPLIANT




THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

NorComp

DRAWN: C. SMITH		DATE: 07-01-10	
SCALE: NTS		SHEET 1 OF 2	
DWG NO. 181-078-213LYY1		REV 6	

DESCRIPTION: PCB LAYOUT - RIGHT ANGLE - FEMALE




78 POSITION


HOLE PATTERN SHOWN
ARE FOR MALE

UNITS = inch

* TYP.
SUGGESTED SIZE
MAY NOT BE SUITABLE FOR ALL APPLICATIONS




METAL SHELL
FORK BOARD LOCKS



4-40 FLUSH INSERT

53

BOARD LOCKS
IN FRONT HOLE



4-40 HEX STANDOFF
FEMALE SCREWLOCK

56

BOARD LOCKS
IN FRONT HOLE

DO NOT SCALE FROM DRAWING



THESE DRAWINGS AND SPECIFICATIONS ARE
THE PROPERTY OF NorComp AND SHALL NOT
BE REPRODUCED, COPIED OR USED AS THE
BASIS FOR THE MANUFACTURE OR SALE OF
APPARATUS WITHOUT WRITTEN PERMISSION.

DRAWN:
C. SMITH

DATE:
07-01-10

NorComp

SCALE:
NTS

SHEET
1 OF
2

REV
6

DWG NO.
181-078-213LYY1

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru