



| REVISIONS |     |                       |           |     |      |
|-----------|-----|-----------------------|-----------|-----|------|
| P         | LTR | DESCRIPTION           | DATE      | DWN | APVD |
| F6        |     | REV PER ECR-15-006525 | 27APR2014 | SZ  | SZ   |
| F7        |     | REV PER ECO-15-007413 | 18MAY2015 | SZ  | SZ   |
| F8        |     | REV PER ECR-15-018146 | 15DEC2015 | SZ  | SZ   |
|           |     |                       |           |     |      |







- 1 MATERIAL:  
HOUSING - GLASS FILLED POLYESTER, COLOR BLACK  
CONTACT - PHOSPHOR BRONZE
- 2 FINISH:  
(SEE TABLE FOR GOLD PLATING) IN CONTACT AREA.  
.000100 MIN MATTE TIN ON SOLDER POSTS. ALL OVER  
.000050 MIN THK. NICKEL
- 3 AMP LOGO, TE PART NUMBER, DATE CODE AND CSA LOGO INK STAMPED WHITE (HOT STAMPED OR LAZER PRINTED) IN THE APPROXIMATE AREA SHOWN, EITHER SIDE PERMISSABLE WHEN HOUSING SIZE PERMITS
4. RECOMMENDED PCB FINISHED HOLE  $\varnothing .040 \pm .003$
- 5 .000015 MIN
- 6 .000030 MIN
- 7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI





| REVISIONS |     |             |      |     |      |
|-----------|-----|-------------|------|-----|------|
| P         | LTR | DESCRIPTION | DATE | DWN | APVD |
| -         | -   | SEE SHEET 1 | -    | -   | -    |
|           |     |             |      |     |      |
|           |     |             |      |     |      |
|           |     |             |      |     |      |



PART 8-5530843-6

|                                                                                       |  |                       |           |                                                                                                       |  |
|---------------------------------------------------------------------------------------|--|-----------------------|-----------|-------------------------------------------------------------------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWN<br>AWF/GRZYBOWSKI | 30OCT2009 |  TE Connectivity |  |
| DIMENSIONS:<br>INCHES                                                                 |  | CHK<br>E.HOWARD       | -         |                                                                                                       |  |
|  |  | APVD<br>M.PERCHEK     | 30OCT2009 | NAME<br>CONNECTOR ASSEMBLY<br>STANDARD EDGE II,<br>.100 CENTERLINE                                    |  |
|                                                                                       |  | PRODUCT SPEC          |           |                                                                                                       |  |
|                                                                                       |  | APPLICATION SPEC      |           |                                                                                                       |  |
|                                                                                       |  | 114-13018             |           |                                                                                                       |  |
| MATERIAL                                                                              |  | WEIGHT                |           | SIZE<br>A                                                                                             |  |
| -                                                                                     |  | -                     |           | CAGE CODE<br>00779                                                                                    |  |
| -                                                                                     |  | CUSTOMER DRAWING      |           | ©=5530843                                                                                             |  |
| -                                                                                     |  | -                     |           | RESTRICTED TO<br>-                                                                                    |  |
| -                                                                                     |  | -                     |           | SCALE<br>4:1                                                                                          |  |
| -                                                                                     |  | -                     |           | SHEET<br>2 OF 4                                                                                       |  |
| -                                                                                     |  | -                     |           | REV<br>F8                                                                                             |  |



| REVISIONS |     |             |      |     |      |
|-----------|-----|-------------|------|-----|------|
| P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|           | -   | SEE SHEET 1 | -    | -   | -    |
|           |     |             |      |     |      |
|           |     |             |      |     |      |
|           |     |             |      |     |      |

|          |                |
|----------|----------------|
| OBSOLETE | 8-5530843-2    |
| OBSOLETE | 8-5530843-1    |
| OBSOLETE | 4-5530843-1    |
| OBSOLETE | 1-5530843-9    |
| OBSOLETE | 1-5530843-2    |
|          | PART<br>NUMBER |

|          |                                                                                                          |                                                       |        |       |      |       |       |       |       |    |                             |                |
|----------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------|--------|-------|------|-------|-------|-------|-------|----|-----------------------------|----------------|
| F8       | 3, 4, 21, 22, 25, 26, 29, 30, 33, 34                                                                     | -                                                     |        | 1.886 | ,125 | 1.700 | 1.900 | 1.950 | 2.060 | 17 | 18                          | 9-5530843-2    |
|          | 9, 10, 11, 12, 19, 20, 21, 22, 29, 30, 31, 32                                                            | -                                                     |        | 2.086 | ,125 | 1.900 | 2.100 | 2.150 | 2.260 | 19 | 20                          | 9-5530843-1    |
| F6       | 13, 14, 15, 16, 27, 28, 29, 30                                                                           | -                                                     |        | 2.086 | ,125 | 1.900 | 2.100 | 2.150 | 2.260 | 19 | 20                          | 9-5530843-0    |
|          | 3, 4, 5, 6, 9, 10, 13, 14, 17, 18, 19, 20, 21, 22                                                        | -                                                     |        | 1.286 | .125 | 1.100 | 1.300 | 1.350 | 1.460 | 11 | 12                          | 8-5530843-9    |
| F4       | 11, 12, 23, 24, 29, 30, 35, 36, 37, 38                                                                   | -                                                     |        | 2.086 | .125 | 1.900 | 2.100 | 2.150 | 2.260 | 19 | 20                          | 8-5530843-8    |
|          | 17, 18, 19, 20                                                                                           | -                                                     |        | 1.286 | .125 | 1.100 | 1.300 | 1.350 | 1.460 | 11 | 12                          | 8-5530843-7    |
|          |                                                                                                          |                                                       |        | 0.686 | -    | .500  | .700  | -     | -     | 5  | 6                           | 8-5530843-6    |
|          |                                                                                                          |                                                       |        | 1.286 | .187 | 1.100 | 1.300 | 1.350 | 1.460 | 11 | 12                          | 8-5530843-5    |
|          | 19, 20, 21, 22, 23, 24, 27, 28, 31, 32, 35, 36, 39<br>40, 43, 44, 45, 46, 47, 48, 51, 52, 55, 56, 59, 60 | -                                                     |        | 3.186 | .125 | 3.000 | 3.200 | 3.250 | 3.360 | 30 | 31                          | 8-5530843-4    |
|          | 3, 4, 5, 6, 19, 20, 21, 22                                                                               |                                                       |        | 1.286 | ,125 | 1.100 | 1.300 | 1.350 | 1.460 | 11 | 12                          | 8-5530843-3    |
|          | -                                                                                                        |                                                       |        | .386  | ,125 | .200  | .400  | .450  | .560  | 2  | 3                           | 7-5530843-7    |
|          | -                                                                                                        |                                                       |        | .686  | ,187 | .500  | .700  | .750  | .860  | 5  | 6                           | 7-5530843-6    |
|          | -                                                                                                        |                                                       |        | .686  | ,125 | .500  | .700  | .750  | .860  | 5  | 6                           | 7-5530843-5    |
|          | -                                                                                                        |                                                       |        | 3.186 | ,125 | 3.000 | 3.200 | 3.250 | 3.360 | 30 | 31                          | 7-5530843-0    |
|          | -                                                                                                        |                                                       |        | 3.186 | ,125 | 3.000 | 3.200 | 3.250 | 3.360 | 30 | 31                          | 6-5530843-5    |
| OBSOLETE | -                                                                                                        |                                                       |        | 6.086 | ,125 | 5.900 | 6.100 | 6.150 | 6.260 | 59 | 60                          | 5-5530843-5    |
|          | -                                                                                                        |                                                       |        | 2.086 | ,125 | 1.900 | 2.100 | 2.150 | 2.260 | 19 | 20                          | 5-5530843-4    |
|          | -                                                                                                        |                                                       |        | 1.786 | ,125 | 1.600 | 1.800 | 1.850 | 1.960 | 16 | 17                          | 5-5530843-3    |
|          | -                                                                                                        |                                                       |        | 1.086 | ,125 | .900  | 1.100 | 1.150 | 1.260 | 9  | 10                          | 5-5530843-0    |
|          | -                                                                                                        |                                                       |        | 1.886 | ,125 | 1.700 | 1.900 | 1.950 | 2.060 | 17 | 18                          | 2-5530843-7    |
|          | -                                                                                                        |                                                       |        | 3.586 | ,125 | 3.400 | 3.600 | 3.650 | 3.760 | 34 | 35                          | 2-5530843-3    |
|          | -                                                                                                        |                                                       |        | 5.086 | .187 | 4.900 | 5.100 | 5.150 | 5.260 | 49 | 50                          | 2-5530843-2    |
|          | -                                                                                                        |                                                       |        | 4.086 | .187 | 3.900 | 4.100 | 4.150 | 4.260 | 39 | 40                          | 2-5530843-0    |
|          | -                                                                                                        |                                                       |        | 3.086 | .187 | 2.900 | 3.100 | 3.150 | 3.260 | 29 | 30                          | 1-5530843-8    |
|          | -                                                                                                        |                                                       |        | 2.586 | .187 | 2.400 | 2.600 | 2.650 | 2.760 | 24 | 25                          | 1-5530843-6    |
|          | -                                                                                                        |                                                       |        | 4.386 | ,125 | 4.200 | 4.400 | 4.450 | 4.560 | 42 | 43                          | 1-5530843-0    |
|          | -                                                                                                        |                                                       |        | 3.686 | ,125 | 3.500 | 3.700 | 3.750 | 3.860 | 35 | 36                          | 5530843-8      |
|          | -                                                                                                        |                                                       |        | 3.086 | ,125 | 2.900 | 3.100 | 3.150 | 3.260 | 29 | 30                          | 5530843-7      |
|          | -                                                                                                        |                                                       |        | 2.886 | ,125 | 2.700 | 2.900 | 2.950 | 3.060 | 27 | 28                          | 5530843-6      |
|          | -                                                                                                        |                                                       |        | 2.586 | ,125 | 2.400 | 2.600 | 2.650 | 2.760 | 24 | 25                          | 5530843-5      |
|          | -                                                                                                        |                                                       |        | 2.286 | ,125 | 2.100 | 2.300 | 2.350 | 2.460 | 21 | 22                          | 5530843-4      |
|          | -                                                                                                        |                                                       |        | 1.886 | ,125 | 1.700 | 1.900 | 1.950 | 2.060 | 17 | 18                          | 5530843-3      |
|          | -                                                                                                        |                                                       |        | 1.586 | ,125 | 1.400 | 1.600 | 1.650 | 1.760 | 14 | 15                          | 5530843-2      |
|          | -                                                                                                        |                                                       |        | 1.286 | ,125 | 1.100 | 1.300 | 1.350 | 1.460 | 11 | 12                          | 5530843-1      |
|          | OMITTED<br>PIN                                                                                           | BOARD RETENTION<br>FEATURE LOCATION<br>(SEE DETAIL Y) | FINISH | Z     | J    | D     | C     | B     | A     | X  | NO. OF<br>DUAL<br>POSITIONS | PART<br>NUMBER |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
INCHES

MATERIAL  
-

TOLERANCES UNLESS  
OTHERWISE SPECIFIED:

0 PLC ±"  
1 PLC ±.005  
2 PLC ±"  
3 PLC ±"  
4 PLC ±"  
ANGLES #2  
FINISH

-  
-

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN  
AWF/GRZYBOWSKI

CHK  
E.HOWARD

APVD  
M.PERCHEK

PRODUCT SPEC

APPLICATION SPEC

114-13018

WEIGHT

CUSTOMER DRAWING

30OCT2009

30OCT2009

NAME

CONNECTOR ASSEMBLY  
STANDARD EDGE 11,  
.100 CENTERLINE

SIZE  
A1

CAGE CODE  
00779

DRAWING NO  
5530843

RESTRICTED TO

-

SCALE  
4:1

SHEET  
3


OF  
4

REV  
F8


TE Connectivity



| REVISIONS |     |             |      |     |      |
|-----------|-----|-------------|------|-----|------|
| P         | LTR | DESCRIPTION | DATE | DWN | APVD |
| -         | -   | SEE SHEET 1 | -    | -   | -    |
|           |     |             |      |     |      |
|           |     |             |      |     |      |
|           |     |             |      |     |      |



RECOMMENDED MAING BOARD EDGE CONFIGURATION



RECOMMENDED PC BOARD HOLE LAYOUT

|                                                               |  |                                     |                                                                          |                                                                                                       |  |
|---------------------------------------------------------------|--|-------------------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                        |  | DWN<br>AWF/GRZYBOWSKI               | 30OCT2009                                                                |  TE Connectivity |  |
| DIMENSIONS:<br>INCHES                                         |  | CHK<br>E.HOWARD                     | -                                                                        |                                                                                                       |  |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:                        |  | APVD<br>M.PERCHEK                   | 30OCT2009                                                                | NAME<br>CONNECTOR ASSEMBLY<br>STANDARD EDGE II,<br>.100 CENTERLINE                                    |  |
| 0 PLC<br>1 PLC<br>2 PLC<br>3 PLC<br>4 PLC<br>ANGLES<br>FINISH |  | ±"<br>±.005<br>±"<br>±"<br>±"<br>#2 | PRODUCT SPEC<br>108-9039<br>APPLICATION SPEC<br>114-13018<br>WEIGHT<br>- | SIZE<br>A1                                                                                            |  |
| MATERIAL<br>-                                                 |  | CAGE CODE<br>00779                  |                                                                          | DRAWING NO<br>5530843                                                                                 |  |
| CUSTOMER DRAWING                                              |  | SCALE<br>4:1                        |                                                                          | SHEET<br>4 OF 4                                                                                       |  |
|                                                               |  |                                     |                                                                          | REV<br>F8                                                                                             |  |

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)