

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	C1	ECR-14-002927	28FEB2014	GK	HMR


REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151802-2

FOR REPLACEMENT PARTS FOR APPLICATOR 1528337
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1528337

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV			
		CHK	RAGHAVENDRA			
		APVD	RAGHAVENDRA			
		PRODUCT SPEC				
		APPLICATION SPEC				
		WEIGHT				
		CUSTOMER DRAWING		SCALE	SHEET 1 OF 2	
				REV	C1	

TE Connectivity	
NAME	
FINE ADJ SIDE FD HD-I APPL	
SIZE	CAGE CODE
DRAWING NO	RESTRICTED TO
A3	©- 1528337

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH
MATERIAL	

	—	1	1	1	1	1	1	1528337	PRINT, APPLICATOR LOG SHEET	71
	—	1	1	1	1	1	1	1338705—3	DOCUMENTATION PACKAGE	72
										70
										69
										68
	—	1	1	1	1	1	1	461264—5	PLATE, IDENTIFICATION	67
	—	2	2	2	2	2	2	21017—2	SCR,DRIVE(#2x.19)ID PLATE	66
										65
										64
	—	1	1	1	1	1	1	3—18031—0	SCR,SKT SET(M6X6)RAM	63
										62
	—	2	2	2	2	2	2	2—18032—5	SCR,SET(M5X20)DRAG	6
	—	1	1	1	1	1	1	18024—7	SCR,BHC(M4X10)ANVIL	60
	—	1	1	1	1	1	1	5—18022—2	SCR,HEX(M4X8)FEED FINGER	59
										58
	—	1	1	1	1	1	1	1338685—1	PAWL, FEED	57
										55
4	—	4	4	4	4	4	4	18024—8	SCR,BHC(M4x12)SHEAR HOLDER	54
	—	2	2	2	2	2	2	9—18023—6	SCR,SHC(M4x14)TERM HLD DWN	53
	—	1	1	1	1	1	1	18030—1	NUT,HEX(M3)HOLD DOWN	52
	—	1	1	1	1	1	1	811242—5	BUMPER, HOLDDOWN	51
	—	1	1	1	1	1	1	690753—2	SPACER, TONKER	50
	—	1	1	1	1	1	1	18024—3	SCR,BHC(M3X10)CAM	49
	—	—	1	—	—	1	—	1338675—1	CAM, PRE FEED 30 & 40 mm ST	48
	—	1	—	1	1	—	1	1338676—1	CAM, POST FEED 30 & 40 mm ST	47
	—	1	1	1	1	1	1	1320999—3	APPLICATOR BASIC SUBASSY	46
	—	1	1	1	1	1	1	690191—1	PLUG, NYLON	45
	—	1	1	1	1	1	1	1338660—1	RAM	44
										43
										42
	—	1	1	1	1	1	1	2—18024—6	SCR,BHC(M8X25)RAM	41
										40
	—	1	1	1	1	1	1	690125—1	SHIM SUBASSY	39
	—	1	1	1	1	1	1	469367—9	SPACER, FINE ADJUST	38
	—	1	1	1	1	1	1	879103—2	FINE ADJUST HEAD SUBASSY	37
										36
										35
	—	1	1	1	1	1	1	1320934—1	SUPPORT, TERMINAL	34
	—	2	2	2	2	2	2	1—18024—0	SCR,BHC(M4X20)STRIP GUIDE	33
	—	1	1	1	1	1	1	18027—2	WASHER, FLAT(M4)	32
	—	1	1	1	1	1	1	1—18023—2	SCR,SKT CAP(M4X12)MOUNT BLOCK	31
	—	1	1	1	1	1	1	1320908—8	SPACER, STRIP GUIDE	30
	—	1	1	1	1	1	1	1—1633073—5	STRIP GUIDE PLATE ASSY	29
	—	1	1	1	1	1	1	1—455888—5	SPACER, FRONT SHEAR DEP	28
	—	2	2	2	2	2	2	1—22284—0	SPRING, DRAG	27
	—	1	1	1	1	1	1	356835—1	LEVER, DRAG RELEASE	26
	—	1	1	1	1	1	1	240792—1	DRAG, TERMINAL	25
	—	1	1	1	1	1	1	1320928—1	PLATE, STRIP GUIDE	24
	—	1	1	1	1	1	1	980371—4	SCR,SHC SHLD	23
	—	1	—	1	1	—	1	690472—2	STRIPPER	22
	—	1	1	1	1	1	1	1—18023—1	SCR,SHC(M4X10)STRIPPER	21
	—	4	4	4	4	4	4	18025—2	WASHER,LOCK(M4)STRIPPER	20
	—	—	1	—	—	1	—	690472—1	STRIPPER	19
1										18
	—	1	—	—	1	—	—	1338684—1	HOLDER, SHEAR, FRONT (NO—CUT)	17
										16
										15
										14
										13
	—	1	1	1	1	1	1	3—22280—3	SPRING, SHEAR	12
	—	1	1	1	1	1	1	356885—4	STOP, SHEAR	11
}	—	—	1	1	—	1	1	1320921—1	HOLDER, SHEAR, FRONT (CUT)	10
	—	1	1	1	1	1	1	1—454276—9	SHEAR, FLOAT (FRONT)	9
	1	2	2	2	1	1	1	3—1333204—6	ANVIL	8
	—	1	1	1	1	1	1	2—240641—8	SPACER, DEPRESSOR (REAR)	7
										6
	—	1	1	1	1	1	1	3—455889—6	DEPRESSOR, SHEAR (FRONT)	5
	—	1	1	1	1	1	1	238011—4	SPACER, BLOCK CRIMPER	4
1	1	2	2	2	1	1	1	1—854830—8	CRIMPER, INSULATION	3
	—	1	1	1	1	1	1	1—455888—1	SPACER, CRIMPER	2
1	1	2	2	2	1	1	1	2—456405—9	CRIMPER, WIRE	1
1	—77	—76	—72	—71	—6	—2	—1	PART NO	DESCRIPTION	ITEM NO


CONTINUOUS CARRIER
 -1 AND SPARE PARTS
 -2 AND SPARE PARTS
 -6 AND SPARE PARTS
 SPARE PARTS KIT

The diagram is an exploded view of a continuous carrier assembly. It shows the main frame (1) with various components attached or to be attached. Key parts include:

- Top Section:** A vertical assembly of rings and a central shaft (37, 38, 39, 44).
- Side Components:** A series of clips and pins (2, 3, 4, 5, 28, 41) and a bracket (7) with associated pins (50, 51, 52).
- Bottom Section:** A complex assembly of plates (19, 20, 21, 22), a spring (24), and various fasteners (25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 36, 46, 47, 48, 49, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67).
- Reference Labels:** 'B' and 'C' are used to indicate specific sections or views of the assembly.

 The parts list on the left identifies the components by their numbers and quantities: 1 (1), 2 (2), 3 (1), 4 (1), 5 (1), 6 (1), 7 (1), 8 (1), 9 (1), 10 (1), 11 (1), 12 (1), 13 (1), 14 (1), 15 (1), 16 (1), 17 (1), 18 (1), 19 (1), 20 (1), 21 (1), 22 (1), 23 (1), 24 (1), 25 (1), 26 (1), 27 (1), 28 (1), 29 (1), 30 (1), 31 (1), 32 (1), 33 (1), 34 (1), 35 (1), 36 (1), 37 (1), 38 (1), 39 (1), 40 (1), 41 (1), 42 (1), 43 (1), 44 (1), 45 (1), 46 (1), 47 (1), 48 (1), 49 (1), 50 (1), 51 (1), 52 (1), 53 (1), 54 (1), 55 (1), 56 (1), 57 (1), 58 (1), 59 (1), 60 (1), 61 (1), 62 (1), 63 (1), 64 (1), 65 (1), 66 (1), 67 (1).

ON INSTALLATION, SET WIRE DISC TO LARGEST WIRE SIZE SETTING. USE OF SETTINGS BELOW MIN REQUIRED CRIMP HEIGHT SETTING WILL CAUSE DAMAGE TO CRIMP TOOLING.



LONG POSITION
GUIDE OFF WIRE BARREL

		QTY REQD PER ASSY		PARTS LIST			
THIS DRAWING IS A CONTROLLED DOCUMENT.				OWN L LOFTHOUSE	22JAN04	Tyco Electronics Corporation Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK F BACKHURST	22JAN04	NAME	
INCHES				PRODUCT SPEC		FINE ADJ SIDE FD HD-I APPL	
				APPLICATION SPEC		-	
MATERIAL		FINISH		WEIGHT		SIZE	CAGE CODE
-		-		F		A1	00779
CUSTOMER DRAWING				SCALE		DRAWING NO	
				1		12528337	
				SHEET		REV	
				1			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru