


NOTES:

1. MATERIALS AND FINISHES:
 - 1.0/2.3 PLUG:
 - BODY - BRASS, NICKEL PLATING
 - CONTACT - BRASS, GOLD PLATING
 - BNC PLUG:
 - BODY - PHOSPHOR BRONZE, NICKEL PLATING
 - CONTACT - BRASS, GOLD PLATING
 - CABLE - RG-179
2. ELECTRICAL:
 - A. IMPEDANCE: 75 OHM
3. PACKAGING:
 - A. QUANTITY: SINGLE PACK
 - B. MARKING: BAG TO BE MARKED
"AMPHENOL, 95-850-201-XXX, AND DATE CODE"

THIRD ANGLE PROJ.

| REVISIONS | | | | |
|-----------|-----------------|-----------|-------|------|
| REV | DESCRIPTION | DATE | ECN | APPR |
| A | RELEASE TO MFG. | 01-Oct-18 | 09290 | SV |



DESIGN REQUIREMENTS

- | | |
|--|--|
| <input checked="" type="checkbox"/> FREQUENCY: DC TO 4 GHz | <input checked="" type="checkbox"/> CONTINUITY |
| <input type="checkbox"/> VSWR: ---- :1 MAX | <input checked="" type="checkbox"/> HI-POT: 250 VRMS |
| <input type="checkbox"/> INS. LOSS: ---- dB MAX | <input type="checkbox"/> OTHER |

CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:
 <0.5mm ±0.05mm 0.5 - 6mm ±0.1mm 6 - 30mm ±0.2mm 30 - 120mm ±0.3mm ANGLES ±1°

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

| | | | | |
|------------------------------------|------------------|-------------------|---|-----------------------------------|
| MATERIAL SEE NOTES | DRAWN S.VO | DATE 22-May-18 | TITLE 1.0/2.3 CRIMP PLUG TO BNC PLUG USING RG-179 CABLE, VARIOUS LENGTHS | Amphenol RF www.amphenolrf.com |
| REFERENCE EAR# 8193 REF: --- | ENGINEER S.VO | DATE 22-May-18 | SCALE: 2.0:1.0 SHEET 3 OF 4 | |
| CONFIGURATION LEVEL: In Work | APPROVED --- | DATE --- | DWG SIZE B | DRAWING NO. 95-850-201-XXX |
| FINISH | CAD FILE | REV A | | ITEM NO. 95-850-201-XXX |
| | | | | PART NO. 95-850-201-XXX |

THIRD ANGLE PROJ. 

REVISIONS

| REV | DESCRIPTION | DATE | ECN | APPR |
|-----|-----------------|-----------|-------|------|
| A | RELEASE TO MFG. | 01-Oct-18 | 09290 | SV |

| PART NUMBER (IMPERIAL) | PART NUMBER (METRIC) | LENGTH AND TOLERANCE 'L' IN INCHES [METERS] | LENGTH 'X' IN INCHES [METERS] MIN |
|------------------------|----------------------|---|-----------------------------------|
| 95-850-201-240 | | 240.00 [6.096] | |
| 95-850-201-216 | | 216.00 [5.486] | |
| - | 95-850-201M500 | 196.85 [5.000] | |
| 95-850-201-192 | | 192.00 [4.877] | |
| 95-850-201-180 | | 180.00 [4.572] | |
| 95-850-201-168 | | 168.00 [4.267] | |
| - | 95-850-201M400 | 157.48 [4.000] | |
| 95-850-201-144 | | 144.00 [3.658] | |
| 95-850-201-120 | | 120.00 [3.048] | |
| - | 95-850-201M300 | 118.11 [3.000] | |
| 95-850-201-108 | | 108.00 [2.743] | |
| 95-850-201-096 | | 96.00 [2.438] | 1.50 [0.038] |
| 95-850-201-084 | | 84.00 [2.134] | |
| - | 95-850-201M200 | 78.74 [2.000] | |
| 95-850-201-072 | | 72.00 [1.829] | |
| 95-850-201-060 | | 60.00 [1.524] | |
| - | 95-850-201M150 | 59.06 [1.500] | |
| - | 95-850-201M125 | 49.21 [1.250] | |
| 95-850-201-048 | | 48.00 [1.219] | |
| - | 95-850-201M100 | 39.37 [1.000] | |
| 95-850-201-036 | | 36.00 [0.914] | |
| - | 95-850-201M075 | 29.53 [0.750] | |
| 95-850-201-024 | | 24.00 [0.610] | |
| - | 95-850-201M050 | 19.69 [0.500] | |
| 95-850-201-018 | | 18.00 [0.457] | |
| 95-850-201-012 | | 12.00 [0.305] | |
| - | 95-850-201M030 | 11.81 [0.300] | |
| - | 95-850-201M025 | 9.84 [0.250] | 0.75 [0.019] |
| - | 95-850-201M020 | 7.87 [0.200] | |
| 95-850-201-006 | | 6.00 [0.152] | |
| - | 95-850-201M015 | 5.91 [0.150] | |
| PART NUMBER (IMPERIAL) | PART NUMBER (METRIC) | LENGTH AND TOLERANCE 'L' IN INCHES [METERS] | LENGTH 'X' IN INCHES [METERS] MIN |

| | |
|---------------------------------|----------------|
| 5.0' - 24.9' [1.524 - 7.617] | ±2.5% |
| 24.00" - 59.00" [0.610 - 1.499] | ±0.50" [0.013] |
| 0" - 23.90" [0 - 0.607] | ±0.25" [0.006] |
| LENGTH IN INCHES/FT [METERS] | TOLERANCE |
| TOLERANCE TABLE | |

| | | | | | | |
|--|---|-----------------------------|------------------------------|--|--|-----------------------------------|
| <p>UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES ± 0.05mm ±0.1mm ±0.2mm ± 0.3mm ±1°</p> <p>NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.</p> | <p>MATERIAL</p> | <p>DRAWN</p> <p>S.VO</p> | <p>DATE</p> <p>25-Sep-18</p> | <p>TITLE</p> <p>1.0/2.3 CRIMP PLUG TO BNC PLUG USING RG-179 CABLE, VARIOUS LENGTHS</p> | <p>Amphenol RF</p> <p>www.amphenolrf.com</p> | |
| | <p>REFERENCE</p> <p>EAR# 8193</p> <p>REF: ---</p> | <p>ENGINEER</p> <p>S.VO</p> | <p>DATE</p> <p>25-Sep-18</p> | | | <p>DRAWING NO. 95-850-201-XXX</p> |
| | <p>CONFIGURATION LEVEL: In Work</p> | <p>APPROVED</p> <p>---</p> | <p>DATE</p> <p>---</p> | <p>SCALE: 2.0:1.0</p> | <p>SHEET 4 OF 4</p> | <p>ITEM NO. 95-850-201-XXX</p> |
| | <p>FINISH</p> | <p>CAD FILE</p> | <p>DWG SIZE</p> <p>B</p> | <p>REV</p> <p>A</p> | <p>PART NO. 95-850-201-XXX</p> | |

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru