

## Total Dissolved Solids Meter



### Description:

The P773 is a wide-range, pocket-sized total dissolved solids (TDS) meter perfect for use in field environments. Having a rugged, waterproof housing, and replaceable electrodes, this meter will give long durable service. With 10 ppm resolution and  $\pm 2\%$  FS accuracy, you will have high quality results at your fingertips. Automatic temperature compensation (ATC) adjusts for changes in TDS due to temperature.

### Features:

- Resolution: 10 ppm
- High accuracy:  $\pm 2\%$  Full Scale
- Measures 0~19990 ppm
- Rugged waterproof housing that floats (meets IP57 standards)
- Compact size fits easily into your pocket
- Automatic temperature compensation
- Replaceable electrodes
- Large 21 x 18 mm LCD display
- Easy 1-point calibration with included calibration solution
- Comes ready-to-go with two long-life 3-V Lithium batteries

### Applications:

- Agriculture/Gardening/Husbandry
- Anti-freeze recycling
- Aquariums
- Boilers
- Chemical industry
- Cooling towers
- Water treatment/Drinking Water
- Fish farming
- Food industry
- Hydroponics
- Laboratory usage
- Plating industry
- Swimming pools & Spas



WARRANTY



### Specifications

<b>Range</b>	0~19990 ppm
<b>Resolution</b>	10 ppm
<b>Accuracy</b>	±2% Full Scale
<b>Operating Environment</b>	5°C to 50°C 0 to 90% R.H.
<b>Storage Environment</b>	5°C to 50°C 0 to 90% R.H.
<b>ATC Range</b>	5°C to 50°C
<b>Power</b>	Two 3-V Lithium (CR2032) batteries
<b>Expected Battery Life</b>	100 hours continuous
<b>Display</b>	3 digit 21 x 18 mm LCD (.8 x .7")
<b>Dimensions</b>	33.5 x 170 mm (1.3 x 6.7")
<b>Calibration</b>	Manual, 1 point, via screw trim pot.
<b>Weight</b>	85 g (3 oz)
<b>Housing</b>	ABS IP57

### Includes:

- P773 TDS Meter
- Two 3V Batteries
- Instructional manual
- Calibration solution
- Calibration screwdriver
- Gift Box

### This instrument conforms to:

- **EN61326:** Electrical equipment for measurement, control and laboratory use.
- **IEC61000-4-2:** Electrostatic discharge immunity test.
- **IEC61000-4-3:** Radiated, radio-frequency, electromagnetic field immunity test.
- **IEC61000-4-8:** Power frequency magnetic field immunity test.



Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)