







D



C




B

TYPE 1: BODY + STAINLESS STEEL LOCKING

TYPE 3: BODY + STAINLESS STEEL LOCKING
BOTTOM CUT OUT
OTHER SPEC REFER TO TYPE 1

A



TYPE 2: BODY + STAINLESS STEEL LOCKING
SILVER WHITE COATED
OTHER SPEC REFER TO TYPE 1

NOTES:
1. TECHNICAL CHARACTERISTICS:
BODY MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE TREATMENT: POWDER-COATED, COLOR SEE TABLE
OPERATION TEMPERATURE: -40-+125°C
DEGREE OF PROTECTION: IP65 (MATED)

注释:
1. 技术参数:
主体材料: 铝合金
表面处理: 粉末喷涂, 颜色见表格
工作温度: -40-+125°C
防护等级: IP65(配合)

TI440161121-000	TYPE 1	HI6B-SGRS-PG2I	GRAY	PG2I	-
TI440161125-000		HI6B-SGRS-M25		M25	-
TI440161221-000		HI6B-SGRS-2PG2I		PG2I	PG2I
TI440161225-000		HI6B-SGRS-2M25		M25	M25
TI440161121-100	TYPE 2	HI6B-SGRS-PG2I	SILVER WHITE	PG2I	-
TI440160000-000	TYPE 3	HI6B-SGRS-T	GRAY	-	-
ASSEMBLY PART NUMBER	TYPE	ASSEMBLY PART DESCRIPTION	COLOR	IG1	IG2

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
TBD

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±
FINISH	-

DWN DAVID LI 19JUN2015

CHK CHRIS WANG 19JUN2015

APVD XU XIANG 19JUN2015

PRODUCT SPEC
108-137013

APPLICATION SPEC
114-137013

WEIGHT
-

CUSTOMER DRAWING


TE Connectivity

NAME
HI6B-SGRS-PG/M



SIZE A2	CAGE CODE -	DRAWING NO ©-TI44016XXXXX00	RESTRICTED TO -
------------	----------------	--------------------------------	--------------------

SCALE 4:5	SHEET 1	OF 2	REV A
--------------	------------	---------	----------


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



TYPE 4: BODY + STEEL LOCKING
OTHER SPEC REFER TO TYPE 1



TYPE 6: BODY + STEEL LOCKING
BOTTOM 1 HOLE
OTHER SPEC REFER TO TYPE 4



TYPE 5: BODY+ STEEL LOCKING
FRONT/BACK 6 HOLE
OTHER SPEC REFER TO TYPE 4

T1440162121-000	TYPE 4	HI6B-SGR-PG21	GRAY	PG21	-	-	-
T1440162125-000		HI6B-SGR-M25		M25	-	-	-
T1440162221-000		HI6B-SGR-2PG21		PG21	PG21	-	-
T1440162225-000		HI6B-SGR-2M25		M25	M25	-	-
T1440161625-000		HI6B-SGR-M25/PG16		M25	PG16	-	-
T1440162521-000		HI6B-SGR-M25/PG21		M25	PG21	-	-
T1440162532-000		HI6B-SGR-M25/M32		M25	M32	-	-
T1440162609-000	TYPE 5	HI6B-SGR-6PG9		-	-	PG9	-
T1440165125-000	TYPE 6	HI6B-SGR-TM25		-	-	-	M25
ASSEMBLY PART NUMBER	TYPE	ASSEMBLY PART DESCRIPTION	COLOR	IG1	IG2	IG3	IG4

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 19JUN2015 DAVID LI	TE Connectivity				
DIMENSIONS:		CHK 19JUN2015 CHRIS WANG					
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 19JUN2015 XU XIANG	NAME HI6B-SGR-PG/M				
mm		PRODUCT SPEC	SIZE				
0 PLC ±-		108-137013	CAGE CODE				
1 PLC ±-		APPLICATION SPEC	DRAWING NO				
2 PLC ±-		114-137013	RESTRICTED TO				
3 PLC ±-		WEIGHT	SCALE				
4 PLC ±-		-	SHEET				
ANGLES ±-		CUSTOMER DRAWING	REV				
FINISH			A				
MATERIAL			4:5				
TBD			2 OF 2				
-			A				

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru