




PART NUMBER
SEE TABLE


OCTIS UNIVERSAL PLUG KIT,PITCH 26 MM

BOM OF PLUG KIT PART NUMBER: 10145416-XXXLF

SL NO.	COMPONENT	MATERIAL	QTY	COLOUR
1	PLUG CAP	PBT GF	1	BLACK
2	HOLDER SUBSET KIT	PBT GF+SILICONE	1	GREY+BLACK
3	HOUSING SUBSET KIT	PBT GF+IXEF	1	GREY+BLACK
4	SPLIT RUBBER GLAND	SILICONE	-	BLACK (SEE TABLE BELOW)
5	TIGHTENING CONE	PA	1	BLACK
6	GLAND NUT	PBT GF	1	BLUE





PACKING CONFIGURATION



AFCI PN	DESCRIPTION	RUBBER GLAND DIA	CABLE SPEC	QTY
10145416-101LF	LC DUPLEX/MPO ADAPTER VERSION	6MM	FOR Ø6MM GLAND- OD 4.6MM MIN TO 5.6MM MAX.	1

* STANDARD RUBBER GLAND DIA OFFERED IS 6MM
OPTIONAL RUBBER GLAND DIA OF 7MM,8MM,9MM & 10 MM AVAILABLE ON REQUEST

spec ref -				dr Jibin John		2017/11/28		projection 	MM 	size A3	scale 1:1
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng B T Varghese		2018/01/18				ecn no -	
				chr -		-					
				appr K-Paul Biju		2018/01/18		product family OCTIS		rel level Released	
surface ISO 1302	linear	0.X ±0.3		Amphenol FCI	title UNIVERSAL PLUGKIT OCTIS, PITCH 26 MM				dwg no 10145416		rev A
		0.XX ±0.13									
		0.XXX ±0.05									
		angular	0° ±2°				cat. no.		Product - Customer Drw		sheet 1 of 2

GENERAL CHARACTERISTICS		
Mechanical		
Mating endurance (cycles)	IEC 61300-2-2	100
Axial Tensile load (N min)	IEC 61300-2-4	150
Vibration	IEC 61300-2-1	-
Recom. coupling torque (N.cm)	-	200 min / 250 max
Weight (g)	-	43.127
Environmental		
Protection class (mated condition)	IEC 60529	IP67(*)
Operating temperature (°C)	IEC 61300-2-22	-40 / +85
Storage temperature (°C)	IEC 61300-2-22	-40 / +85
Humidity (damp heat) (%RH)	IEC 61300-2-19	5 / 95
Salt Mist	IEC 61300-2-26 (ISO21207 method B)	720h (To be tested) (*)
RoHS	-	Compliant
Flammability	UL 94	V0
UVB Resist	ASTM G154	Compliant
Others:		
Cable	IEC 60603-7	For use with standard LC duplex patchcord, MultiMode or SingleMode, standard SFP or SFP+ transceiver
		Diameter Cable tbd ± 0.2 mm
Packaging	-	Unitary in plastic bag. With assembly note

(*) Mated condition

NOTES:

1. 10145416-XXXLF-PLUGKIT CAN BE USED EITHER WITH

- * 10145423-101LF "BULKHEAD LC DUPLEX ADAPTER ASSEMBLY"
- * 10145295-101LF "BULKHEAD MPO ADAPTER ASSEMBLY"

10145416-XXXLF



PRELIMINARY

spec ref		-		dr		Jibin John	2017/11/28	projection		MM		size	A3	scale	1:1	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng		B T Varghese	2018/01/18					ecn no				-
				chr		-	-					rel level				Released
ISO 406 ISO 1101				appr		K-Paul Biju	2018/01/18	product family			OCTIS					
surface		linear	0.X	±0.3	Amphenol FCi	title	UNIVERSAL PLUGKIT OCTIS, PITCH 26 MM				dwg no	10145416			rev	A
			0.XX	±0.13												
			0.XXX	±0.05												
ISO 1302		angular	0°	±2°		cat. no.	Product - Customer Drw					sheet 2 of 2				

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru