








T OPTION
PROVIDES CUTOUTS IN ORDER TO
ACCOMMODATE TABS




HARDWARE OPTIONS


CODE: SSL
SHORT
SLOTTED
HEAD SCREW




CODE: H
HEX SOCKET
HEAD SCREW




CODE: F
JACK POST
(4-40 UNC)




CODE: 0
NO HARDWARE
SUPPLIED



CODE: PF-0
THREADED
HOLE
4-40 UNC



CODE: M3-0
THREADED
HOLE
M3



DRAWN		DATE		 3RD ANGLE PROJECTION NOT TO SCALE	PART NUMBER: D**-3-SB-**-**-L**-**-** D**-3D-SB-**-**-L**-**-**			 Polamco	
B.VESA		09/02/2018							
DESIGN APPROVAL		DATE		UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRES GENERAL TOL LINEAR +/-0.25MM ANGULAR +/- 1°	TITLE: REVERSIBLE 90DEG D-SUB BANDING BACKSHELL			 TE connectivity	
K.SHEPPARD		05/04/2018							
DOC TYPE	Customer Drawing			MATERIAL SEE PART NUMBER BREAKDOWN	ASSY USED ON: MIL-DTL-24308				
ISSUE AA	REV.	DCR 6701							
NCAGE CODE U5792		WEIGHT 13.23 g		FINISH SEE PART NUMBER BREAKDOWN	THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.		POLAMCO LTD, WESTON LOCK, LOWER BRISTOL ROAD BATH BA2 1EP	SHT 1	DRAWING NO: P22008

D25-3*-SB-07-1-C-T-L20-E-SB

CONNECTOR TYPE
SHELL SIZE (TABLE 1)
ENTRY POSITION
SIDE ENTRY, REVERSIBLE
TERMINATION STYLE
SB - BAND TERMINATION STYLE
ENTRY SIZE (TABLE 2)
MATERIAL (TABLE 3)
PLATING (TABLE 3)
T OPTION
OMIT FOR STANDARD FLANGE
OPTIONAL LENGTH (5MM INCREMENTS)
SEE TABLE 2 FOR MIN
(IF OMITTED, L30 WILL BE SUPPLIED)
HARDWARE OPTION
OMIT FOR STANDARD
BAND REFERENCE
SB = STANDARD BAND
OMIT IF NO BAND REQUIRED

* - ENTRY POSITION 3D ALSO ACCEPTABLE

TABLE 1

SHELL SIZE	MIL SPEC SHELL SIZE REFERENCE	A	B	C	D	MAX ENTRY
09	1	31,19	25,00	12,93	22,86	07
15	2	39,52	33,33	12,93	31,09	07
25	3	53,42	47,02	12,93	44,86	07
37	4	69,76	63,50	12,93	61,32	07
50	5	67,31	61,12	15,75	58,98	08
104	6	69,70	63,50	17,35	NA	09

TABLE 2

ENTRY SIZE (CIRCULAR)	ØG	ØH MAX	L MIN
01	3,18	6,78	20
02	4,75	8,35	25
03	6,86	10,46	25
04	7,37	10,97	25
05	7,92	11,52	25
06	10,03	13,63	30
07	10,67	14,27	30
08	12,70	16,30	30
09	14,27	17,90	30

TABLE 3

CODE	MATERIAL / PLATING
1-C	ALUMINIUM / ELECTROLESS NICKEL
1-B	ALUMINIUM / CADMIUM OLIVE DRAB OVER ELECTROLESS NICKEL
1-ZN	ALUMINIUM / ZINC NICKEL BLACK PASSIVATE OVER ELECTROLESS NICKEL
1-Y	ALUMINIUM / YELLOW CHROMATE OVER CADMIUM
4-J	STAINLESS STEEL / PASSIVATE

SEE SS0076 FOR FULL RANGE OF FINISH OPTIONS

DRAWN		DATE		 3RD ANGLE PROJECTION NOT TO SCALE	PART NUMBER: D**-3-SB-**-**-L**-**-**		 Polamco
B.VESA		09/02/2018			D**-3D-SB-**-**-L**-**-**		
DESIGN APPROVAL		DATE		TITLE: REVERSIBLE 90DEG D-SUB BANDING BACKSHELL		 TE	
K.SHEPPARD		05/04/2018		ASSY USED ON: MIL-DTL-24308			
DOC TYPE	Customer Drawing			THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.			
ISSUE	REV.	DCR	MATERIAL		POLAMCO LTD, WESTON LOCK, LOWER BRISTOL ROAD BATH BA2 1EP		DRAWING NO: P22008
AA		6701	SEE PART NUMBER BREAKDOWN		SHT 2		
NCAGE CODE U5792		WEIGHT	FINISH				
		13.23 g	SEE PART NUMBER BREAKDOWN				

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru