


Top view drawing of a connector assembly. The drawing shows a central rectangular component with a circular feature on its top edge. Two side components are connected to the central one. Dimensions and callouts include:

- 0.25 [.010] TYP (Dimension across the top left side)
- 4.00 [.157] TYP (Dimension across the top right side)
- 1.10 [.043] (Dimension across the top left side, below the 0.25 dimension)
- 0.25 [.010] MAX (Dimension across the top left side, below the 1.10 dimension)
- 3.00^{+0.08}_{-0.20} (Dimension across the bottom center)
- .118^{+0.003}_{-.008} (Dimension across the bottom center, below the 3.00 dimension)
- P/O CENTER CONTACT REF (Callout pointing to the central circular feature)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN P. RESNICK CHK —		12/20/91 —		 TE Connectivity				
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD P. RESNICK 05/13/92		NAME				
		0 PLC ± — 1 PLC ± — 2 PLC ± 0.13[.005] 3 PLC ± — 4 PLC ± — ANGLES ± 1°		PRODUCT SPEC —		STRAIGHT OSMT PCB MOUNT PLUG RECEPTACLE				
MATERIAL		FINISH		APPLICATION SPEC —		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
				WEIGHT —		A2	00779	C-1055687	—	
CUSTOMER DRAWING								SCALE 20:1	SHEET 1 OF 2	REV C1




NOTES (FOR PCB LAYOUT ONLY):

1. PRINTED WIRING BOARD MATERIAL: GLASS EPOXY, FR-4 OR SIMILAR, RELATIVE PERMITTIVITY: 4.8oz. COPPER CLAD BOTH SIDES.

2. THESE DIMENSIONS VALID FOR 1.60[.062] BOARD THICKNESS.

RECOMMENDED MOUNTING PATTERN FOR MICROSTRIP LINE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN P. RESNICK 12/20/91		 TE Connectivity			
		CHK —					
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME STRAIGHT OSMT PCB MOUNT PLUG RECEPTACLE			
		APVD P. RESNICK 05/13/92					
		PRODUCT SPEC —					
		APPLICATION SPEC —					
		SIZE A2					
MATERIAL		FINISH		CAGE CODE 00779	DRAWING NO C=1055687	RESTRICTED TO —	
		WEIGHT —		SCALE 20:1		SHEET 2 of 2	REV C1
		CUSTOMER DRAWING					

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru