






Vectorbord® Prototyping Boards with punched holes are **convenient, economical** tools for assembling circuit components-and **cost efficient** alternatives to custom designs. Available in several hole patterns for a **full range of design needs**, circuit speeds, component types and density. May be copper clad on one side. A **complete line of accessory products** also available, including eyelets, push-in (solderable or solderless), Wire-Wrap and screw machine terminals for all Vectorbord® Prototyping Boards.

Pattern M

Enlarged to show detail


**Pattern H****Pattern G****Pattern P**

Pattern	Part No.	Width	Length	Thick	Hole	Material/Description
P	59P44-032	4.50"	6.00"	0.031"	0.042"	FR4 Epoxy Glass
P	64P44WE	4.50"	6.50"	0.062"	0.042"	FR4 Epoxy Glass
P	64P44XXXP	4.50"	6.50"	0.062"	0.042"	FR2 Phenolic
P	64P44	4.50"	6.50"	0.062"	0.042"	CEM-1 Epoxy Glass Composite
P	84P44WE	4.50"	8.50"	0.062"	0.042"	FR4 Epoxy Glass
P	169P44C1	4.50"	17.00"	0.062"	0.042"	CEM-1, copper, 1 side
P	169P44C2	4.50"	17.00"	0.062"	0.042"	CEM-1, copper, 2 sides
P	169P44	4.50"	17.00"	0.062"	0.042"	CEM-1
P	169P44XXXP	4.50"	17.00"	0.062"	0.042"	FR2 Phenolic
P	169P44WEC1	4.50"	17.00"	0.062"	0.042"	FR4 Epoxy Glass, copper, 1 side
P	169P44WE	4.50"	17.00"	0.062"	0.042"	FR4 Epoxy Glass
P	169P59-032	6.00"	17.00"	0.031"	0.042"	FR4 Epoxy Glass
P	169P59C1	6.00"	17.00"	0.062"	0.042"	CEM-1, copper, 1 side.
P	169P59XXXP	6.00"	17.00"	0.062"	0.042"	FR2 Phenolic
P	169P79WE	8.00"	17.00"	0.062"	0.042"	FR4 Epoxy Glass
P	169P79	8.00"	17.00"	0.062"	0.042"	CEM-1
P	169P84	8.50"	17.00"	0.062"	0.042"	CEM-1
P	169P84C1	8.50"	17.00"	0.062"	0.042"	CEM-1, copper, 1 side
P	169P84WE	8.50"	17.00"	0.062"	0.042"	FR4 Epoxy Glass
P	169P84WEC1	8.50"	17.00"	0.062"	0.042"	FR4, copper 1 side
P	349P84	8.50"	35.00"	0.062"	0.042"	CEM-1
P	169P99	10.00"	17.00"	0.062"	0.042"	CEM-1
G	42G22WEC1	4.50"	8.50"	0.062"	0.062"	CEM-1, copper 1 side
G	42G24WE	4.80"	8.50"	0.062"	0.062"	CEM-1
G	85G24WE	4.80"	17.00"	0.062"	0.062"	CEM-1
G	85G42WE	8.50"	17.00"	0.062"	0.062"	FR4 Epoxy Glass
H	85H48WE	4.80"	8.50"	0.062"	0.062"	FR4 Epoxy Glass
H	170H48WE	4.80"	17.00"	0.062"	0.062"	FR4 Epoxy Glass
H	85H85WE	8.50"	8.50"	0.062"	0.062"	FR4 Epoxy Glass
H	170H85WE	8.50"	17.00"	0.062"	0.062"	FR4 Epoxy Glass
M	126M76-032	4.00"	6.50"	0.037"	0.025"	FR4 Epoxy Glass
M	336M76-032	4.00"	17.00"	0.037"	0.025"	FR4 Epoxy Glass
M	336M76-032C1	4.00"	17.00"	0.037"	0.025"	FR4 Epoxy Glass, copper 1 side




Voltage/Ground Plane Pattern

- Overall voltage and ground planes on opposite board sides
- Isolated copper plated thru holes with insulating ring
- Can be committed to either voltage or ground plane with solder washers (T124)
- Good for Vcc & Gnd distribution & noise immunity




Zig-Zag Buses

- Pattern on one side alternates holes with opposite side bus (See illustration)
- 3-hole pads provide holes for DIP's
- 0.3" wide DIP's span buses and are soldered + pads
- Accepts wire-wrap or solder terminals in Zig-Zag bus




Interleaved Bus Pattern

- Two independent copper buses that run the full width of board
- 0.3" DIPs span buses
- All copper buses are solder plated
- Accepts solder or wire-wrap terminals (see Parts & Accessories Section)




Pad-Per-Hole and Pad-Per-Hole and Ground Plane Patterns

- Isolated solder pads around all holes for mounting of DIP's and other components
- Solder plated pad and bus surfaces
- General purpose and bus specific applications
- Wire-wrap socket pins and connectors available separately



Universal & Peripheral Bus Pattern 02

- Voltage and Ground bus lines trace a path around board perimeter
- Some boards have back to back peripheral buses
- Unrestricted pattern inside of buses (No copper geometry)




3-Hole Solder Pad Pattern

- Voltage and ground buses interleaved between pad areas
- Sockets (DIP) and components mount over bus lines for maximum component capacity
- Pattern provides for convenient soldered jumper wire connections to component leads or sockets

Board Dimensions

All board dims are Height x Width



Wire-Wrap is a trademark of Cooper Group

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru