

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION

© COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


| LOC | DIST | REVISIONS |     |                           |         |     |      |
|-----|------|-----------|-----|---------------------------|---------|-----|------|
| FT  | 0    | P         | LTR | DESCRIPTION               | DATE    | DWN | APVD |
|     |      |           | D   | REVISED PER ECO-10-013614 | 13OCT10 | HMR | CR   |

**MATERIAL:**  
 HOUSING: THERMOPLASTIC, UL94V-0, BLACK.  
 TERMINALS: BRIGHT TIN OVER COPPER ALLOY.  
 SCREWS: #6-32 STEEL, ZINC PLATING W/ CLEAR CHROMATE.

**ELECTRICAL:**  
 RATED CURRENT UL/CSA:  
 CLASS C: 20A, 300V  
 CLASS D: 5A, 600V  
 WIRE RANGE: 12-22 AWG

**MECHANICAL:**  
 RECOMMENDED TORQUE: 7 IN-LB.  
 OPERATING TEMP.: 105°C MAX.

1 MARK WITH PERMANENT INK.












|            |          |          |             |                  |             |
|------------|----------|----------|-------------|------------------|-------------|
| SEE FIGURE | 9.000    | 9.314    | 23          | JC6-P208-23      | 6-796985-5  |
|            | 8.625    | 8.939    | 22          | JC6-P208-22-224  | 1776344-1   |
|            | 8.625    | 8.939    | 22          | JC6-P208-22      | 6-796985-4  |
|            | 8.250    | 8.564    | 21          | JC6-P208-21      | 6-796985-3  |
|            | 7.875    | 8.189    | 20          | JC6-P208-20      | 6-796985-2  |
|            | 7.500    | 7.814    | 19          | JC6-P208-19      | 6-796985-1  |
|            | 7.125    | 7.439    | 18          | JC6-P208-18      | 2-796985-0  |
|            | 6.750    | 7.064    | 17          | JC6-P208-17      | 6-796985-0  |
|            | 6.375    | 6.689    | 16          | JC6-P208-16      | 5-796985-9  |
|            | 6.000    | 6.314    | 15          | JC6-P208-15      | 1-796985-9  |
|            | 5.625    | 5.939    | 14          | JC6-P208-14      | 5-796985-8  |
|            | 5.250    | 5.564    | 13          | JC6-P208-13      | 5-796985-7  |
|            | 4.875    | 5.189    | 12          | JC6-P208-12      | 5-796985-6  |
|            | 4.500    | 4.814    | 11          | JC6-P208-11      | 5-796985-5  |
|            | 4.125    | 4.439    | 10          | JC6-P208-10      | 5-796985-4  |
|            | 3.750    | 4.064    | 9           | JC6-P208-09      | 4-1437665-6 |
|            | 3.375    | 3.689    | 8           | JC6-P208-08      | 5-796985-3  |
|            | 3.000    | 3.314    | 7           | JC6-P208-07      | 5-796985-2  |
|            | 2.625    | 2.939    | 6           | JC6-P208-06      | 4-1437665-5 |
|            | 2.250    | 2.564    | 5           | JC6-P208-05      | 4-1437665-4 |
| SEE FIGURE | 1.875    | 2.189    | 4           | JC6-P208-04-505  | 1776344-3   |
| SEE FIGURE | 1.875    | 2.189    | 4           | JC6-P208-04-504  | 1776344-2   |
| SEE FIGURE | 1.875    | 2.189    | 4           | JC6-P208-04-503  | 9-796985-7  |
| SEE FIGURE | 1.875    | 2.189    | 4           | JC6-P208-04-500  | 9-796985-6  |
|            | 1.875    | 2.189    | 4           | JC6-P208-04      | 4-1437665-3 |
| SEE FIGURE | 1.500    | 1.814    | 3           | JC6-P208-03-172  | 1-796985-8  |
|            | 1.500    | 1.814    | 3           | JC6-P208-03      | 4-1437665-2 |
|            | 1.125    | 1.439    | 2           | JC6-P208-02      | 4-1437665-1 |
|            | DIM. "B" | DIM. "A" | NO. OF POS. | CATALOG PART NO. | PART NUMBER |

|   |  |                  |            |           |  |               |               |
|---|--|------------------|------------|-----------|--|---------------|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.  |  | DWN              | S SCHLEGEL | 5/7/03    | Tyco Electronics Corporation<br>Harrisburg, PA 17105 |               |               |
| DIMENSIONS: INCHES  |  | CHK              | S. YODER   | 5/7/03    | NAME   |               |               |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:  |  | APVD             | S. YODER   | 5/7/03    | JC6-P208-XX ASSEMBLY                                 |               |               |
| 0 PLC ± -<br>1 PLC ± -<br>2 PLC ± .01<br>3 PLC ± -<br>4 PLC ± -<br>ANGLES ± - |  | PRODUCT SPEC     |            | SIZE      |  |               |               |
| MATERIAL  |  | APPLICATION SPEC |            | CAGE CODE |  | DRAWING NO    | RESTRICTED TO |
| FINISH  |  | WEIGHT           |            | A3 00779  |  | C-4-1437665-1 | -             |
| CUSTOMER DRAWING  |  |                  |            | SCALE     | NTS  | SHEET         | 1 OF 2        |
|   |  |                  |            | REV       | D  |               |               |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.




LOC FT DIST 0

| REVISIONS |     |             |      |      |
|-----------|-----|-------------|------|------|
| P         | LTR | DESCRIPTION | DATE | APVD |
| -         | -   | SEE SHEET 1 | -    | -    |





9-796985-7

1776344-2



1776344-3



|   |  |                       |  |           |               |               |
|---|--|-----------------------|--|-----------|---------------|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.  |  | DWN S SCHLEGEL 5/7/03 | Tyco Electronics Corporation<br>Harrisburg, PA 17105 |           |               |               |
| DIMENSIONS: INCHES  |  | CHK S. YODER 5/7/03   |  |           |               |               |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:  |  | APVD S. YODER 5/7/03  | NAME   |           |               |               |
| 0 PLC ± -<br>1 PLC ± -<br>2 PLC ± .01<br>3 PLC ± -<br>4 PLC ± -<br>ANGLES ± - |  | PRODUCT SPEC          | JC6-P208-XX ASSEMBLY                                 |           |               |               |
| MATERIAL  |  | APPLICATION SPEC      | SIZE   | CAGE CODE | DRAWING NO    | RESTRICTED TO |
| FINISH  |  | WEIGHT                | A3   | 00779     | C-4-1437665-1 | -             |
| CUSTOMER DRAWING  |  |                       | SCALE  | SHEET     | OF            | REV           |
|   |  |                       | NTS  | 2         | 2             | D             |

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)  
Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)