

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

| REVISIONS | | | | |
|-----------|-----|---------------------------|-----------|-------|
| P | LTR | DESCRIPTION | DATE | APVD |
| | E12 | REVISED PER ECO-13-016361 | 19OCT2013 | KH MM |

1 MATERIALS AND FINISH
 HOUSING: PA 6-6, UL 94-V0, COLOR: GREEN.
 CLAMP: BRASS, NICKEL PLATED.
 CONTACT SPRING : PHOSPHOR BRONZE, TIN PLATED.
 CLAMPING SCREW: M3, BRASS, NICKEL PLATED.


2. WIRE SIZE RANGE: 12 - 30 AWG

3 NOT CUMULATIVE TOLERANCE.


4 CHARACTERS MARKED IN PERMANENT WHITE COLOR.

5 PARTS SHOWN WITH INTEGRATED KEYING FEATURE LOCATED AS SHOWN.

6 CHARACTERS MARKED IN PERMANENT BLACK COLOR.




CLAMPING SCREW




WIRE ENTRY

RETENTION LATCH



POLARIZATION KEY SLOT



MATING FACE

2.54 REF TYP

3
 5.08±0.05 TYP

| | | | |
|----------------|--------|----|------------|
| SEE DETAIL A-D | 106.68 | 21 | 4-284047-1 |
| SEE DETAIL A-C | 106.68 | 21 | 4-284047-0 |
| SEE DETAIL A-B | 76.20 | 15 | 3-284047-9 |
| SEE DETAIL A-A | 76.20 | 15 | 3-284047-8 |
| SEE DETAIL Z | 121.92 | 24 | 3-284047-7 |
| 5 SEE DETAIL X | 81.28 | 16 | 3-284047-6 |
| 5 SEE DETAIL W | 81.28 | 16 | 3-284047-5 |
| 5 SEE DETAIL V | 60.96 | 12 | 3-284047-4 |
| 5 SEE DETAIL U | 60.96 | 12 | 3-284047-3 |
| 5 SEE DETAIL T | 121.92 | 24 | 3-284047-2 |
| 5 SEE DETAIL S | 121.92 | 24 | 3-284047-1 |
| 5 SEE DETAIL R | 91.44 | 18 | 3-284047-0 |
| 5 SEE DETAIL P | 91.44 | 18 | 2-284047-9 |
| SEE DETAIL N | 24.40 | 5 | 2-284047-8 |
| SEE DETAIL M | 20.32 | 4 | 2-284047-7 |
| SEE DETAIL L | 10.16 | 2 | 2-284047-6 |
| - | 127.00 | 25 | 2-284047-5 |
| - | 121.92 | 24 | 2-284047-4 |
| - | 116.84 | 23 | 2-284047-3 |
| - | 111.76 | 22 | 2-284047-2 |
| - | 106.68 | 21 | 2-284047-1 |
| - | 101.60 | 20 | 2-284047-0 |
| - | 96.52 | 19 | 1-284047-9 |
| - | 91.44 | 18 | 1-284047-8 |
| - | 86.36 | 17 | 1-284047-7 |
| - | 81.28 | 16 | 1-284047-6 |
| - | 76.20 | 15 | 1-284047-5 |
| - | 71.12 | 14 | 1-284047-4 |
| - | 66.04 | 13 | 1-284047-3 |
| - | 60.96 | 12 | 1-284047-2 |
| - | 55.88 | 11 | 1-284047-1 |
| - | 50.80 | 10 | 1-284047-0 |
| - | 45.72 | 9 | 284047-9 |
| - | 40.64 | 8 | 284047-8 |
| - | 35.56 | 7 | 284047-7 |
| - | 30.48 | 6 | 284047-6 |
| - | 25.40 | 5 | 284047-5 |
| - | 20.32 | 4 | 284047-4 |
| - | 15.24 | 3 | 284047-3 |
| - | 10.16 | 2 | 284047-2 |

| MARKING | A | NO OF POSN | PART NUMBER |
|---------|---|------------|-------------|
|---------|---|------------|-------------|

| | | |
|--|------|---------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S. WELDON 05FEB2003 |
| DIMENSIONS: mm | | CHK C. RICHARD 05FEB2003 |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD C. RICHARD 05FEB2003 |
| 0 PLC ±- | ±3 | PRODUCT SPEC |
| 1 PLC ±.3 | ±.25 | APPLICATION SPEC |
| 2 PLC ±- | ±- | WEIGHT |
| 3 PLC ±- | ±- | CUSTOMER DRAWING |
| 4 PLC ±- | ±2 | SCALE |
| ANGLES | ±2 | SHEET |
| FINISH | | OF |

STE TE Connectivity


NAME: TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH

SIZE: A2 CAGE CODE: 0779 DRAWING NO: C-284047 RESTRICTED TO: -


SCALE: 1:1 SHEET: 1 OF 8 REV: E12

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


| REVISIONS | | | | |
|-----------|-----|-------------|------|------|
| P | LTR | DESCRIPTION | DATE | APVD |
| - | | SEE SHEET 1 | - | - |
| | | | | |
| | | | | |




SEE DETAIL L



SEE DETAIL M



SEE DETAIL N



SEE DETAIL P




CODING KEY

| | | | |
|--|------|---------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S. WELDON 05FEB2003 | TE Connectivity NAME TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH |
| DIMENSIONS: | | CHK C. RICHARD 05FEB2003 | |
| mm | | APVD C. RICHARD 05FEB2003 | |
| | | PRODUCT SPEC | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APPLICATION SPEC | SIZE |
| 0 PLC | ±- | WEIGHT | A20779 |
| 1 PLC | ±.3 | CUSTOMER DRAWING | CAGE CODE |
| 2 PLC | ±.25 | SCALE | 1:1 |
| 3 PLC | ±- | REVISIONS | REV E12 |
| 4 PLC | ±- | DATE | 05FEB2003 |
| ANGLES | ±2 | SHEET | 2 OF 8 |
| FINISH | - | DRAWING NO | C-284047 |
| MATERIAL | - | RESTRICTED TO | - |


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

| REVISIONS | | | | |
|-----------|-----|-------------|------|------|
| P | LTR | DESCRIPTION | DATE | APVD |
| - | - | SEE SHEET 1 | - | - |
| | | | | |
| | | | | |




SEE DETAIL R


CODING KEY




SEE DETAIL S


CODING KEY

| | | | | |
|---|--|------------------------------|---|------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S. WELDON 05FEB2003 |  TE Connectivity | |
| DIMENSIONS: mm | | CHK C. RICHARD 05FEB2003 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD C. RICHARD 05FEB2003 | NAME TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH | |
| 0 PLC ± 1 PLC ±.3 2 PLC ±.25 3 PLC ± 4 PLC ± ANGLES ±2 FINISH | | PRODUCT SPEC - | SIZE A20779 | DRAWING NO C-284047 |
| MATERIAL - | | APPLICATION SPEC - | RESTRICTED TO - | SCALE 1:1 |
| - | | WEIGHT - | CUSTOMER DRAWING | SHEET 3 OF 8 REV E12 |


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

| REVISIONS | | | | |
|-----------|-----|-------------|------|------|
| P | LTR | DESCRIPTION | DATE | APVD |
| - | | SEE SHEET 1 | - | - |
| | | | | |
| | | | | |



SEE DETAIL T

CODING KEY




SEE DETAIL Z

CODING KEY

| | | | | | | |
|--|--|---------------------------|-----------------|---|-----------|------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S. WELDON 05FEB2003 | TE Connectivity | NAME | | |
| DIMENSIONS: | | CHK C. RICHARD 05FEB2003 | | TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD C. RICHARD 05FEB2003 | | SIZE | CAGE CODE | DRAWING NO |
| mm | | PRODUCT SPEC | | A2 | p0779 | C-284047 |
| 0 PLC ±- 1 PLC ±.3 2 PLC ±.25 3 PLC ±- 4 PLC ±- ANGLES ±2 FINISH | | APPLICATION SPEC | RESTRICTED TO | | | |
| MATERIAL | | WEIGHT | SCALE | SHEET | REV | |
| - | | - | 1:1 | 4 OF 8 | E12 | |
| CUSTOMER DRAWING | | | | | | |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


| REVISIONS | | | | |
|-----------|-----|-------------|------|------|
| P | LTR | DESCRIPTION | DATE | APVD |
| - | | SEE SHEET 1 | - | - |
| | | | | |
| | | | | |



SEE DETAIL U



CODING KEY



SEE DETAIL V




CODING KEY

| | | | | |
|--|--|---------------------------------|---|-----------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S. WELDON 05FEB2003 | TE Connectivity | |
| | | CHK C. RICHARD 05FEB2003 | | |
| | | APVD C. RICHARD 05FEB2003 | NAME TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH | |
| DIMENSIONS: mm | | PRODUCT SPEC - | | SIZE A20779 |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±.3 2 PLC ±.25 3 PLC ±- 4 PLC ±- ANGLES ±2 | | APPLICATION SPEC - | | CAGE CODE C-284047 |
| MATERIAL - | | WEIGHT - | | DRAWING NO - |
| | | CUSTOMER DRAWING | | RESTRICTED TO - |
| | | SCALE 1:1 | | SHEET 5 OF 8 |
| | | | | REV E12 |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


| REVISIONS | | | | |
|-----------|-----|-------------|------|------|
| P | LTR | DESCRIPTION | DATE | APVD |
| - | - | SEE SHEET 1 | - | - |
| | | | | |
| | | | | |



SEE DETAIL W





CODING KEY



SEE DETAIL X




CODING KEY

| | | | |
|--|--|--|---|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S. WELDON 05FEB2003 |  TE Connectivity |
| DIMENSIONS: mm | | CHK C. RICHARD 05FEB2003 | |
|  | | APVD C. RICHARD 05FEB2003 | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±.3 2 PLC ±.25 3 PLC ±- 4 PLC ±- ANGLES ±2 FINISH - | | PRODUCT SPEC - APPLICATION SPEC - WEIGHT - | |
| MATERIAL - | | NAME TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH SIZE A2 CAGE CODE 0779 DRAWING NO. C-284047 RESTRICTED TO - CUSTOMER DRAWING SCALE 1:1 SHEET 6 OF 8 REV E12 | |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


| REVISIONS | | | | |
|-----------|-----|-------------|------|------|
| P | LTR | DESCRIPTION | DATE | APVD |
| - | | SEE SHEET 1 | - | - |
| | | | | |
| | | | | |



SEE DETAIL A-A



CODING KEY



SEE DETAIL A-B




CODING KEY

| | | | | |
|--|--|---------------------------------|---|------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S. WELDON 05FEB2003 | TE Connectivity | |
| DIMENSIONS: mm | | CHK C. RICHARD 05FEB2003 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD C. RICHARD 05FEB2003 | NAME TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH | |
| 0 PLC ±- 1 PLC ±.3 2 PLC ±.25 3 PLC ±- 4 PLC ±- ANGLES ±2 FINISH | | PRODUCT SPEC - | SIZE A20779 | DRAWING NO C-284047 |
| MATERIAL - | | APPLICATION SPEC - | RESTRICTED TO - | |
| | | WEIGHT - | SCALE 1:1 | SHEET 7 OF 8 |
| | | CUSTOMER DRAWING | REV E12 | |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


| REVISIONS | | | | |
|-----------|-----|-------------|------|------|
| P | LTR | DESCRIPTION | DATE | APVD |
| - | | SEE SHEET 1 | - | - |
| | | | | |
| | | | | |



SEE DETAIL A-C





CODING KEY



SEE DETAIL A-D



CODING KEY

| | | | |
|---|--|------------------------------|---|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S. WELDON 05FEB2003 |  TE Connectivity |
| DIMENSIONS: | | CHK C. RICHARD 05FEB2003 | |
| mm | | APVD C. RICHARD 05FEB2003 | |
|  | | PRODUCT SPEC | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APPLICATION SPEC | NAME TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH |
| 0 PLC ±- | | WEIGHT | SIZE A200779 |
| 1 PLC ±.3 | | CUSTOMER DRAWING | CAGE CODE C-284047 |
| 2 PLC ±.25 | | SCALE 1:1 | DRAWING NO 8 OF 8 |
| 3 PLC ±- | | SHEET | REV E12 |
| 4 PLC ±- | | | |
| ANGLES ±2 | | | |
| FINISH | | | |

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru