

tb_frame_D_P_ME_T
Rev. E 2006/04/15

	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																								
M	X*NOT TOOLED	ASSEMBLY NUMBER	PART CHARACTERISTICS				X*NOT TOOLED	ASSEMBLY ITEM NUMBER	PART CHARACTERISTICS				CHARACTERISTICS LEGEND																																															
L			EXTERNAL CONNECTOR SIZE	NUMBER OF POSITIONS	P. C. BOARD THICKNESS	MOUNTING EARS OPTION			EXTERNAL CONNECTOR SIZE	NUMBER OF POSITIONS	P. C. BOARD THICKNESS	MOUNTING EARS OPTION	EXTERNAL CONNECTOR BODY DIMENSIONS: AVAILABLE IN 4, 6, AND 8 POSITION BODY																																															
		42878-4216	4 POS. BODY	4	.062	YES		42878-6216	6 POS. BODY	6	.062	YES	NUMBER OF CONTACT POSITIONS: CONNECTOR SIZE 4 ACCOMMODATES 2, 4, OR 6 TERMINALS; CONNECTOR SIZE 6 ACCOMMODATES 2, 4, OR 6 TERMINALS; CONNECTOR SIZE 8 ACCOMMODATES 2, 4, 6, 8, OR 10 TERMINALS																																															
		42878-4218	↑	4	.062	NO		42878-6218	↑	6	.062	NO	POLARIZATION OPTION: (AVAILABLE ON CONNECTOR SIZE 8 ONLY) "NO"= WITHOUT KEYING SLOT "YES"= WITH KEYING SLOT																																															
		42878-4264		4	.125	YES		42878-6264		6	.125	YES	MOUNTING EARS OPTION: "YES"= PART WITH MOUNTING EARS "NO"= PART WITHOUT MOUNTING EARS																																															
		42878-4266		4	.125	NO		42878-6266		6	.125	NO	(SEE SHEET 1 & 2 FOR PART DESCRIPTIONS AND DIMENSIONS)																																															
		42878-4360		2	.062	YES		42878-6360		4	.062	YES																																																
		42878-4362		2	.062	NO		42878-6362		4	.062	NO																																																
K		42878-4408	↓	2	.125	YES		42878-6408		4	.125	YES																																																
		42878-4410	4 POS. BODY	2	.125	NO		42878-6410		4	.125	NO																																																
								42878-6504		2	.062	YES																																																
								42878-6506		2	.062	NO																																																
								42878-6552	↓	2	.125	YES																																																
								42878-6554	6 POS. BODY	2	.125	NO																																																
J																																																												
I																																																												
H																																																												
G																																																												
F																																																												
E																																																												
D																																																												
C																																																												
B																																																												
A																																																												
<table><tr><td rowspan="4">SEE SHEET ONE EC NO: UCP2004-1617 DRAWNLSCHMIDT 2004/03/03 CHKDLSCHMIDT 2004/03/03 APPR.FSMITH 2004/03/03</td><td rowspan="4">DESCRIPTION H</td><td rowspan="4">QUALITY SYMBOLS ▽.0 ▽.0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td rowspan="2">SCALE ---</td><td rowspan="2">DESIGN UNITS INCH</td><td rowspan="2">THIRD ANGLE PROJECTION</td><td rowspan="2">REVISE ON CAD ONLY</td></tr><tr><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±.0005</td><td rowspan="3">IN/MM</td><td rowspan="3">DRAWN BY BAP</td><td rowspan="3">DATE 1992/04/09</td><td rowspan="3">TITLE ASSEMBLY, VERTICAL LOW PROFILE MODULAR JACKS (CONNECTOR SIZE 4 & 6)</td></tr><tr><td>3 PLACES</td><td>±.0005</td></tr><tr><td>2 PLACES</td><td>±.0005</td></tr><tr><td>1 PLACE</td><td>±.0005</td><td rowspan="3">APPROVED BY RAS</td><td rowspan="3">DATE 1992/04/09</td><td rowspan="3">MATERIAL NO. MOLEX</td><td rowspan="3">DOCUMENT NO. SDA-42878-XXXX</td><td rowspan="3">SHEET NO. 4 OF 5</td></tr><tr><td colspan="2">ANGULAR ±1/2°</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td></tr><tr><td colspan="8">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>																					SEE SHEET ONE EC NO: UCP2004-1617 DRAWNLSCHMIDT 2004/03/03 CHKDLSCHMIDT 2004/03/03 APPR.FSMITH 2004/03/03	DESCRIPTION H	QUALITY SYMBOLS ▽.0 ▽.0	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY	mm	INCH	4 PLACES	±.0005	IN/MM	DRAWN BY BAP	DATE 1992/04/09	TITLE ASSEMBLY, VERTICAL LOW PROFILE MODULAR JACKS (CONNECTOR SIZE 4 & 6)	3 PLACES	±.0005	2 PLACES	±.0005	1 PLACE	±.0005	APPROVED BY RAS	DATE 1992/04/09	MATERIAL NO. MOLEX	DOCUMENT NO. SDA-42878-XXXX	SHEET NO. 4 OF 5	ANGULAR ±1/2°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
SEE SHEET ONE EC NO: UCP2004-1617 DRAWNLSCHMIDT 2004/03/03 CHKDLSCHMIDT 2004/03/03 APPR.FSMITH 2004/03/03	DESCRIPTION H	QUALITY SYMBOLS ▽.0 ▽.0	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY																																																				
			mm	INCH																																																								
			4 PLACES	±.0005	IN/MM	DRAWN BY BAP	DATE 1992/04/09	TITLE ASSEMBLY, VERTICAL LOW PROFILE MODULAR JACKS (CONNECTOR SIZE 4 & 6)																																																				
			3 PLACES	±.0005																																																								
2 PLACES	±.0005																																																											
1 PLACE	±.0005	APPROVED BY RAS	DATE 1992/04/09	MATERIAL NO. MOLEX	DOCUMENT NO. SDA-42878-XXXX	SHEET NO. 4 OF 5																																																						
ANGULAR ±1/2°																																																												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																												
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																												
to frame D.P.M.E.T Rev. C 2002/05/05		19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																								

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru