CRYSTEK CRYSTALS
A DIVISION OF CRYSTEK CORPORATION

CVCSO-914-1000

True SineWave
SAW Based VCSO
9×14mm SMD
5 Volt

RoHS Compliant

Ultra-Low Phase Noise 1GHz SAW VCSO



Model CVCSO-914-1000 is a 1 GHz voltage-controlled SAW (surface acoustic wave) Clock Oscillator (VCSO). SAW crystal technology provides low-noise and low-jitter performance with true sinewave output. Features include -135 dBc/Hz phase noise at 10 kHz offset, 5V input voltage, -20°C to +70°C operating temperature, and 9×14 mm SMT package. The oscillator has no sub-harmonic and the second harmonic is typically -20 dBc.

Applications include PLL frequency translation, test and measurement, avionics, point-to-point radios, and multi-point radios.

Rev:	K
Date:	21-Mar-2013
Page 1 of 3	

CRYSTEK CORPORATION
12730 Commonwealth Drive • Fort Myers, Florida 33913
Phone: 239-561-3311 • 800-237-3061
Fax: 239-561-1025 • www.crystek.com

CVCSO-914-1000

True SineWave
SAW Based VCSO
9×14mm SMD
5 Volt

Frequency:	**1 GHz**
Temperature Range:	**-20°C to +70°C**
Storage:	**-40°C to 90°C**
Input Voltage:	**5.0V ±0.25V**
Control Voltage:	**2.5V ±2.5V**
Settability At Nominal (25°C):	**1.5V ±0.5V**
Tuning Sensitivity (Kv):	**+120ppm/V**
Frequency vs Temperature:	**±100ppm Typical**
Input Current:	**25mA Typical, 35mA Max**
Output:	**True SineWave**
Pullability APR:	**±50ppm Min**
Linearity:	**±20% Max**
Output Power:	**+10dBm Min into 50 Ω Load**
Start-Up Time:	**2mSec Typical, 10mSec Max**
2nd Harmonic:	**-20dBc Typical, -15dBc Max**
Sub-Harmonics:	**None**
Modulation BW:	**>20kHz @ -3dB**
Phase Jitter: 12kHz~80MHz	**<1ps RMS (1-sigma) Max**
G-sensitivity:	**0.9×10^{-9} per g**







Pad	Connection
1	Volt. Control
2	GND
3	Output
4	Vdd

Rev: K
Date: 21-Mar-2013
Page 2 of 3

CRYSTEK CORPORATION
12730 Commonwealth Drive • Fort Myers, Florida 33913
Phone: 239-561-3311 • 800-237-3061
Fax: 239-561-1025 • www.crystek.com

CVCSO-914-1000

True SineWave
SAW Based VCSO
9×14mm SMD
5 Volt







NOTE: Reflow Profile with 240°C peak also acceptable.

Parameter	Conditions
Mechanical Shock	MIL-STD-883, Method 2002, Condition B
Mechanical Vibration	MIL-STD-883, Method 2007, Condition A
Solderability	MIL-STD-883, Method 2003
Solvent Resistance	MIL-STD-202, Method 215
Resistance to Soldering Heat	MIL-STD-202, Method 210, Condition I or J
Thermal Shock	MIL-STD-883, Method 1011, Condition A
Moisture Resistance	MIL-STD-883, Method 1004

CRYSTEK CORPORATION
12730 Commonwealth Drive • Fort Myers, Florida 33913
Phone: 239-561-3311 • 800-237-3061
Fax: 239-561-1025 • www.crystek.com

ООО «ЛайфЭлектроникс» “LifeElectronics” LLC

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru

www.lifeelectronics.ru