



LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
AA	00		A9	ADD NEW PARTS	15OCT2014	OL
			A10	ECR-15-001425	22DEC2014	SZ






1. HOUSING: GLASS FILLED LIQUID CRYSTAL POLYMER, COLOR: BLACK, UL 94 V-O RATED
SIGNAL CONTACT: PHOSPHOR BRONZE
SIGNAL OVERMOLD: GLASS FILLED POLYESTER
POWER CONTACT: COPPER ALLOY
2. SIGNAL CONTACT:0.00127mm MIN NICKEL ALL OVER,
MATING AREA: 0.00076mm MIN GOLD OR 0.00008mm MIN GOLD OVER
0.00076mm MIN PALLADIUM-NICKEL,
TAIL AREA: 0.0005mm MIN MATTE TIN

POWER CONTACT: 0.00127mm MIN NICKEL ALL OVER,
MATING AREA: 0.00076mm MIN GOLD OR 0.00008mm MIN GOLD OVER
0.00076mm MIN PALLADIUM-NICKEL,
TAIL AREA: 0.0005mm MIN MATTE TIN
3. CONTACT MATING AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT,
TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995
4. THIS CONNECTOR EMPLOYS UL RECOGNIZED Z-PACK 2mm HM SIGNAL CONTACTS
- 5 DATUMS AND BASIC DIMENSIONS TO BE ESTABLISHED BY CUSTOMER
- 6 SEE APPLICATION SPEC 114-13215 FOR PLATED THROUGH HOLE INFORMATION
7. SEE CUSTOMER DRAWING 1926730 OR 1926732 FOR MATING CONNECTOR
- 8 UNPLATED HOLES

12	10	1	1	18.95	23.74	10S X 2P	1-1892787-4
12	15	1	2	20.95	25.74	15S X 2P	1-1892787-3
12	25	1	4	24.95	29.74	25S X 2P	1-1892787-2
120	35	19	6	78.45	83.24	35S X 20P	1-1892787-1
108	35	17	6	72.95	77.74	35S X 18P	1-1892787-0
48	20	7	3	39.45	44.24	20S X 8P	1892787-9
60	25	9	4	46.95	51.74	25S X 10P	1892787-6
24	20	3	3	28.45	33.24	20S X 4P	1892787-4
24	10	3	1	24.45	29.24	10S X 4P	1892787-2
F PLC	E PLC	D SPACES	C SPACES	DIM B	DIM A	NO OF POSITIONS	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.				DRAWN ORANDO LI 28OCT2011	 TE Connectivity				
				CHECKED SUNY ZHAO 28OCT2011					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPROVED SUNY ZHAO 28OCT2011	NAME				
mm		0 PLC ± 1 PLC ± 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ±		PRODUCT SPEC 108-2325 APPLICATION SPEC 114-13215	RECEPTACLE ASSEMBLY, VERTICAL, PASSIVE GUIDE, SIGNAL/POWER, SCREW MOUNT OPTION, MINIPAK HDL				
									
MATERIAL SEE NOTE 1		FINISH SEE NOTE 2		WEIGHT -	SIZE A100779		CAGE CODE C=1892787	DRAWING NO	RESTRICTED TO
Customer Drawing				SCALE 2:1		SHEET 1 OF 3		REV. A10	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AA	00	-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: ORANDO L1 28OCT2011	TE Connectivity	
		CHK: SUNY ZHAO 28OCT2011		
DIMENSIONS:		APVD: SUNY ZHAO 28OCT2011	NAME: RECEPTACLE ASSEMBLY, VERTICAL, PASSIVE GUIDE, SIGNAL/POWER, SCREW MOUNT OPTION, MINIPAK HDL	
mm		PRODUCT SPEC		
	0 PLC	±	SIZE: A100779C=1892787	
	1 PLC	±		
	2 PLC	±0.13		
	3 PLC	±		
		APPLICATION SPEC	RESTRICTED TO: -	
		ANGLES		
		FINISH	SCALE: 2:1 SHEET 2 OF 3 REV: A10	
MATERIAL: SEE NOTE 1		WEIGHT: -		
		Customer Drawing		

LOC		DIST		REVISIONS						
AA		00		P	LTR	DESCRIPTION	DATE	DWN	APVD	
				-	-	SEE SHEET 1	-	-	-	



RECOMMENDED PRINTED CIRCUIT BOARD LAYOUT
(COMPONENT SIDE OF BOARD SHOWN)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ORANDO L1 28OCT2011	 TE Connectivity	
		CHK SUNY ZHAO 28OCT2011		
		APVD SUNY ZHAO 28OCT2011		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	NAME	
mm			RECEPTACLE ASSEMBLY, VERTICAL, PASSIVE GUIDE, SIGNAL/POWER, SCREW MOUNT OPTION, MINIPAK HDL	
		0 PLC ±		
		1 PLC ±		
		2 PLC ±0.13		
		3 PLC ±		
		4 PLC ±	SIZE	
		ANGLES	114-13215	
		FINISH	WEIGHT	
MATERIAL		SEE NOTE 1	A100779C=1892787	
		SEE NOTE 2	Customer Drawing	
			SCALE 2:1 SHEET 3 OF 3 REV. A10	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru