

Product Overview

NCP6925: Power Management IC (PMIC), 7 Channels, with 2 DC-DC Converters and 5 LDOs

For complete documentation, see the data sheet.

The NCP6925 is part of the ON Semiconductor mini-power management IC family. It is optimized to supply battery powered portable application subsystems such as camera modules, microprocessors or any peripherals. This device integrates two high efficiency 1000 mA step-down DC to DC converter with DVS (Dynamic Voltage Scaling) and five low dropout (LDO) voltage regulators in WLCSP-36 2.36 x 2.36 mm package.

Features

- 2.36 x 2.36 mm WLCSP 0.4 mm pitch
- Ultra low quiescent current (140 µA typ)
- Id detection capability
- 2 general purpose I/O pins
- Two DC-DC converters, efficiency 95%, programmable output voltage from 0.6 V to 3.3 V by 12.5 mV steps, 1000 mA output current capability
- Four low noise, low dropout regulators, programmable output voltage from 0.8 V to 3.5 V by 25 mV steps, 300 mA output current capability, 50 µVRms typical low output noise
- Flexible power up and down sequences programmable by I²C
- Triple inputs 10 bits ADC
- 2 DC-DC converters, 95 % efficiency, 1 A output current capability, programmable output voltage from 0.6 V to 3.3 V by 12.5 mV steps
- 5 low dropout regulators, 300 mA output current capability, programmable output voltage from 0.8 V to 3.5 V by 25 mV steps, 50 µVRms typical low output noise

For more features, see the data sheet

Benefits

- Small Space Applications
- Save battery life
- Accessory detection
- Can control internal or external regulators, or can be used as internal sequences triggered inputs

Applications

- Cellular Phones
- Battery powered applications power management
- Tablets
- Power supply for processor with low core voltage
- Digital Cameras


End Products

- Smartphones
- Tablets
- Wearable devices
- MP3 players

Part Electrical Specifications

| Product | Compliance | Status | Topology | Control Mode | V _{CC} Min (V) | V _{CC} Max (V) | V _O Typ (V) | I _O Typ (A) | Efficiency (%) | f _{SW} Typ (kHz) | Package Type |
|-----------------|------------------------|--------|-----------|--------------|-------------------------|-------------------------|------------------------|------------------------|----------------|---------------------------|--------------|
| NCP6925BF CCT2G | Pb-free Halide free | Active | Step-Down | Voltage Mode | 2.5 | 5.5 | 1.2 | 1 | 95 | 3000 | WLCSP-36 |

Application Diagram



For more information please contact your local sales support at www.onsemi.com.

Created on: 7/3/2019

ООО "ЛайфЭлектроникс"

"LifeElectronics" LLC

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибуторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибуторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помочь разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru