

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0934454205

Status:

Active

Overview:

ML-XT Sealed Connection System

Description:

ML-XT Sealed 6 Circuit Plug Housing, Pre-Assembled with Large Rear Seal and Cover, Yellow

Documents:

3D Model

Drawing (PDF)

Product Specification 934430010-P (PDF)

Application Specification 934430010-A (PDF)

Packaging Specification 934430002-K (PDF)

RoHS Certificate of Compliance (PDF)

Product Literature (PDF)



Series image - Reference only

Agency Certification

UL

E29179

Application tooling part link

Application Tooling Part Link

63824-5300

General

Product Family

Series

Application

Overview

Product Literature Order No

Product Name

UPC

Crimp Housings

93445

Power, Signal, Wire-to-Wire

ML-XT Sealed Connection System

987651-0201

ML-XT

889056280242

Physical

Circuits (maximum)

Color - Resin

Gender

Glow-Wire Capable

Keying to Mating Part

Lock to Mating Part

Material - Resin

Net Weight

Number of Rows

Packaging Type

Panel Mount

Pitch - Mating Interface

Polarized to Mating Part

Temperature Range - Operating

6

Yellow

Plug

No

None

Yes

Nylon

8.170/g

3

Bag

No

N/A

Yes

-55° to +125°C

Electrical

Current - Maximum per Contact

13.0A

Material Info

Reference - Drawing Numbers

Application Specification

Packaging Specification

Product Specification

Sales Drawing

934430010-A

934430002-K

934430010-P

934430040-000

EU ELV

Not Relevant

EU RoHS

China RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

For more information, please visit [Contact US](#)

China ROHS

Not Reviewed

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

93445 Series

Mates With

ML-XT Sealed 6 Circuit Receptacle Housing

934444205

Use With

ML-XT Female (Socket) Terminal

845250009 (Nickel), ML-XT Female (Socket)

Terminal 845250032 (Selective Gold), ML-

XT 6 Circuit Plug Wedgelock 93448 , ML-XT

Blind Cavity Plug 934941000

Application Tooling | FAQ

Tooling specifications and manuals are

found by selecting the products below.

Crimp Height Specifications are then

contained in the Application Tooling

Specification document.

| Global              |           |
|---------------------|-----------|
| Description         | Product # |
| Extraction Tool     | 638245300 |
| for ML-XT Sealed    |           |
| Connection System   |           |
| and Crimp Terminals |           |

This document was generated on 09/18/2019

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)