

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0740572601

Status:

Active

Overview:

[vhdm](#)

Description:

2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Open Signal Module, 150 Circuits, Advance Mate Shield, Pin Length 4.75mm (.187")

Documents:

[3D Model](#)

[Drawing \(PDF\)](#)

[RoHS Certificate of Compliance \(PDF\)](#)

General


Product Family	Backplane Connectors
Series	74057
Application	Backplane
Application Tooling Documents	http://www.molex.com/pdm_docs/ats/TM-622010999.pdf >Tooling Manual
Comments	Advance Mate Shield
Component Type	PCB Header
Overview	vhdm
Product Name	VHDM®
Style	N/A

Physical

Circuits (Loaded)	150
Circuits (maximum)	150
Color - Resin	Black
Durability (mating cycles max)	200
First Mate / Last Break	No
Guide to Mating Part	No
Keying to Mating Part	None
Material - Metal	Beryllium Copper, High Performance Alloy (HPA)
Material - Plating Mating	Gold
Material - Plating Termination	Tin-Lead
Material - Resin	High Temperature Thermoplastic
Number of Columns	N/A
Number of Pairs	Open Pin Field
Number of Rows	6
Orientation	Vertical
PCB Retention	None
PCB Thickness Recommended (in)	0.070 In
PCB Thickness Recommended (mm)	1.80 mm
Packaging Type	Tube
Pitch - Mating Interface (in)	0.079 In
Pitch - Mating Interface (mm)	2.00 mm
Plating min: Mating (µin)	30
Plating min: Mating (µm)	0.75
Plating min: Termination (µin)	30
Plating min: Termination (µm)	0.75
Polarized to PCB	Yes
Stackable	Yes
Surface Mount Compatible (SMC)	Yes
Temperature Range - Operating	-55°C to +105°C
Termination Interface: Style	Through Hole - Compliant Pin

Electrical

Current - Maximum per Contact	1A
-------------------------------	----



Series

image - Reference only

EU RoHS

RoHS Compliant by Exemption

REACH SVHC

Contains SVHC: No

Halogen-Free

Status

Not Reviewed

China RoHS



Pb

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[74057Series](#)

Mates With
[74030](#) VHDM® Board-to-Board Daughtercard Receptacle

Application Tooling | [FAQ](#)
Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.
Global

Description	Product #
Flat Rock Tooling for Pneumatic Press	0622013700
VHDM® Insertion Module for Advanced Mate Signal Header, 6 Row by 25 Wide, 50.00mm (1.97")	0622020204
VHDM® Insertion Module for Standard	0622020208

Data Rate	3.125 Gbps	Shield Signal
Real Signals (per 25mm)	72	Header, 6 Row by
Shield Type	Ground Plane Shield	25 Wide, 50.00mm
Shielded	Yes	(1.97")
Voltage - Maximum	120V AC (RMS)/DC	

Material Info




Reference - Drawing Numbers

Packaging Specification	PK-74057-003
Sales Drawing	SD-74057-003



VHDM and Very High Density Metric are trademarks of Amphenol Corporation

This document was generated on 05/19/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION




BACKPLANE HOLE PATTERN
RECOMMENDED DIMENSION



NOTES:


1. MATERIAL: HOUSING -LIQUID CRYSTAL POLYMER (LCP). GLASS-FILLED.
UL 94 V-0. COLOR BLACK. SIGNAL & SHIELD -COPPER ALLOY.
2. FINISHES:
CONTACT AREA: SELECTIVE GOLD (Au)
PCB TAILS: SELECTIVE TIN/LEAD (Sn/Pb) OR SELECTIVE MATTE TIN (Sn)
NICKEL (Ni) OVERALL.
3. THIS PART CONFORMS TO MOLEX PRODUCT SPECIFICATION PS-74031-999.
4. FOR MIXED CONTACT MATING LENGTHS CONSULT MOLEX FOR AVAILABILITY.
5. FOR SPECIFIC PART NUMBER AND MATING INFORMATION REFER TO SHEET 2.
6. PACKAGE PER: PK-74057-003.
7. EITHER MARK PART NUMBER AND DATE CODE APPROXIMATELY WHERE SHOWN OR PLACE LABEL ON THE TUBE.



ADD LEADFREE PINS EC NO: UCP2006-0079 DRWN: KMULVEY 2005/07/20 CHKD: 2005/07/21 APPR: SPEED 2005/07/22 REV	QUALITY SYMBOLS ▽ = 0 ◻ = 0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 2.5:1	DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	REVISE ON CAD ONLY					
					DIMENSION STYLE		TITLE		VHDM SALES ASSEMBLY 6 ROW ADVANCE MATE OPEN END BACKPLANE					
					MM ONLY									
					DRAWN BY		DATE							
					MQWANG		2001/08/20							
					CHECKED BY		DATE		MOLEX INCORPORATED					
					JLAURX		2001/08/22							
					APPROVED BY		DATE					MATERIAL NO.		DOCUMENT NO.
					CBXILER		2001/08/22		SEE SHEET 2		SD-74057-003		1 OF 2	
		DRAFT WHERE APPLICABLE												
		MUST REMAIN WITHIN DIMENSIONS												

10 9 8 7 6 5 4 3 2 74057



DAUGHTERCARD
CONNECTOR SIDE



0.41 OFFSET
SIGNAL TO
SIGNAL

0.66
TOP DAUGHTERCARD
PCB TO CENTER
OF ROW A

ROW A



MATERIAL NUMBER ASSIGNMENT

74057-*** **

SEE TABLE

NUMBER OF COLUMNS/PLATING

11 = 10 COLUMN TIN/LEAD

26 = 25 COLUMN TIN/LEAD

91 = 10 COLUMN MATTE TIN

86 = 25 COLUMN MATTE TIN

PART NUMBER	COLUMN	NUMBER OF SIGNAL PINS	NUMBER OF SHIELDS	A	B	M	Au (um) THICKNESS	Sn (um) THICKNESS
74057-*101	10	60	10	20.00	18.00	4.75	0.76	0.76-1.52
74057-*106							1.27	
74057-*601	25	150	25	50.00	48.00	6.25	0.76	
74057-*606							1.27	
74057-*102	10	60	10	20.00	18.00	4.25	0.76	
74057-*107							1.27	
74057-*602	25	150	25	50.00	48.00	5.15	0.76	
74057-*607							1.27	
74057-*103	10	60	10	20.00	18.00	4.25	0.76	
74055-*108							1.27	
74057-*603	25	150	25	50.00	48.00	5.15	0.76	
74057-*608							1.27	
74057-*104	10	60	10	20.00	18.00	4.25	0.76	
74057-*109							1.27	
74057-*604	25	150	25	50.00	48.00	5.15	0.76	
74057-*609							1.27	

SEE SHEET 1 EC NO: UCP2006-0079 DRAWN: K MULVEY 2005/07/20 CHKD: 2005/07/21 APPR: SREED 2005/07/22	QUALITY SYMBOLS ▽ = 0 ▽ = 0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 2.5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		REVISE ON CAD ONLY	
D	REV				DIMENSION STYLE MM ONLY		TITLE VHDM SALES ASSEMBLY 6 ROW ADVANCE MATE OPEN END BACKPLANE			
			4 PLACES ± --- ± ---		DRAWN BY MQWANG		DATE 2001/08/20			
			3 PLACES ± --- ± ---		CHECKED BY JLAURX		DATE 2001/08/22		MOLEX MOLEX INCORPORATED	
			2 PLACES ± --- ± ---		APPROVED BY CBIXLER		DATE 2001/08/22		MATERIAL NO. SEE TABLE	
			1 PLACE ± --- ± ---						DOCUMENT NO. SD-74057-003	
		ANGULAR ± 1/2°						SHEET NO. 2 OF 2		
		DRAFT WHERE APPLICABLE								
		MUST REMAIN WITHIN DIMENSIONS								

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru