




Amphenol
FCi


© 2016 AFci

spec ref -				dr Daniel Xiao2014/09/30		projection 		size A2		scale 2:1	
tolerance std -		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng Kaka Zhang2016/06/16				ecn no -		rel level Released	
ASME Y14.5				chr Fancy Zhang2016/06/16							
				appr Pei-Ming Zheng2016/06/16		product family PwrBlade ULTRA					
surface -		linear		Amphenol FCI		title 2HP, SOLDER-TO-BOARD VERT RECEPTACLE, PwrBlade ULTRA		dwg no 10127403-00HI000		rev A	
		0.X ±0.5									
		0.XX ±0.25									
ASME Y14.5		angular 0° ±2°									
				cat. no. -		Product - Customer Drw				sheet 1 of 3	

PDS: Rev :A

STATUS:Released

Printed: Jun 16, 2016



Amphenol
FCI

© 2016 APCI


PRODUCT NUMBER
10127403-00H1000LF

NOTES:

1. "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
2. MATERIALS:
HOUSING: GLASS FILLED WITH HIGH TEMP POLYAMIDE, UL94V-0.
POWER CONTACTS: COPPER ALLOY.
SIGNAL CONTACTS: COPPER ALLOY.
HOLD DOWN: COPPER ALLOY.
3. PLATING SPECIFICATION: FCI 10135186.
4. DENOTES CONNECTOR KEEP OUT ZONE.
5. DATUM AND BASIC DIMENSION ARE ESTABLISHED BY CUSTOMER.
6. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
7. 1.150 ± 0.025 mm DRILLED HOLE PLATED WITH $7.62 \mu\text{m}$ MIN Sn OVER
 $25.4 \mu\text{m}$ - $76.2 \mu\text{m}$ Cu PLATING TO ACHIEVE A 1.02 ± 0.07 mm FINISHED HOLE.
8. PRODUCT SPECIFICATION: FCI GS-12-1176.
APPLICATION SPECIFICATION: FCI GS-20-0389.
PRODUCT PACKAGE SPECIFICATION: FCI GS-14-2354.
9. THE VOID CORING BETWEEN POWER MODULES, SIGNAL MODULES AND END MODULES ARE
OPTIONAL AND THE SHAPE MAY BE DIFFERENT TO OPTIMIZE THE MOLDING
PROCESS. THE VOID CORING WILL NOT EFFECT THE PRODUCT FUNCTION.

Amphenol
FCi

© 2016 AFCI

spec ref -		dr Daniel Xiao		2014/09/30		projection		mm		size A2		scale 2:1							
tolerance std -		eng Kaka Zhang		2016/06/16						ecn no -		rel level Released							
ASME Y14.5		chr Fancy Zhang		2016/06/16															
TOLERANCES UNLESS OTHERWISE SPECIFIED		appr Pei-Ming Zheng		2016/06/16		product family PwrBlade ULTRA													
surface -				title 2HP, SOLDER-TO-BOARD VER1 RECEPTACLE, PwrBlade ULTRA		dwg no 10127403-00H1000		rev A		cat. no. - Product - Customer Drw sheet 3 of 3									
linear														0.X ±0.5		0.XX ±0.25		0.XXX ±0.130	
angular														0° ±2°					
ASME Y14.5																			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru