

10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

F



E

D

C

B

A



ALL DIMENSIONS ARE
FOR REFERENCE ONLY.

SEE SHEET 3 & 4 EC NO: IPG2017-0163 DRWN: VOU 2016/08/24 CHKD: DNGUYEN 2016/08/26 APPR: JFMURPHY	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH [MM]		SCALE NTS	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY VOU	DATE 2016/08/24	KA BALANCER SERIES SPECIFICATIONS ----			
			4 PLACES	±---	±---	CHECKED BY DT	DATE 2009/02/26				
			3 PLACES	±---	±.005	APPROVED BY -----		 MOLEX INCORPORATED	DOCUMENT NO. SD-130172-002		SHEET NO. 1 OF 7
			2 PLACES	±0.13	±.010						
			1 PLACE	±0.25	±.020	MATERIAL NO. SEE CHART		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
			ANGULAR ±.5°								
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE B					

10 9 8 7 6 5 4 3 2 1

F


E

D

C

B

A



ITEM	MATERIAL NUMBER	ENGINEERING NUMBER	ITEM DESCRIPTION
1	SEE CHART	SEE CHART	BASE SUB-ASSEMBLY - POWDER BLUE
2	1301792332	59075HP-STND-BL	J/K BAL MAIN HOUSING - POWDER BLUE
3	1301790283	CBGK	CABLE GUIDE ASSY FOR KA BALANCERS
4	1301790476	31058	MAIN SHAFT GEAR
5	1301790109	751-P-10	WOODRUFF KEY
6	SEE CHART	SEE CHART	DRUM ASSY FOR KA BALANCERS
7	1301790094	581-P-70	INTERNAL RETAINING RING
8	1301790080	376-P-10	FLANGE BEARING
9	1301790113	827-P-10	1/4"NPTx7/16"LG PIPE PLUG
10	1301790003	101-P-30	1/4-SPLIT LOCK WASHER
11	1301790668	31368-1	J/K COVER - POWDER BLUE
12	SEE CHART	SEE CHART	UPPER SHACKLE ASSY FOR KA BALANCER
13	1301790012	1235-P-2	CLEVIS PIN
14	1301790171	AG19321	M6X22LG HEX HD BOLT
15	1301790151	AG12175	EXTERNAL RETAINING RING FOR J/K SHAFT
16	1301790149	AG12167	M8X1.25 - 10LG SKT SCREW J/K BAL
17	1301790146	AG10220	M12 PLAIN WASHER 24mm O.D. BZP
18	1301790027	228-P-12	PIN SPLIT 1/8 x 1.0 - BZP
19	SEE CHART	SEE CHART	CABLE ASSEMBLY FOR KA BALANCERS
20	SEE CHART	SEE CHART	SECONDARY SUPPORT KA BALANCERS
21	1301790491	31240-1	MAINSHAFT ASSY FOR KA BALANCERS
22	SEE CHART	SEE CHART	OUTER SPRING ASSY FOR KA BALANCER
23	SEE CHART	SEE CHART	INNER SPRING ASSY FOR KA BALANCER
24	1301790489	31239-1	SPRINGS SEPARATOR RING - KA BALANCER
25	1301790523	59078-1	KA HOUSING EXTENSION - POWDER BLUE
26	1301790535	AG12171	M6X70LG HEX HEAD BOLT
27	1301790537	AG12188	M6X80LG HEX HEAD BOLT
28	1301790494	31246-UK	SPRING RETAINER FOR KA BALANCER
29	1301790565	AG12174-1	DRILLED AG12174 - FOR SAFETY SPRING
30	1301790496	31268	SEAT SPRING FOR J/K BALANCERS
31	1301790516	37384	LEAD SEAL WITH LOCK - FOR KA BALANCER
32	SEE CHART	SEE CHART	COMPRESSION SPRING
33	1302264665	AG10002	GLOBAL TRAPEZ LABEL
34	1301790112	76-P-30-SS	#2 X 1/4 LONG, TYPE-U DRIVE SCREW SS
35	1302280761	M13060124	ROUND WHITE GLOBAL LABEL
36	1301790015	126-P-50	WASHER-[.28in ID]x[.63in OD]x[.06in TK]
37	1301790533	AG12169	M10 X 1.5 LOCK NUT

FOR INDIVIDUAL REPAIR PART NUMBERS PLEASE
CONTACT YOUR LOCAL SALES REP.





NOTES:

- BALANCERS ARE 100% INSPECTED & PRE-TENSIONED AT FACTORY.
- HOUSINGS MADE OF ALUMINUM CASTING & ARE POWDER COATED TO MEET HARSH INDUSTRIAL ENVIRONMENTS.
- ALWAYS READ INSTRUCTIONS MANUAL BEFORE USING BALANCERS.
- BALANCERS ARE NOT TO BE USED AS RETRACTORS. THEIR MAIN PURPOSE IS TO BALANCE A LOAD AND NOT TO RETRACT ONE.
- OVERALL DIMENSIONS ARE FOR REFERENCE ONLY.
- STANDARD CATALOG BALANCERS ARE EQUIPPED WITH SAFETY CHAIN BUT IF APPLICATION REQUIRES NO SAFETY CHAIN ADD "D" SUFFIX TO STANDARD BALANCER P/N: EXAMPLE 125KAD
- WHEN MOUNTING BALANCER, ALWAYS MAKE SURE THE SAFETY PIN THAT COMES WITH THE SHACKLE IS INSTALLED & SECURED.

SEE SHEET 3 & 4 EC NO: IPG2017-0163 DRWN: VOU 2016/08/24 CHKD: DNGUYEN 2016/08/26 APPR: JFMURPHY		DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH [MM]		SCALE NTS	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION	
					mm	INCH	DRAWN BY VOU	DATE 2016/08/24	TITLE KA BALANCER SERIES SPECIFICATIONS ----			
				4 PLACES	±---	±---	CHECKED BY DT	DATE 2009/02/26				
				3 PLACES	±---	±.005	APPROVED BY		DATE	 MOLEX INCORPORATED	DOCUMENT NO.	
2 PLACES	±0.13	±.010	MATERIAL NO.		SEE CHART	SD-130172-002	2 OF 7					
1 PLACE	±0.25	±.020	SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
ANGULAR ±.5°												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS												

	10	9	8	7	6	5	4	3	2	1												
F	BALANCER MODEL:		LOAD CAPACITY CHART:		ITEMS INDEX AS PER BOM TABLE USED BY EACH MODEL:												F					
			WIEGHT RANGE FOR EACH BALANCER MODEL:		ITEM #1:		ITEM #6:		ITEM #22:		ITEM #23:		ITEM #32:		ITEM 12 SHACKLE ASSY USED BY EACH MODEL:			ITEM 19 CABLE ASSEMBLY USED BY EACH MODEL:			ITEM 20 SAFETY CHAIN USED BY EACH MODEL:	
					MATERIAL NUMBER	MODEL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	CABLE LENGTH		MATERIAL NUMBER	REPAIR KIT NUMBER			
E	1301720875	115KA	85 - 115	38 - 52	1301790587	1301790610	1301792397	1301792407	1301790492	1301790335	UHKKS	1301790280	CBALT7	7 FEET	1301790329	SSPLC						
	1301720785	125KA	115 - 125	52 - 57					1301792398	1301792408	1301790492											
	1301720786	145KA	124 - 145	56 - 66					1301792399	1301792409	1301790493											
	1301720787	165KA	143 - 165	65 - 75					1301792400	1301792410	1301790493											
	1301720788	175KA	159 - 175	72 - 79					1301792401	1301792411	1302261318											
	1301720098	200KA	175 - 200	79 - 91					1301792402	1301792412	1302261318											
D	1301720116	220KA	200 - 220	91 - 100					1301790712	1301790722	1302261318											
	1301720124	240KA	220 - 243	100 - 110	1301790587	1301790610	1301790713	1301790723	1302261318					1301790280	CBALT7	7 FEET						
	1301720313	9110KA	80 - 110	36 - 50	1301794778	1301790611	1301792403	1301792413	1301790492					1301790281	CBALT9	9 FEET						
	1301720320	9120KA	115 - 126	52 - 57	1301794778	1301790611	1301792404	1301792414	1301790492					1301790281	CBALT9	9 FEET						
	1301720325	9140KA	125 - 130	56 - 58	1301794778	1301790611	1301792405	1301792415	1301790493					1301790281	CBALT9	9 FEET						
	1301720330	9150KA	TBD - 145	TBD - 66	1301794778	1301790611	1301792406	1301792416	1301790493					1301790281	CBALT9	9 FEET						
	1301720822	125KAD	115 - 125	52 - 57	1301790587	1301790610	1301792398	1301792408	1301790492					1301790280	CBALT7	7 FEET						
	1301720829	145KAD	124 - 145	61 - 65					1301792399	1301792409	1301790493											
1301710248	200KAD	175 - 200	79 - 91					1301792402	1301792412	1302261318												
C	1301710249	220KAD	200 - 220	91 - 100	1301790587	1301790610	1301790712	1301790722	1302261318	1301790335	UHKKS	1301790280	CBALT7	7 FEET	1301790329	SSPLC						
B																						
A																						
	IMPORTANT NOTE:				SEE SHEET 3 & 4 EC NO: IPG2017-0163 DRWN: VOU 2016/08/24 CHKD: DNGUYEN 2016/08/26 APPR: JFMURPHY		DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH [MM]		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION						
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		mm INCH						DRAWN BY DATE		TITLE		MOLEX INCORPORATED		SD-130172-002		SHEET NO. 3 OF 7					
4 PLACES ±--- ±---			4 PLACES ±--- ±.005		CHECKED BY DATE		KA BALANCER SERIES SPECIFICATIONS															
	PLEASE NOTE THAT MODELS WITHOUT A SAFETY CHAIN OR "KAD" SERIES ARE NOT AVAILABLE FOR SALE IN NORTH AMERICA. THESE SERIES ARE AVAILABLE FOR SALE ONLY IN EU STATES.								1 PLACE ±0.13 ±.010			DT 2009/02/26		MOLEX								
ANGULAR ±.5°									APPROVED BY DATE													
									DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO. SEE CHART		DOCUMENT NO. SD-130172-002		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
SIZE B																						
	10	9	8	7	6	5	4	3	2	1												

	10		9		8		7		6		5		4		3		2		1				
F	BALANCER MODEL:		LOAD CAPACITY CHART:		ITEMS INDEX AS PER BOM TABLE USED BY EACH MODEL:																F		
			WIEGHT RANGE FOR EACH BALANCER MODEL:		ITEM #1:		ITEM #6:		ITEM #22:		ITEM #23		ITEM #32:		ITEM 12 SHACKLE ASSY USED BY EACH MODEL:		ITEM 19 CABLE ASSEMBLY USED BY EACH MODEL:			ITEM 20 SAFETY CHAIN USED BY EACH MODEL:		F	
MATERIAL NUMBER					MODEL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	CABLE LENGTH	MATERIAL NUMBER	REPAIR KIT NUMBER	E				
E	1301720876	115KAB	84 - 115	38 - 52	1301790587	1301790610	1301792397	1301792407	1301790492	1301790335	UHKKS	1301790278	CBALB7	7 FEET	1301790329	SSPLC	E						
	1301720818	125KAB	115 - 125	52 - 57					1301792398	1301792408	1301790492												
	1301720826	145KAB	124 - 145	56 - 66					1301792399	1301792409	1301790493												
	1301720835	165KAB	143 - 165	65 - 75					1301792400	1301792410	1301790493												
	1301720844	175KAB	159 - 175	72 - 79					1301792401	1301792411	1302261318												
	1301720719	200KAB	175 - 200	79 - 91					1301792402	1301792412	1302261318												
	1301720877	115KABC	84 - 115	38 - 52					1301792397	1301792407	1301790492					1301794890		CBALBC7	7 FEET				
	1301720819	125KABC	115 - 125	52 - 57					1301792398	1301792408	1301790492												
D	1301720827	145KABC	124 - 145	56 - 66					1301792399	1301792409	1301790493												
	1301720836	165KABC	143 - 165	65 - 75					1301792400	1301792410	1301790493												
	1301720845	175KABC	159 - 175	72 - 79					1301792401	1301792411	1302261318												
	1301720853	200KABC	175 - 200	79 - 91					1301792402	1301792412	1302261318												
	1301720453	220KABC	200 - 220	91 - 100					1301790712	1301790722	1302261318												
	1301720454	240KABC	220 - 243	100-110	1301790587	1301790610	1301790713	1301790723	1302261318	1301790335	UHKKS	1301794890	CBALBC7	7 FEET	1301790329	SSPLC	D						
																C							
																		C					
																			B				
																				B			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		
																	A						
																A							
																		A					
																			A				
																				A			
																					A		

CABLE ASSY - 7 & 9FT W/BULLARD HOOK & ADJUSTABLE CLAMPS:		CABLE ASSY - 7 & 9FT W/BULLARD HOOK HARD SWAGED:		CABLE ASSY - 7 & 9FT W/EYE HOOK & CLIP HARD SWAGED:		CABLE ASSY - 7 & 9FT W/EYE HOOK & CLIP ADJUSTABLE CLAMPS:	
MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER
1301794890	CBALBC7	1301790278	CBALB7	1301790280	CBALT7	1301794892	CBALTC7
1301794891	CBALBC9	1301790279	CBALB9	1301790281	CBALT9	1301794893	CBALTC9
							

SEE SHEET 3 & 4 EC NO.: IPG2017-0163 DRWN: VOU 2016/08/24 CH'KD: DNGUYEN 2016/08/26 APPR: JFMURPHY		DESCRIPTION I	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH [MM]		SCALE NTS	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION	
					mm	INCH	DRAWN BY DATE VOU 2016/08/24		KA BALANCER SERIES SPECIFICATIONS ----			
				4 PLACES	±---	±---	CHECKED BY DATE DT 2009/02/26					
				3 PLACES	±---	±.005	APPROVED BY DATE -----					
				2 PLACES	±0.13	±.010			MOLEX INCORPORATED 			
1 PLACE	±0.25	±.020										
			ANGULAR ±.5°			MATERIAL NO. SEE CHART		DOCUMENT NO. SD-130172-002		SHEET NO. 5 OF 7		
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
B		REV										

F

E

D

C

B

A

F




E





D

C

B

A

DROP STOP ACTUATOR REPAIR KITS:					
MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER
1301790299	DSAKA	1301790300	DSAKB	1301790301	DSAKC
					
USED FOR REPAIRS ON FOLLOWING MODELS:		USED FOR REPAIRS ON FOLLOWING MODELS:		USED FOR REPAIRS ON FOLLOWING MODELS:	
MODEL NUMBERS		MODEL NUMBERS		MODEL NUMBERS	
115KA, & VARIATIONS		145KA, & VARIATIONS		175KA, & VARIATIONS	
125KA, & VARIATIONS		165KA, & VARIATIONS		200KA, & VARIATIONS	
				220KA, & VARIATIONS	
				240KA, & VARIATIONS	


DROP STOP LEVER REPAIR KIT:		DRUM LOCK REPAIR KIT:		STAR WHEEL FOR 7FT TRAVEL - REPAIR KIT:		STAR WHEEL FOR 9FT TRAVEL - REPAIR KIT:	
MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER
1301790302	DSLK	1301790288	DLKK	1301790330	STAL7	1301790331	STAL9
							
USED FOR REPAIRS ON FOLLOWING MODELS:		USED FOR REPAIRS ON FOLLOWING MODELS:		USED FOR REPAIRS ON FOLLOWING MODELS:		USED FOR REPAIRS ON FOLLOWING MODELS:	
MODEL NUMBER		MODEL NUMBER		MODEL NUMBER		MODEL NUMBER	
ALL KA MODELS WILL BE USING THIS REPAIR KIT TO REPLACE THE DROP STOP ASSY FOR ALL P/N PLEASE SEE MATERIALS TABLE ON SHEETS 3 AND 4.		ALL KA MODELS WILL BE USING THIS REPAIR KIT TO REPLACE THE DRUM LOCK ASSY FOR ALL P/N PLEASE SEE MATERIALS TABLE ON SHEETS 3 AND 4.		ALL KA MODELS WITH A 7 FT TRAVEL WILL BE USING THIS REPAIR KIT TO REPLACE THE STAR WHEEL ASSY FOR ALL P/N PLEASE SEE MATERIALS TABLE ON SHEETS 3 AND 4.		ALL KA MODELS WITH A 9 FT TRAVEL WILL BE USING THIS REPAIR KIT TO REPLACE THE STAR WHEEL ASSY FOR ALL P/N PLEASE SEE MATERIALS TABLE ON SHEETS 3 AND 4.	

FOR MORE DETAILS ON EVERY REPAIR KIT
PLEASE SEE THEIR ASSIGNED DRAWINGS.

FOR INDIVIDUAL REPAIR PART NUMBERS
PLEASE CONTACT YOUR LOCAL SALES REP.

SEE SHEET 3 & 4 EC NO: IPG2017-0163 DRWN: VOU 2016/08/24 CHKD: DNGUYEN 2016/08/26 APPR: JFMURPHY	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH [MM]		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY VOU	DATE 2016/08/24	TITLE KA BALANCER SERIES SPECIFICATIONS ----			
			4 PLACES	±---	±---	CHECKED BY DT	DATE 2009/02/26				
			3 PLACES	±---	±.005	APPROVED BY DATE ---		MOLEX INCORPORATED			
			2 PLACES	±0.13	±.010						
			1 PLACE	±0.25	±.020						
			ANGULAR ±.5°								
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO. SEE CHART		DOCUMENT NO. SD-130172-002		SHEET NO. 6 OF 7	
						SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

[illegible]



SEE SHEET 3 & 4 EC NO.:IPG2017-0163 DRWN: VOU 2016/08/24 CH'KD: DNGUYEN 2016/08/26 APPR: JFMURPHY	DESCRIPTION !	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH [MM]		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION ⊙ □			
				mm	INCH	DRAWN BY VOU	DATE 2016/08/24	TITLE KA BALANCER SERIES SPECIFICATIONS ----					
			4 PLACES	±---	±---	CHECKED BY DT	DATE 2009/02/26						
			3 PLACES	±---	±.005	APPROVED BY ----		molex MOLEX INCORPORATED					
			2 PLACES	±0.13	±.010	DATE ----							
			1 PLACE	±0.25	±.020	MATERIAL NO. SEE CHART		DOCUMENT NO. SD-130172-002				SHEET NO. 1 OF 7	
			ANGULAR ±.5°			SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										
			B	REV									

F

E

D

C

B

A

F


E

D

C

B

A



ITEM	MATERIAL NUMBER	ENGINEERING NUMBER	ITEM DESCRIPTION
1	SEE CHART	SEE CHART	BASE SUB-ASSEMBLY - POWDER BLUE
2	1301792332	59075HP-STND-BL	J/K BAL MAIN HOUSING - POWDER BLUE
3	1301790283	CBGK	CABLE GUIDE ASSY FOR KA BALANCERS
4	1301790476	31058	MAIN SHAFT GEAR
5	1301790109	751-P-10	WOODRUFF KEY
6	SEE CHART	SEE CHART	DRUM ASSY FOR KA BALANCERS
7	1301790094	581-P-70	INTERNAL RETAINING RING
8	1301790080	376-P-10	FLANGE BEARING
9	1301790113	827-P-10	1/4"NPTx7/16"LG PIPE PLUG
10	1301790003	101-P-30	1/4-SPLIT LOCK WASHER
11	1301790668	31368-1	J/K COVER - POWDER BLUE
12	SEE CHART	SEE CHART	UPPER SHACKLE ASSY FOR KA BALANCER
13	1301790012	1235-P-2	CLEVIS PIN
14	1301790171	AG19321	M6X22LG HEX HD BOLT
15	1301790151	AG12175	EXTERNAL RETAINING RING FOR J/K SHAFT
16	1301790149	AG12167	M8X1.25 - 10LG SKT SCREW J/K BAL
17	1301790146	AG10220	M12 PLAIN WASHER 24mm O.D. BZP
18	1301790027	228-P-12	PIN SPLIT 1/8 x 1.0 - BZP
19	SEE CHART	SEE CHART	CABLE ASSEMBLY FOR KA BALANCERS
20	SEE CHART	SEE CHART	SECONDARY SUPPORT KA BALANCERS
21	1301790491	31240-1	MAINSHAFT ASSY FOR KA BALANCERS
22	SEE CHART	SEE CHART	OUTER SPRING ASSY FOR KA BALANCER
23	SEE CHART	SEE CHART	INNER SPRING ASSY FOR KA BALANCER
24	1301790489	31239-1	SPRINGS SEPARATOR RING - KA BALANCER
25	1301790523	59078-1	KA HOUSING EXTENSION - POWDER BLUE
26	1301790535	AG12171	M6X70LG HEX HEAD BOLT
27	1301790537	AG12188	M6X80LG HEX HEAD BOLT
28	1301790494	31246-UK	SPRING RETAINER FOR KA BALANCER
29	1301790565	AG12174-1	DRILLED AG12174 - FOR SAFETY SPRING
30	1301790496	31268	SEAT SPRING FOR J/K BALANCERS
31	1301790516	37384	LEAD SEAL WITH LOCK - FOR KA BALANCER
32	SEE CHART	SEE CHART	COMPRESSION SPRING
33	1302264665	AG10002	GLOBAL TRAPEZ LABEL
34	1301790112	76-P-30-SS	#2 X 1/4 LONG, TYPE-U DRIVE SCREW SS
35	1302280761	M13060124	ROUND WHITE GLOBAL LABEL
36	1301790015	126-P-50	WASHER-[.28in ID]x[.63in OD]x[.06in TK]
37	1301790533	AG12169	M10 X 1.5 LOCK NUT

FOR INDIVIDUAL REPAIR PART NUMBERS PLEASE
CONTACT YOUR LOCAL SALES REP.

NOTES:

- BALANCERS ARE 100% INSPECTED & PRE-TENSIONED AT FACTORY.
- HOUSINGS MADE OF ALUMINUM CASTING & ARE POWDER COATED TO MEET HARSH INDUSTRIAL ENVIRONMENTS.
- ALWAYS READ INSTRUCTIONS MANUAL BEFORE USING BALANCERS.
- BALANCERS ARE NOT TO BE USED AS RETRACTORS. THEIR MAIN PURPOSE IS TO BALANCE A LOAD AND NOT TO RETRACT ONE.
- OVERALL DIMENSIONS ARE FOR REFERENCE ONLY.
- STANDARD CATALOG BALANCERS ARE EQUIPPED WITH SAFETY CHAIN BUT IF APPLICATION REQUIRES NO SAFETY CHAIN ADD "D" SUFFIX TO STANDARD BALANCER P/N: EXAMPLE 125KAD
- WHEN MOUNTING BALANCER, ALWAYS MAKE SURE THE SAFETY PIN THAT COMES WITH THE SHACKLE IS INSTALLED & SECURED.

SEE SHEET 3 & 4 EC NO: IPG2017-0163 DRWN: VOU 2016/08/24 CHKD: DNGUYEN 2016/08/26 APPR: JFMURPHY	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH [MM]		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY VOU	DATE 2016/08/24	KA BALANCER SERIES SPECIFICATIONS ----					
			4 PLACES	±---	±---	CHECKED BY DT	DATE 2009/02/26						
			3 PLACES	±---	±.005	APPROVED BY ----		molex MOLEX INCORPORATED					
			2 PLACES	±0.13	±.010								
			1 PLACE	±0.25	±.020	MATERIAL NO. SEE CHART		DOCUMENT NO. SD-130172-002			SHEET NO. 2 OF 7		
			ANGULAR ±.5°			SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										

	10	9	8	7	6	5	4	3	2	1									
F	BALANCER MODEL:		LOAD CAPACITY CHART:		ITEMS INDEX AS PER BOM TABLE USED BY EACH MODEL:														F
			WIEGHT RANGE FOR EACH BALANCER MODEL:		ITEM #1:	ITEM #6:	ITEM #22:	ITEM #23	ITEM #32:	ITEM 12 SHACKLE ASSY USED BY EACH MODEL:		ITEM 19 CABLE ASSEMBLY USED BY EACH MODEL:			ITEM 20 SAFETY CHAIN USED BY EACH MODEL:				
					MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	CABLE LENGTH	MATERIAL NUMBER	REPAIR KIT NUMBER			
E	1301720875	115KA	85 - 115	38 - 52	1301790587	1301790610	1301792397	1301792407	1301790492	1301790335	UHKKS	1301790280	CBALT7	7 FEET	1301790329	SSPLC	E		
	1301720785	125KA	115 - 125	52 - 57					1301792398	1301792408	1301790492								
	1301720786	145KA	124 - 145	56 - 66					1301792399	1301792409	1301790493								
	1301720787	165KA	143 - 165	65 - 75					1301792400	1301792410	1301790493								
	1301720788	175KA	159 - 175	72 - 79					1301792401	1301792411	1302261318								
	1301720098	200KA	175 - 200	79 - 91					1301792402	1301792412	1302261318								
	1301720116	220KA	200 - 220	91 - 100					1301790712	1301790722	1302261318								
D	1301720124	240KA	220 - 243	100 - 110	1301790587	1301790610	1301790713	1301790723	1302261318			1301790280	CBALT7	7 FEET					
	1301720313	9110KA	80 - 110	36 - 50	1301794778	1301790611	1301792403	1301792413	1301790492			1301790281	CBALT9	9 FEET					
	1301720320	9120KA	115 - 126	52 - 57	1301794778	1301790611	1301792404	1301792414	1301790492			1301790281	CBALT9	9 FEET					
	1301720325	9140KA	125 - 130	56 - 58	1301794778	1301790611	1301792405	1301792415	1301790493			1301790281	CBALT9	9 FEET					
	1301720330	9150KA	TBD - 145	TBD - 66	1301794778	1301790611	1301792406	1301792416	1301790493			1301790281	CBALT9	9 FEET					
	1301720822	125KAD	115 - 125	52 - 57	1301790587	1301790610	1301792398	1301792408	1301790492			1301790280	CBALT7	7 FEET					
	1301720829	145KAD	124 - 145	61 - 65					1301792399	1301792409	1301790493								
C	1301710248	200KAD	175 - 200	79 - 91					1301792402	1301792412	1302261318								
	1301710249	220KAD	200 - 220	91 - 100	1301790587	1301790610	1301790712	1301790722	1302261318	1301790335	UHKKS	1301790280	CBALT7	7 FEET	1301790329	SSPLC	C		
B																	B		
A																	A		
	IMPORTANT NOTE: PLEASE NOTE THAT MODELS WITHOUT A SAFETY CHAIN OR "KAD" SERIES ARE NOT AVAILABLE FOR SALE IN NORTH AMERICA. THESE SERIES ARE AVAILABLE FOR SALE ONLY IN EU STATES.				SEE SHEET 3 & 4 EC NO: IPG2017-0163 DRWN: VOU 2016/08/24 CHKD: DNGUYEN 2016/08/26 APPR: JFMURPHY		DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mmINCH 4 PLACES ±--- ±--- 3 PLACES ±--- ±.005 2 PLACES ±0.13 ±.010 1 PLACE ±0.25 ±.020 ANGULAR ±.5° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE INCH [MM] DRAWN BY DATE VOU 2016/08/24 CHECKED BY DATE DT 2009/02/26 APPROVED BY DATE ---- MATERIAL NO. SEE CHART		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		KA BALANCER SERIES SPECIFICATIONS ----		MOLEX INCORPORATED DOCUMENT NO. SD-130172-002 SHEET NO. 3 OF 7	
	SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
	10	9	8	7	6	5	4	3	2	1									

	10		9		8		7		6		5		4		3		2		1		
F	BALANCER MODEL:		LOAD CAPACITY CHART:		ITEMS INDEX AS PER BOM TABLE USED BY EACH MODEL:																F
MATERIAL NUMBER			MODEL NUMBER	WIEGHT RANGE FOR EACH BALANCER MODEL:		ITEM #1:	ITEM #6:		ITEM #22:	ITEM #23	ITEM #32:	ITEM 12 SHACKLE ASSY USED BY EACH MODEL:		ITEM 19 CABLE ASSEMBLY USED BY EACH MODEL:			ITEM 20 SAFETY CHAIN USED BY EACH MODEL:				
		IN LBS	IN KGS	MATERIAL NUMBER	MATERIAL NUMBER		MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	CABLE LENGTH	MATERIAL NUMBER	REPAIR KIT NUMBER				
	1301720876	115KAB	84 - 115	38 - 52	1301790587	1301790610		1301792397	1301792407	1301790492	1301790335	UHKKS	1301790278	CBALB7	7 FEET	1301790329	SSPLC				
E	1301720818	125KAB	115 - 125	52 - 57					1301792398	1301792408	1301790492										
	1301720826	145KAB	124 - 145	56 - 66					1301792399	1301792409	1301790493										
	1301720835	165KAB	143 - 165	65 - 75					1301792400	1301792410	1301790493										
	1301720844	175KAB	159 - 175	72 - 79					1301792401	1301792411	1302261318										
	1301720719	200KAB	175 - 200	79 - 91					1301792402	1301792412	1302261318										
	1301720877	115KABC	84 - 115	38 - 52					1301792397	1301792407	1301790492					1301794890	CBALBC7	7 FEET			
	1301720819	125KABC	115 - 125	52 - 57					1301792398	1301792408	1301790492										
	1301720827	145KABC	124 - 145	56 - 66					1301792399	1301792409	1301790493										
D	1301720836	165KABC	143 - 165	65 - 75					1301792400	1301792410	1301790493										
	1301720845	175KABC	159 - 175	72 - 79					1301792401	1301792411	1302261318										
	1301720853	200KABC	175 - 200	79 - 91					1301792402	1301792412	1302261318										
	1301720453	220KABC	200 - 220	91 - 100					1301790712	1301790722	1302261318										
	1301720454	240KABC	220 - 243	100-110	1301790587	1301790610		1301790713	1301790723	1302261318	1301790335	UHKKS	1301794890	CBALBC7	7 FEET	1301790329	SSPLC				
C																				C	
B																				B	
A																				A	
	10		9		8		7		6		5		4		3		2		1		

SEE SHEET 3 & 4

EC NO: IPG2017-0163

DRWN: VOU

CHKD: DNGUYEN

APPR: JFMURPHY

REV

DESCRIPTION

QUALITY SYMBOLS

▽=0

▽C=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

4 PLACES ±---

3 PLACES ±---

2 PLACES ±0.13

1 PLACE ±0.25

ANGULAR ±.5°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE INCH [MM]

DRAWN BY VOU

CHECKED BY DT

APPROVED BY

MATERIAL NO.

SIZE B

DATE 2016/08/24

DATE 2009/02/26

DATE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE NTS

TITLE


MOLEX INCORPORATED

DOCUMENT NO. SD-130172-002

SHEET NO. 4 OF 7

DESIGN UNITS INCH

THIRD ANGLE PROJECTION



F




E





D

C

B

A

DROP STOP ACTUATOR REPAIR KITS:					
MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER
1301790299	DSAKA	1301790300	DSAKB	1301790301	DSAKC
					
USED FOR REPAIRS ON FOLLOWING MODELS:		USED FOR REPAIRS ON FOLLOWING MODELS:		USED FOR REPAIRS ON FOLLOWING MODELS:	
MODEL NUMBERS		MODEL NUMBERS		MODEL NUMBERS	
115KA, & VARIATIONS		145KA, & VARIATIONS		175KA, & VARIATIONS	
125KA, & VARIATIONS		165KA, & VARIATIONS		200KA, & VARIATIONS	
				220KA, & VARIATIONS	
				240KA, & VARIATIONS	

DROP STOP LEVER REPAIR KIT:		DRUM LOCK REPAIR KIT:		STAR WHEEL FOR 7FT TRAVEL - REPAIR KIT:		STAR WHEEL FOR 9FT TRAVEL - REPAIR KIT:	
MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER	MATERIAL NUMBER	REPAIR KIT NUMBER
1301790302	DSLK	1301790288	DLKK	1301790330	STAL7	1301790331	STAL9
							
USED FOR REPAIRS ON FOLLOWING MODELS:		USED FOR REPAIRS ON FOLLOWING MODELS:		USED FOR REPAIRS ON FOLLOWING MODELS:		USED FOR REPAIRS ON FOLLOWING MODELS:	
MODEL NUMBER		MODEL NUMBER		MODEL NUMBER		MODEL NUMBER	
ALL KA MODELS WILL BE USING THIS REPAIR KIT TO REPLACE THE DROP STOP ASSY FOR ALL P/N PLEASE SEE MATERIALS TABLE ON SHEETS 3 AND 4.		ALL KA MODELS WILL BE USING THIS REPAIR KIT TO REPLACE THE DRUM LOCK ASSY FOR ALL P/N PLEASE SEE MATERIALS TABLE ON SHEETS 3 AND 4.		ALL KA MODELS WITH A 7 FT TRAVEL WILL BE USING THIS REPAIR KIT TO REPLACE THE STAR WHEEL ASSY FOR ALL P/N PLEASE SEE MATERIALS TABLE ON SHEETS 3 AND 4.		ALL KA MODELS WITH A 9 FT TRAVEL WILL BE USING THIS REPAIR KIT TO REPLACE THE STAR WHEEL ASSY FOR ALL P/N PLEASE SEE MATERIALS TABLE ON SHEETS 3 AND 4.	

FOR MORE DETAILS ON EVERY REPAIR KIT
PLEASE SEE THEIR ASSIGNED DRAWINGS.

FOR INDIVIDUAL REPAIR PART NUMBERS
PLEASE CONTACT YOUR LOCAL SALES REP.

SEE SHEET 3 & 4 EC NO: IPG2017-0163 DRWN: VOU 2016/08/24 CHKD: DNGUYEN 2016/08/26 APPR: JFMURPHY	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH [MM]		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY VOU	DATE 2016/08/24	KA BALANCER SERIES SPECIFICATIONS ----			
			4 PLACES	±---	±---	CHECKED BY DT	DATE 2009/02/26				
			3 PLACES	±---	±.005	APPROVED BY DATE					
			2 PLACES	±0.13	±.010						
			1 PLACE	±0.25	±.020	----	---	MATERIAL NO. SEE CHART			
			ANGULAR ±.5°			DOCUMENT NO. SD-130172-002					
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

F

E

D

C

B

A

[illegible]

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru