

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION







20

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

LOC	DIST
-	-

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	NC	NEW RELEASE PER E.O. PI9775	5-16-08	DW	RDR
	A	CHANGED PER E.O. PI9993	9-9-08	DW	SB
	B	REVISED PER ECO-13-009529	5-17-13	JA	RM




CONTACT SIZE	MIN. INSUL. O.D.	MAX. INSUL. O.D.	WIRE RANGE [mm ²] REF ONLY
20	.053 [1.35]	.120 [3.05]	16-20 AWG [1.0-0.2]

- ORIENTATION OF TPA DOES NOT AFFECT FUNCTION OF CONNECTOR.
- SEE SHEET 2 FOR OTHER KEY ARRANGEMENTS.
- 5. RECEPTACLE IS RATED AT 150°C.
- MATERIAL - HOUSING: PLASTIC; GROMMET/SEAL: RUBBER
- 3. THIS RECEPTACLE MATES WITH DTMH06-4S* AND DTM06-4S* PLUG. (* = A,B,C,D KEYS).
- FOR CONTACT AND WIRE PERFORMANCE AND APPLICATION CHARACTERISTICS SEE ENVELOPE DRAWING 0425-015-0000.
- TERMINAL POSITION ASSURANCE (TPA) LOCK PRE-MOUNTED: WMH-4S* (* = A,B,C,D KEYS)

NOTES: UNLESS OTHERWISE SPECIFIED

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES [mm]



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±-
2 PLC	±-
3 PLC	±0.025 [0.64]
4 PLC	±-
ANGLES	±0°30'0"

MATERIAL



FINISH

DWN 5-17-13

CHK 5-17-13

APVD 5-17-13

ROBERT MILLIGAN

ROBERT MILLIGAN

PRODUCT SPEC

APPLICATION SPEC

WEIGHT 9.69g

Customer Drawing



TE Connectivity

NAME
RECEPTACLE, 4 PIN CONTACT
SIZE 20, COLOR: BLACK
DTMH SERIES

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	4AFU8	DTMH04-4PX	-

SCALE 2:1	SHEET 1 OF 2	REV B
-----------	--------------	-------

4

3

2

1

THIS DRAWING IS UNPUBLISHED.









RELEASED FOR PUBLICATION

20

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	B SEE SHEET 1	5-17-13	JA	RM




DTMH04-4PA
-A- KEY
TPA COLOR: GREY

DTMH04-4PB
-B- KEY
TPA COLOR: BLACK

DTMH04-4PC
-C- KEY
TPA COLOR: GREEN

DTMH04-4PD
-D- KEY
TPA COLOR: BROWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JAIME C. APOSTOL 5-17-13	 TE Connectivity	
DIMENSIONS: INCHES [mm]		CHK ROBERT MILLIGAN 5-17-13		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD ROBERT MILLIGAN 5-17-13	NAME RECEPTACLE, 4 PIN CONTACT SIZE 20, COLOR: BLACK DTMH SERIES	
		PRODUCT SPEC -	RESTRICTED TO -	
MATERIAL 		FINISH -	APPLICATION SPEC -	SIZE A3
		WEIGHT 9.69g	CAGE CODE 4AFU8	DRAWING NO DTMH04-4PX
		Customer Drawing	SCALE 2:1	SHEET 2 OF 2
				REV B

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru