






PART NUMBER SEE SHEET 2



spec ref	*	dr	Rainbow Zhan	2015/01/26	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Rainbow Zhan	2015/02/11			ecn no	-	rel level	Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	-	-						
surface	linear	appr	Pei-Ming Zheng	2015/02/11	product family	PwrBlade+	rel level	Released		
ASME Y14.5	angular	0°	±0.5	±0.25	±0.10	±2°	www.fci.com	cat. no.	6LP + 24S + 3HP	VERTICAL STB HEADER
FCI	www.fci.com	cat. no.	10106266-3606001	rev	A	Product - Customer Drw	sheet 1 of 3			

PRODUCT NO.	ROWS	LP						SIGNAL						HIGH POWER			E1	E2
		P1	P2	P3	P4	P5	P6	1	2	3	4	5	6	P7	P8	P9		
10106266-3606001LF	DCBA	LJLJLJLJLJLJ						EEEEEEEE EEEEEEEE EEEEEEEE EEEEEEEE						HIHIHI				

CODE	DESCRIPTION
E	STD SIGNAL CONTACT
H	MLBF SIGNAL CONTACT
HI	STD HIGH POWER CONTACT
HA	METAL HOLD DOWN
LJ	STD LOW POWER CONTACT



Copyright FCI.

dr	Rainbow Zhan	2015/01/26	projection	MM	size	A3	scale	3:2
eng	Rainbow Zhan	2015/02/11			ecn no			
chr	-	-			-			
appr	Pei-Ming Zheng	2015/02/11	product family	PwrBlade+	rel level		Released	
			6LP + 24S + 3HP		dwg no		10106266-3606001	
www.fci.com			VERTICAL STB HEADER		rev		A	
cat. no.			Product - Customer Drw			sheet 2 of 3		

A

B

C

D

A

B

C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Rainbow Zhan	2015/01/26	projection 	MM ←→	size	A3	scale	3:2	
eng	Rainbow Zhan	2015/02/11			ecn no	-			
chr	-	-			rel level	Released			
appr	Pei-Ming Zheng	2015/02/11	product family	PwrBlade+					
		6LP + 24S + 3HP			dwg no	10106266-3606001		rev	A
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3				

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru