


EM-93444-0040






NOTES

1. SEE SHEETS 2 TO 7 FOR UNSPECIFIED NOTES, DIMENSIONS AND PART NUMBERS

PROPOSED EC NO: IPG2015-1746 DRWN: JFLETCHER 2015/04/07 CHKD: APPR: JWALLACE 2015/07/16	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1.5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	TITLE 6CCT ML-XT CV CONNECTOR			
				mm	INCH	DRAWN BY JFLETCHER	DATE 2014/04/23						
			4 PLACES	± ---	± ---	CHECKED BY	DATE						
			3 PLACES	± ---	± ---	APPROVED BY JWALLACE		DATE 2014/10/01			DOCUMENT NO. molex		SHEET NO. 1 OF 7
			2 PLACES	± 0.10	± ---								
			1 PLACE	± 0.20	± ---								
0 PLACE	± ---	± ---	MATERIAL NO.		DOCUMENT NO.								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			ANGULAR ± 2 °		SEE NOTES		SD-93443-004						
					SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

6CCT RECEPTACLE CONNECTOR



DETAIL 1
(ROTATED 90°)


DATE CODE: X XX XX

X — DAY: 1 - 7

X — WEEK: 01 - 52

X — YEAR: 00 - 99

EXAMPLE: 11315 = DAY 1 OF WEEK 13 OF YEAR 15
i.e. 23rd OF MARCH 2015



DETAIL 1

NOTES

1. MATERIAL
HOUSING: NYLON 30%GF
SEAL: HIGH CONSISTENCY RUBBER
 2. CIRCUIT IDENTIFICATION
 3. JACKET RANGE LARGE = $\varnothing 2.7\text{MM}$ TO 3.6MM (SEAL COLOUR: LIGHT BLUE)
JACKET RANGE SMALL = $\varnothing 1.4\text{MM}$ TO 2.7MM (SEAL COLOUR: BURNT ORANGE)
 4. SEE SHEET 3 FOR FINAL PART NUMBER DESIGNATION
 5. SEE PS-93443-001 FOR PRODUCT SPECIFICATION
 6. SEE PK-93443-001 FOR PACKAGING SPECIFICATION
- LAST INSPECTION NUMBER: 5
INSPECTION NUMBERS 1-50 RESERVED FOR SHEET 2

SEE SHEET 1
EC NO: IPG2015-1746
DRWN: JFLETCHER 2015/04/07
CHKD:
APPR: J WALLACE 2015/07/16

QUALITY SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.10	± ---
1 PLACE	± 0.20	± ---
0 PLACE	± ---	± ---

ANGULAR $\pm 2^\circ$
DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY JFLETCHER DATE 2014/04/23
CHECKED BY DATE

APPROVED BY J WALLACE DATE 2014/10/01
MATERIAL NO.

SEE NOTES

SCALE
1.5:1

DESIGN UNITS
METRIC

THIRD ANGLE PROJECTION

TITLE
6CCT ML-XT CV CONNECTOR

molex

DOCUMENT NO. SD-93443-004

SHEET NO.
2 OF 7

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

6CCT RECEPTACLE CONNECTOR

93444

4

-

--

SERIES NO.

CIRCUIT SIZE
4 = 6cct

ASSEMBLY OPTIONS

- 1 = RECEP ASSEMBLY FOR WIRE JACKET RANGE: ϕ 1.4mm-2.7mm (NOTE 2)
2 = RECEP ASSEMBLY FOR WIRE JACKET RANGE: ϕ 2.7mm-3.6mm (NOTE 2)
5 = RECEP ASSEMBLY & HEATSHR FOR WIRE JACKET RANGE: ϕ 1.4mm-2.7mm (NOTE 3)
6 = RECEP ASSEMBLY & HEATSHR FOR WIRE JACKET RANGE: ϕ 2.7mm-3.6mm (NOTE 3)

COLOUR

- 01=BLACK
02=GREY
03=GREEN
04=BLUE
05=YELLOW
06=WHITE
07=BROWN
08=ORANGE
09=RED

EXAMPLE:

6cct RECEP BLACK WITH LARGE SEAL AND HEATSHRINK 93444-4601

NOTES

1. SEE SHEET 2 FOR UNSPECIFIED NOTES AND DIMENSIONS
2. BACK COVER HOUSING COLOUR: BLACK
3. HEATSHRINK HOUSING COLOUR: BLACK

SEE SHEET 1	EC NO: IPG2015-1746	DRWN: JFLETCHER	CHKD:	APPR: JWALLACE	REV	DESCRIPTION
						2015/04/07
						2015/07/16

QUALITY SYMBOLS
 =0
 =0

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.10	± ---
1 PLACE	± 0.20	± ---
0 PLACE	± ---	± ---

ANGULAR $\pm 2^\circ$ DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONSDIMENSION STYLE
MM ONLY

DRAWN BY	DATE
JFLETCHER	2014/04/23
CHECKED BY	DATE

APPROVED BY	DATE
JWALLACE	2014/10/01
MATERIAL NO.	

SEE NOTES

SCALE
1.5:1DESIGN UNITS
METRIC THIRD ANGLE
PROJECTION

6CCT ML-XT CV CONNECTOR

molex

DOCUMENT NO.

SD-93443-004

SHEET NO.

3 OF 7

10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

F





E

D

C

B

A



6CCT RECEPTACLE WEDGELOCK			
SERIES NO.	93447	4	0
CIRCUIT SIZE	4 = 6cct		
COLOUR/CODING	03=GREEN		

NOTES

1. MATERIAL

HOUSING: NYLON 30% GF

2. INSPECTION NUMBERS 51-100



RESERVED FOR SHEET 4

LAST INSPECTION NUMBER 54

SEE SHEET 1 EC NO: IPG2015-1746 DRWN: JFLETCHER 2015/04/07 CHKD: APPR: JWALLACE 2015/07/16	DESCRIPTION	QUALITY SYMBOLS ▽=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION 					
				mm	INCH	DRAWN BY JFLETCHER	DATE 2014/04/23	TITLE 6CCT ML-XT CV CONNECTOR							
			4 PLACES	± ---	± ---	CHECKED BY	DATE								
			3 PLACES	± ---	± ---	APPROVED BY JWALLACE		DATE 2014/10/01		molex					
			2 PLACES	± 0.10	± ---										
			1 PLACE	± 0.20	± ---										
0 PLACE	± ---	± ---	ANGULAR ± 2 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE NOTES		SD-93443-004		4 OF 7								
3	REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													

9 8 7 6 5 4 3 2 1

6CCT PLUG CONNECTOR




DATE CODE: X XX XX

X — DAY: 1 - 7




X — WEEK: 01 - 52

X — YEAR: 00 - 99

EXAMPLE: 11315 = DAY 1 OF WEEK 13 OF YEAR 15
i.e. 23rd OF MARCH 2015









DETAIL 2
(ROTATED 90°)



NOTE 2

DETAIL 2

6CCT PLUG CONNECTOR WITH
HEATSHRINK HOUSING ULTRASONICALLY
WELDED IN PLACE



NOTES

- MATERIAL:
HOUSING: NYLON 30% GF
PLUG SEAL: SILICONE RUBBER
BACK SEAL: HIGH CONSISTENCY RUBBER
- CIRCUIT IDENTIFICATION
- JACKET RANGE LARGE = $\phi 2.7\text{MM}$ TO 3.6MM (SEAL COLOUR: LIGHT BLUE)
JACKET RANGE SMALL = $\phi 1.4\text{MM}$ TO 2.7MM (SEAL COLOUR: BURNT ORANGE)
- SEE SHEET 6 FOR FINAL PART NUMBER DESIGNATION
- INSPECTION NUMBERS 101-150 RESERVED FOR SHEET 5
LAST INSPECTION NUMBER 105

REV	DESCRIPTION	QUALITY SYMBOLS	
1	SEE SHEET 1		
2	EC NO: IPG2015-1746		
3	DRWN: JFLETCHER 2015/04/07		
4	CHKD: JFWALLACE 2015/07/16		
5	APPR: JFWALLACE 2015/07/16		

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.10	± ---
1 PLACE	± 0.20	± ---
0 PLACE	± ---	± ---
ANGULAR ± 2 °		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
JFLETCHER	2014/04/23
CHECKED BY	DATE
APPROVED BY	DATE
JFWALLACE	2014/10/01
MATERIAL NO.	
SEE NOTES	
SIZE	A3

SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
1.5:1	METRIC		
TITLE			
6CCT ML-XT CV CONNECTOR			
DOCUMENT NO.			
SD-93443-004			
SHEET NO.			
5 OF 7			

10 9 8 7 6 5 4 3 2 1

F


E

D

C

B

A



6CCT PLUG CONNECTOR

SERIES NO.

93445

CIRCUIT SIZE
4 = 6cct

4

-

--

ASSEMBLY OPTIONS

- 1 = PLUG ASSEMBLY FOR WIRE JACKET RANGE: ϕ 1.4mm-2.7mm (NOTE 2)
2 = PLUG ASSEMBLY FOR WIRE JACKET RANGE: ϕ 2.7mm-3.6mm (NOTE 2)
5 = PLUG ASSEMBLY & HEATSHR FOR WIRE JACKET RANGE: ϕ 1.4mm-2.7mm (NOTE 3)
6 = PLUG ASSEMBLY & HEATSHR FOR WIRE JACKET RANGE: ϕ 2.7mm-3.6mm (NOTE 3)

COLOUR

- 01=BLACK
02=GREY
03=GREEN
04=BLUE
05=YELLOW
06=WHITE
07=BROWN
08=ORANGE
09=RED

EXAMPLE:






6cct PLUG BLACK WITH LARGE SEAL AND HEATSHRINK = 93445-4601

NOTES

1. SEE SHEET 5 FOR UNSPECIFIED NOTES AND DIMENSIONS
2. BACK COVER HOUSING COLOUR: BLACK
3. HEATSHRINK HOUSING COLOUR: BLACK

SEE SHEET 1 EC NO: IPG2015-1746 DRWN: JFLETCHER CHKD: APPR: JWALLACE	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 1.5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY JFLETCHER	DATE 2014/04/23	TITLE 6CCT ML-XT CV CONNECTOR					
			4 PLACES	± ---	± ---	CHECKED BY	DATE						
			3 PLACES	± ---	± ---	APPROVED BY JWALLACE		DATE 2014/10/01	molex				
			2 PLACES	± 0.10	± ---								
			1 PLACE	± 0.20	± ---								
0 PLACE	± ---	± ---	MATERIAL NO.		DOCUMENT NO.		SHEET NO.						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE NOTES			SD-93443-004			6 OF 7				
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										

9 8 7 6 5 4 3 2 1



6CCT PLUG WEDGELOCK

SERIES NO.

93448

4

0

--

CIRCUIT SIZE
4 = 6cct

COLOUR/CODING
03=GREEN

NOTES

1. MATERIAL

HOUSING: NYLON 30% GF

2. INSPECTION NUMBERS 151-200 RESERVED FOR SHEET 7

LAST INSPECTION NUMBER 155

SEE SHEET 1	EC NO: IPG2015-1746	DRWN: JFLETCHER	2015/04/07	CHKD:	APPR: JWALLACE	2015/07/16	DESCRIPTION
U							REV

QUALITY SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)	
4 PLACES	± ---
3 PLACES	± ---
2 PLACES	± 0.10
1 PLACE	± 0.20
0 PLACE	± ---
ANGULAR ± 2 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
JFLETCHER	2014/04/23
CHECKED BY	DATE
APPROVED BY	DATE
JWALLACE	2014/10/01
MATERIAL NO.	
SEE NOTES	
SIZE	A3

SCALE	3:1
DESIGN UNITS	METRIC
THIRD ANGLE PROJECTION	
TITLE	
6CCT ML-XT CV CONNECTOR	
DOCUMENT NO.	
SD-93443-004	
SHEET NO.	
7 OF 7	

molex

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru