lumbergautomation
A BELDEN BRAND

DeviceNet

DeviceNet Thin Cables, PVC Grey

0935 614 301 | 0935 614 302 | 0935 614 303

0935 614 301/... M

Double-ended cord set, 5 pole 7/8" male straight (external threds) to 5 pole 7/8" female straight connector.

0935 614 302/... M

Single-ended cord set, 5 pole 7/8" male straight (external threads) connector.

0935 614 303/... M

Single-ended cord set, 5 pole 7/8" female straight connector.

0935 614 310 | 0935 614 306

0935 614 310/... M

Double-ended cord set, 5 pole 7/8" male straight (external threads) to 5 pole 7/8" female right angle connector.

0935 614 306/... M

Single-ended cord set, 5 pole 7/8" female right-angle connector.

0935 614 309 | 0935 614 307

0935 614 309/... M

Double-ended cord set, 5 pole 7/8" male right-angle (external threads) to 5 pole 7/8" female straight connector.

0935 614 307/... M

Single-ended cord set, 5 pole 7/8" male right-angle (external threads) connector.



Pin Assignment

male connector / female connector, 5 poles	Function	Color
Pin 1	Shield	bare
Pin 2	+ 24 V	red
Pin 3	GND (0 V)	black
Pin 4	CAN_H	white
Pin 5	CAN_L	blue

DeviceNet Thin Cables, PVC Grey

Technical Data

Materials

Molded body	PUR, grey
Coupling nut	Aluminum, e-coated or anodized black
Contacts	Brass, gold over nickel plated
Insert	PUR, yellow

Electrical

Current rating	4A
Voltage rating	300 V

Mechanical

Temperature rating	-20°C to 75°C
Protection	IP 68, NEMA 6P

Cable Specifications

General	ODVA Class 2 Thin, Belden cable part number 3084A
Cable jacket	PVC, grey
Overall diameter	.280”
Conductor	2PR 22AWG / 2PR 24AWG
UL approval	CL2, CMG
Drain wire	stranded 22AWG
Shielding	Pairs individually foil shielded overall foil
shield and 65% braid	

Part Number	Standard Cable Lengths
0935 614 301/...M	0.3 M I 0.6 M I 1 M I 2 M I 3 M I 5 M I 10 M I 15 M
0935 614 302/...M	0.3 M I 0.6 M I 1 M I 2 M I 3 M I 5 M I 10 M I 15 M
0935 614 303/...M	0.3 M I 0.6 M I 1 M I 2 M I 3 M I 5 M I 10 M I 15 M
0935 614 310/...M	0.3 M I 1 M I 2 M I 3 M I 5 M I 10 M
0935 614 306/...M	0.3 M I 1 M I 2 M I 3 M I 5 M I 10 M
0935 614 309/...M	0.3 M I 1 M I 2 M I 3 M I 5 M I 10 M
0935 614 307/...M	0.3 M I 1 M I 2 M I 3 M I 5 M I 10 M

LifeElectronics
Живое партнерство

ООО «ЛайфЭлектроникс» **“LifeElectronics” LLC**

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru

www.lifeelectronics.ru