



20 19 18 17 16 15 14 13 12 11 74728 9 8 7 6 5 4 3 2 1




360° ELASTOMER GASKET
COMPLIES WITH (SFP) MSA
BOARD AND BEZEL LOCATIONS




EMI FINGERS
CONTACT ADAPTER

12 UNDER BELLY EMI PINS

INNER WALL TABS ARE COINED
OVER BASE AND COVER FOR RIGIDITY



DIMENSIONS OF EACH INNER CAGE DESIGNED
TO FUNCTION WITH SMALL FORM-FACTOR
PLUGGABLE (SFP) TRANSCEIVER



NOTES:

- PRESS FIT LEGS 0.120" LONG-
0.062 [1.57] MINIMUM PCB THICKNESS FOR SINGLE SIDED USE.
0.118 [3.00] MINIMUM PCB THICKNESS FOR BELLY TO BELLY USE.

- MATERIAL: COPPER ALLOY
PLATING: NONE

NOTE: A PRE-PLATED NICKEL VERSION IS AVAILABLE.
REFER TO DOCUMENT SD-74728-420


- REFERENCE DOCUMENTS:
PRODUCT SPECIFICATION: PS-74728-000
COSMETIC SPECIFICATIONS: WI-HP-7-2774 AND WI-HPA-7-0093
TEST SUMMARY: TS-74728-0415

- MATES WITH SERIES 74728, LIGHT PIPE COVER ASSEMBLY.


- THIS PART MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN
ELECTRICAL AND ELECTRONIC EQUIPMENT (ROHS) DIRECTIVE (2002/95/EC).



EC NO.: USY2006-0225 DRAWN: KSIMONSO CHKD: BRUSSELL APPD: BRUSSELL	DESCRIPTION	QUALITY SYMBOLS ▽.0 ▽.0	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 3:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	REVISE ON CAD ONLY	
					DIMENSION STYLE				TITLE 1X4 SFP GANGED CAGE ASSY W/ 0.090 GASKET, PRESS FIT, F/ LIGHT PIPE  MOLEX INCORPORATED
					IN/MM				
			4 PLACES	± --- ± ---					
			3 PLACES	± --- ± .005					
			2 PLACES	± 0.13 ± .01	DRAWN BY KSIMONSO	DATE 2004/10/09			
			1 PLACE	± 0.25 ± ---	CHECKED BY BRUSSELL	DATE 2004/10/09			
			ANGULAR ± 1 °		APPROVED BY BRUSSELL	DATE 2004/10/09	MATERIAL NO. 747280411	DOCUMENT NO. SD-74728-411	
			DRAFT WHERE APPLICABLE						SHEET NO. 1 OF 5
			MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



EC NO: USY2006-0225 DRAWN BY: KSIMONSO CHKD BY: BRUSSELL APPR BY: BRUSSELL	QUALITY SYMBOLS DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)	mm		INCH		SCALE 6:1	DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	REVISE ON CAD ONLY	TITLE 1X4 SFP GANGED CAGE ASSY W/ 0.090 GASKET, PRESS FIT, F/ LIGHT PIPE	B													
			4 PLACES		± .005	± .005								DIMENSION STYLE IN/MM		DRAWN BY KSIMONSO	DATE 2004/10/09									
			3 PLACES		± .013	± .01								CHECKED BY BRUSSELL				DATE 2004/10/09								
			2 PLACES		± .025	± .01								APPROVED BY BRUSSELL					DATE 2004/10/09							
			1 PLACE		± .025	± .01								MATERIAL NO. 747280411						DOCUMENT NO. SD-74728-411	SHEET NO. 2 OF 5					
			ANGULAR		± 1 °	DRAFT WHERE APPLICABLE								MOLEX INCORPORATED	A											
			MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	D				





NOTE: FOR A GIVEN BOARD THICKNESS (A), DIMENSIONS (B) AND (C) ARE DIRECTLY AFFECTED.

USE RECOMMENDED DIMENSIONS AND TOLERANCES TO AID IN DEVELOPING BEZEL OPENING.

FOR EXAMPLE USING A BOARD THICKNESS OF 0.125" THE RECOMMENDED VALUES WOULD BE:

A= .125/3,18 ± 10%
B= .434/11,03 ± .004
C= .088/2,23 ± .004

EC NO: USY2006-0225 DRAWN: K SIMONSON 2006/01/24 CHKD: BRUSSELL 2006/01/24 APPR: BRUSSELL 2006/01/25	QUALITY SYMBOLS ▽ 0 ▽ 0	GENERAL TOLERANCES (UNLESS SPECIFIED)	SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY	TITLE 1X4 SFP GANGED CAGE ASSY W/ 0.090 GASKET, PRESS FIT, F/ LIGHT PIPE	MATERIAL NO. 747280411	DOCUMENT NO. SD-74728-411	SHEET NO. 4 OF 5
B	REV	DESCRIPTION	4 PLACES ± --- ± ---	3 PLACES ± --- ± .005	2 PLACES ± 0.13 ± .01	1 PLACE ± 0.25 ± ---	ANGULAR ± 1 °	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	APPROVED BY BRUSSELL 2004/10/09	DATE 2004/10/09
A	REV	DESCRIPTION	4 PLACES ± --- ± ---	3 PLACES ± --- ± .005	2 PLACES ± 0.13 ± .01	1 PLACE ± 0.25 ± ---	ANGULAR ± 1 °	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	APPROVED BY BRUSSELL 2004/10/09	DATE 2004/10/09

2019181716151413121174728987654321

L
K
J
I
H
G
F
E
D
C
B
A

DATE	REV	CHANGES	COMMENTS
10/09/2004	A	INITIAL RELEASE	N/A
01/20/2006	B	ADDED PDB AND BEZEL LAYOUTS. UPDATED NOTES.	DOCUMENT CHANGE ONLY

EC NO: USY2006-0225
DRWN:K.SIMONSON06/01/24
CHKD:BRUSSELL2006/01/24
APPR:BRUSSELL2006/01/25

B

REV

QUALITY SYMBOLS

▽.0

▽.0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±.0005	±.0002
3 PLACES	±.001	±.0004
2 PLACES	±.002	±.0008
1 PLACE	±.005	±.0020

ANGULAR ± 1°

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

SCALE 1:1

DESIGN UNITS METRIC

DIMENSION STYLE IN/MM

DRAWN BY K.SIMONSON DATE 2004/10/09

CHECKED BY BRUSSELL DATE 2004/10/09

APPROVED BY BRUSSELL DATE 2004/10/09

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

THIRD ANGLE PROJECTION

REVISE ON CAD ONLY

1X4 SFP GANGED CAGE
ASSY W/ 0.090 GASKET,
PRESS FIT, F/ LIGHT PIPE

MOLEX

MOLEX INCORPORATED

MATERIAL NO. 747280411

DOCUMENT NO. SD-74728-411

SHEET NO. 5 OF 5

19181716151413121110987654321

A

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru