








SECTION A-A



SECTION B-B


REV	ECN NO.	DR	DATE
A	---	ERIC	2013-04-02

spec ref	-	dr	Wei-Long Zhang	2012/09/25	projection	MM	size	A2	scale	4:1
tolerance std	ISO 406 ISO 1101	eng	Eric Jiang	2013/04/02	chr	-	ecn no	-	rel level	Released
surface	ISO 1302	appr	Pei-Ming Zheng	2013/04/02	product family	CARD EDGE	cat. no.	-	Product - Customer Drw	sheet 1 of 4
linear	0.X ±0.5 0.XX ±0.25 0.XXX ±0.10	angular	0° ±2°	www.fci.com	title	STRADDLE MT 28P+20S HIGH POWER CARD EDGE-ENHANCED WALL	dwg no	10122859	rev	A

PDS: Rev :A

STATUS:Released

Printed: Apr 02, 2013




RECOMMENDED MATING BOARD FOOTPRINT

dr	Wei-Long Zhang	2012/09/25			size	A2	scale	4:1
eng	Eric Jiang	2013/04/02			ecn no	-		
chr	-	-						
appr	Pei-Ming Zheng	2013/04/02	product family	CARD EDGE	rel level	Released		
	title	STRADDLE MT 28P+20S			dwg no	10122859		rev
		HIGH POWER CARD EDGE-ENHANCED WALL				A		
www.fci.com	cat. no.	-	Product - Customer Drw			sheet 3 of 4		


PDS: Rev :A

STATUS:Released


Printed: Apr 02, 2013

1		2		3		4		5		6		7		8	
PART NUMBER		REAR GUIDE SYSTEM		FEATURE A MOUNTING EARS		FEATURE B FRONT POLARIZATION KEY									
10122859-009LF		YES		YES		NO									
10122859-010LF				YES		YES									
10122859-011LF				NO		NO									
10122859-012LF				NO		YES									
10122859-013LF		NO		YES		NO									
10122859-014LF				YES		YES									
10122859-015LF				NO		NO									
10122859-016LF				NO		YES									

REAR GUIDE SYSTEM



FEATURE A



FEATURE B

NOTES:

1. CONNECTOR MATERIALS:

HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, BLACK
UL 94V-0 COMPLIANT

CONTACTS: HIGH PERFORMANCE COPPER ALLOY.

2. CONTACT FINISH REF. GS-12-604 SECTION 5.2.

3. PRODUCT SPECIFICATION: GS-12-604.

4. APPLICATION SPECIFICATION: GS-20-128.

5. PRODUCT MARKING (FCI - PART NUMBER & DATE CODE) ON HOUSING IN AREA SHOWN.

6. PACKAGING MEETS FCI SPECIFICATION GS-14-937.

7. HOUSING COMPONENT WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 60 SECONDS IN A CONVECTION, INFRA-RED, OR VAPOR PHASE REFLOW OVEN.

8. HOST BOARD ALIGNMENT KEY IS RECOMMENDED TO ENSURE PROPER ALIGNMENT OF SOLDER TAILS WITH HOST BOARD PADS.

dr		Wei-Long Zhang		2012/09/25		projection		MM		size		A2		scale	
eng		Eric Jiang		2013/04/02		⊕		←→		ecn no		-		4:1	
chr		-		-		product family		CARD EDGE		rel level		Released			
appr		Pei-Ming Zheng		2013/04/02		FCI		title		STRADDLE MT 28P+20S		dwg no		10122859	
www.fci.com		cat. no.		-		Product - Customer Drw		sheet 4 of 4		rev		A			

PDS: Rev :A

STATUS:Released

Printed: Apr 02, 2013

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru