

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0563772001
Status: Active
Description: CRC™ Shielded Rectangular I/O Receptacle Shell, Panel Mount, Signal, 20 Circuits, Rear Mount Type

Documents:
[Drawing \(PDF\)](#)
[Product Specification PS-51238-010 \(PDF\)](#)
[Product Specification PS-51238-018 \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

General
Product Family I/O Connectors
Series 56377
Application Panel-Mount, Wire-to-Wire
Component Type Panel Mount Shell
Product Name CRC™
Type N/A

Physical
Boot Color N/A
Circuits (Loaded) N/A
Circuits (maximum) 20
Durability (mating cycles max) 100
Gender Receptacle
Keying to Mating Part Yes
Lock to Mating Part Yes
Material - Plating Mating n/a
Orientation Vertical
Packaging Type Tray
Panel Mount Rear
Pitch - Mating Interface (in) 0.000 In
Pitch - Mating Interface (mm) 0.00 mm
Polarized to Mating Part Yes
Polarized to PCB N/A
Surface Mount Compatible (SMC) N/A
Temperature Range - Operating -40°C to +105°C
Termination Interface: Style N/A
Waterproof / Dustproof No

Electrical
Current - Maximum per Contact 3.5A
Shield Type Full Shield
Shielded Yes
Voltage - Maximum 250V AC (RMS)/DC

Material Info

Reference - Drawing Numbers
Product Specification PS-51238-010, PS-51238-018, RPS-51238-001
Sales Drawing SD-56377-008



image - Reference only Series

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?
Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
56377Series

Use With
51233-201*|51238-201*

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

DWG. NO.
SD-56377-008

F

D

A






C

B

DO NOT SCALE DRAWING


EC NO. DRWN: CHK'g APPR:	EC NO. DRWN: CHK'g APPR:	EC NO. DRWN: CHK'g APPR:	REVISED 01/10/17 EC NO. J2002-0932 DRWN: S.AKIYAMA CHK'g: J.MIYAZAWA APPR: Y.O.ITO	0 EC NO. JD2001-1040 DRWN: S.AKIYAMA CHK'g: J.MIYAZAWA APPR: H.IKESUGI	DESCRIPTION MATERIAL 材料 FINISH 仕上げ WIRE RANGE 適用電線範囲 INS. RANGE 被覆外径	注記参照 SEE NOTES —#— —#— —#—	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差 10 UNDER 未満 10 OVER 以上 30 UNDER 未満 30 OVER 以上 ANGLE 角度	±0.2 ±0.25 ±0.3 ±3°	SCALE 2-1 DESIGN UNITS mm □ INCH THIRD ANGLE PROJECTION DRAWN BY & DATE S. Akiyama / 01/25 CHECKED BY & DATE J. Miyazawa / Y. Ito APPROVED BY & DATE H. Ikessugi CAD FILE NAME 56377008.S01	TITLE: COMPACT ROBOT CONN.(CRC) RECEPTACLE SHELL MOLEX INCORPORATED	MATERIAL NO. SEE CHART DRAWING NO. SD-56377-008 SHEET NO. 1 OF 1	SIZE B
-----------------------------------	-----------------------------------	-----------------------------------	--	--	--	--	---	------------------------------	--	--	---	-----------

ハウジング挿入方向キー
POLARIZATIONS KEY FOR HOUSING



パネル後面取り付け
REAR MOUNT TYPE

SIZE IDENTIFICATION



推奨パネル切り取り寸法 (後面取り付け)
RECOMMENDED PANEL OPENING (REAR MOUNTING)

注記
NOTES

1. 材 質
MATERIAL
亜鉛合金, ニッケルメッキ
ZINC ALLOY, NI PLATING
2. 適用ハウジングアッセンブリ: 51233-201* (PIN HS'G ASS'Y)
51238-201* (SOCKET HS'G ASS'Y)
APPLICABLE HOUSING ASS'Y: 51233-201* (PIN HS'G ASS'Y)
51238-201* (SOCKET HS'G ASS'Y)
3. 推奨ねじ締め付けトルク: 5~6 kgf・cm
RECOMMENDED SCREW TIGHTENING TORQUE: 5~6 kgf・cm

56377-2001	56377-****
MATERIAL.NO	MODEL.NO
DIMENSIONS: □ mm □ INCH mm ONLY	SHT REV REVISE ON CAD ONLY

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru