








Technical drawing of a mechanical assembly. A callout '6' points to a feature on the top surface of the main body.

4. HEADER MATES TO PLUG ASSEMBLY 776286 WHICH USES REELED TERMINALS 770520 AND LOOSE PIECE TERMINALS 770854.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG 29FEB08 J. MARKEY CHK 29FEB08 J. MARKEY APPD 29FEB08 J. MARKEY		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.2 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ±5°		NAME HEADER ASSEMBLY, 8 POSITION, RIGHT ANGLE, AMPSEAL	
		PRODUCT SPEC 108-1329 APPLICATION SPEC 114-16016		SIZE A	
MATERIAL 		FINISH 		DRAWING NO 100779C	
		WEIGHT -		RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 4:1 SHEET 1 of 3 REV F8	

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-

- ⚠ ACCEPTS #4-20 SELF TAPPING THREAD FORMING TWIN HELIX PLASTITE SCREW (SINGLE HELIX OPTIMAL)
- ⚠ HOUSING COLORS ARE MECHANICALLY KEYED TO MATE ONLY WITH IDENTICALLY COLORED PLUG ASSEMBLIES.
- ⚠ 0° 30' MAX DRAFT FROM TOP OF HOLE (1° INCLUDED ANGLE)




ASSEMBLY DIMENSIONS APPLY TO 776280-6 ONLY
(HOLE LAYOUT AND P.C. BOARD LAYOUT SHOWN ON SHEET 1 APPLY TO ALL DASH NUMBERS)


BLACK	TIN PLATED	776280-6
HEADER HOUSING COLOR	PIN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. MARKEY 29FEB08	TE Connectivity	
DIMENSIONS:		CHK J. MARKEY 29FEB08		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD J. MARKEY 29FEB08	NAME	
0 PLC ±.2	1 PLC ±0.13	PRODUCT SPEC	HEADER ASSEMBLY, 8 POSITION, RIGHT ANGLE, AMPSEAL	
2 PLC ±.13	3 PLC ±.13	APPLICATION SPEC		
4 PLC ±.13	ANGLES ±4°	114-16016	SIZE	CAGE CODE
MATERIAL	FINISH	WEIGHT	A100779	C=776280
CUSTOMER DRAWING		SCALE	2:1	SHEET 2 OF 3

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-




RECOMMENDED MOUNTING HOLE LAYOUT
FOR 5.0 MAX THICK PANEL





SECTION A-A
OPTIONAL CONSTRUCTION IF PANEL
THICKNESS IS GREATER THEN 2.0

SCALE 4:1




SECTION A-A
OPTIONAL CONSTRUCTION IF PANEL
THICKNESS IS GREATER THEN 2.0


SCALE 4:1




776280-1, 776280-6 & 1-776280-1
KEY LOCATION
SCALE 2:1



776280-2 & 1-776280-2
KEY LOCATION
SCALE 2:1



RECOMMENDED P.C. BOARD LAYOUT
FOR 1.57 THICK P.C. BOARD



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. MARKEY 29FEB08	TE Connectivity	
		CHK J. MARKEY 29FEB08		
DIMENSIONS:		APVD J. MARKEY 29FEB08	NAME	
mm		PRODUCT SPEC	HEADER ASSEMBLY, 8 POSITION, RIGHT ANGLE, AMPSEAL	
		108-1329		
		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO	
		114-16016		
MATERIAL		WEIGHT	A100779C=776280	
		FINISH		
		CUSTOMER DRAWING	SCALE 4:1 SHEET 3 OF 3 REV F8	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru