

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
© COPYRIGHT ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
	C1	ECR-16-009824	28JUL2016	GK	SD

# REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2836203-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1426096 REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR 1426096

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity
DIMENSIONS:		CHK	GOPALAKRISHNA HV		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	STOUGH DALE		NAME SIDE FEED HD-I APPLICATOR
0 PLC ±		PRODUCT SPEC			
1 PLC ±		APPLICATION SPEC			SIZE A3
2 PLC ±		WEIGHT	CAGE CODE	DRAWING NO	
3 PLC ±				©- 1426096	
4 PLC ±				SCALE	SHEET 1 OF 2 REV C1
ANGLES ±				CUSTOMER ACCESSIBLE PRODUCTION DRAWING	
MATERIAL	FINISH				

A

A

D

D

C

C

B

B

1426096

THIS DRAWING IS A CONTROLLED DOCUMENT.

PART NUMBER	REV	FIRST USED	TERMINATOR	FEED TYPE	DESCRIPTION
1426096-1	C	-	LEADMAKER	MECH POST FEED	CUTS CARRIER
1426096-2	C	-	BENCH	MECH PRE FEED	CUTS CARRIER
1426096-6	C	-	LEADMAKER	MECH POST FEED	CONTINUOUS CARRIER
7-1426096-1	C	-	LEADMAKER	MECH POST FEED	-1 AND SPARE PARTS
7-1426096-2	C	-	BENCH	MECH PRE FEED	-2 AND SPARE PARTS
7-1426096-6	C	-	LEADMAKER	MECH POST FEED	-6 AND SPARE PARTS
7-1426096-7	A	-	-	-	SPARE PARTS KIT

CRIMP DATA		AMP CRIMP SPECS	
TERMINAL NAME: .250 FASTIN-FASTON TAB ACC.DIN 46343			
CRIMP	SIZE	TYPE	RANGE
WIRE	2.03 [.080 IN]	F	0.5mm <sup>2</sup> - 1.0mm <sup>2</sup>
INSUL	2.79 [.110 IN]	OV	1.4-2.10 [.055-.083 IN]
WIRE STRIP LENGTH		APPL INSTRUCTION	
3.96-4.78 [.156-.188 IN]		408-8322	



TERMINAL	FEED
APPL SPEC 114-18022	16.5 [.650 IN]

TERMINALS APPLIED				
963951	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

WIRE SIZE	CRIMP HEIGHT	PIN PN & LENGTH [IN]
1.00mm <sup>2</sup>	1.56 ±0.05 [.061 ±.002 IN]	354779-6 [.3020]
0.75mm <sup>2</sup>	1.47 ±0.05 [.058 ±.002 IN]	1-354779-2 [.3050]
0.50mm <sup>2</sup>	1.38 ±0.05 [.054 ±.002 IN]	2-354779-1 [.3095]

SET UP GAGE	LAYOUT
458637-3	L1426096

- 1 RECOMMENDED SPARE PARTS.
- 2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.
- 3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
- 4 CUT TO LENGTH AT ASSY.



QTY REQD PER ASSY	DESCRIPTION	ITEM NO
-	1426096	73
-	1338705-1	72
-	PRINT, APPLICATOR LOG SHEET	71
-	DOCUMENTATION PACKAGE	70
-		69
-		68
-	461264-1	67
-	21017-2	66
-		65
-	986950-1	64
-	3-18031-0	63
-	18023-9	62
-	2-18032-5	61
-	18024-7	60
-	5-18022-2	59
-		58
-		57
-	1338685-1	56
-		55
-	18024-8	54
-	1-18023-5	53
-	18030-1	52
-	811242-5	51
-	690753-2	50
-	18024-3	49
-	1338675-1	48
-	1338676-1	47
-	1320999-3	46
-	690191-1	45
-	1338660-1	44
-	690125-1	43
-	690124-1	42
-	2-18024-6	41
-	23241-1	40
-	2-22278-7	39
-	1320922-1	38
-	354777-1	37
-	22480-5	36
-	690212-1	35
-	1320934-5	34
-	1-18024-0	33
-	18027-2	32
-	1-18023-2	31
-	1320908-4	30
-	1633073-2	29
-	1-455888-5	28
-	2-22284-0	27
-	356835-1	26
-	240792-1	25
-	1320928-1	24
-	980371-4	23
-	690472-2	22
-	1-18023-1	21
-	18025-2	20
-	690472-1	19
-		18
-	1338684-1	17
-		16
-		15
-		14
-		13
-	3-22280-3	12
-	356885-4	11
-	1320921-1	10
-	454276-1	9
1	1-1333204-4	8
-	5-240641-1	7
-		6
-	1-455889-4	5
-	1-238011-0	4
1	1-854830-5	3
-	1-455888-4	2
1	1-456405-5	1

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
INCHES	0 PLC ± .005	PLC	± .005
	1 PLC ± .005	2 PLC	± .005
	2 PLC ± .005	3 PLC	± .005
	3 PLC ± .005	4 PLC	± .005

REV	DATE	BY	CHK	APPV	DESCRIPTION
C	3-2010	MY	TE		REVISION RECORD

QTY REQD PER ASSY	DESCRIPTION	ITEM NO							
-77	-76	-72	-71	-6	-2	-1	PART NO	DESCRIPTION	ITEM NO

SCALE: A1 1426096 1 OF 1 REV C

Tyco Electronics Corporation  
Harrisburg, PA 17105-3608

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренеспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)