



| LOC | DIST | REVISIONS |     |               |           |      |      |
|-----|------|-----------|-----|---------------|-----------|------|------|
|     |      | P         | LTR | DESCRIPTION   | DATE      | DWN  | APVD |
| E   | B    |           | D   | ECO-09-022031 | 29 SEP 09 | RITA | BOB  |







NOTES

- 1 SINGLE PACK IN ACCORDANCE WITH AMP SPEC 107-3275
- 2 100 TRAY PACK IN ACCORDANCE WITH AMP SPEC 107-3275
- 3 Au PLATING OVER Ni PLATING OVER Cu PLATING
- 4 Ni PLATING OVER Cu PLATING
5. HAND TOOL: 9-1478240-0
6. DIE SET: 9-1478242-0
7. FOR TECHNICAL DATA REFER TO YOUR LOCAL TYCO ELECTRONICS SALES OFFICE
8. ALL DIMENSIONS ARE NOMINAL FOR REFERENCE ONLY UNLESS OTHERWISE STATED



|                   |  |  |  |  |  |  |   |    |                   |            |              |      |
|-------------------|--|--|--|--|--|--|---|----|-------------------|------------|--------------|------|
|                   |  |  |  |  |  |  | 1 | 1  | BRASS             | △          | CRIMP SLEEVE | 5    |
|                   |  |  |  |  |  |  | 1 | 1  | POLYMETHYLPENTENE |            | INSULATOR    | 4    |
|                   |  |  |  |  |  |  | 1 | 1  | POLYMETHYLPENTENE |            | INSULATOR    | 3    |
|                   |  |  |  |  |  |  | 1 | 1  | PHOSPHOR BRONZE   | △          | CONTACT      | 2    |
|                   |  |  |  |  |  |  | 1 | 1  | ZINC ALLOY        | △          | BODY         | 1    |
|                   |  |  |  |  |  |  | 5 | 15 | MATERIAL          |            | DESCRIPTION  | ITEM |
|                   |  |  |  |  |  |  |   |    |                   |            |              |      |
| QUANTITY PER ASSY |  |  |  |  |  |  |   |    |                   | PARTS LIST |              |      |

|                                                                                       |  |                                            |  |                               |  |                                                                                                                                                                                                   |  |           |  |            |  |                    |  |
|---------------------------------------------------------------------------------------|--|--------------------------------------------|--|-------------------------------|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------|--|------------|--|--------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  |                                            |  | DWN<br>RITA ZUO<br>11 Mar 09  |  | <div><div>Tyco Electronics</div><div>Tyco Electronics Corporation<br/>Kunshan,Jiangsu,PRC 215312</div></div> |  |           |  |            |  |                    |  |
|                                                                                       |  |                                            |  | CHK<br>ANSON MA<br>11 Mar 09  |  |                                                                                                                                                                                                   |  |           |  |            |  |                    |  |
| DIMENSIONS:<br>MM                                                                     |  | TOLERANCES, UNLESS<br>OTHERWISE SPECIFIED: |  | APVD<br>BOB ZHAO<br>11 Mar 09 |  | NAME                                                                                                                                                                                              |  |           |  |            |  |                    |  |
|  |  | 0 PLC ± 0.5                                |  | PRODUCT SPEC                  |  | BNC STRAIGHT JACK CRIMP 75 OHM<br>RG59B/U, 62A/U, 140/U, 210/U, URM90<br>KX6A, KX25, KX52, KX53                                                                                                   |  |           |  |            |  |                    |  |
|                                                                                       |  | 2 PLC ± 0.3                                |  | 108-112000                    |  |                                                                                                                                                                                                   |  |           |  |            |  |                    |  |
|                                                                                       |  | 2 PLC ± 0.2                                |  | APPLICATION SPEC              |  |                                                                                                                                                                                                   |  |           |  |            |  |                    |  |
|                                                                                       |  | 3 PLC ± -                                  |  | SEE SHEET 2                   |  |                                                                                                                                                                                                   |  |           |  |            |  |                    |  |
| 4 PLC ± -                                                                             |  | ANGLES ± -                                 |  | WEIGHT                        |  | SIZE                                                                                                                                                                                              |  | CAGE CODE |  | DRAWING NO |  | RESTRICTED TO      |  |
| MATERIAL                                                                              |  | FINISH                                     |  | -                             |  | A2                                                                                                                                                                                                |  | 00779     |  | C=1634514  |  | -                  |  |
| SEE TABLE                                                                             |  | SEE TABLE                                  |  | CUSTOMER DRAWING              |  |                                                                                                                                                                                                   |  | SCALE     |  | NTS        |  | SHEET 1 OF 2 REV D |  |

|                                                                                                                                                                                  |  |   |  |                                                                                                                                       |  |                                                                                     |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---|--|---------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|--|
| 4                                                                                                                                                                                |  | 3 |  | 2                                                                                                                                     |  | 1                                                                                   |  |
| THIS DRAWING IS UNPUBLISHED.                                                                                                                                                     |  |   |  | RELEASED FOR PUBLICATION                                                                                                              |  | DEC , 2004.                                                                         |  |
| © COPYRIGHT 2004 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.                                                                                                           |  |   |  | LOC E                                                                                                                                 |  | DIST B                                                                              |  |
|                                                                                                                                                                                  |  |   |  | P                                                                                                                                     |  | LTR                                                                                 |  |
|                                                                                                                                                                                  |  |   |  | DESCRIPTION                                                                                                                           |  | DATE                                                                                |  |
|                                                                                                                                                                                  |  |   |  | DWN                                                                                                                                   |  | APVD                                                                                |  |
|                                                                                                                                                                                  |  |   |  | SEE SHEET 1                                                                                                                           |  | -                                                                                   |  |
| COMPONENTS                                                                                                                                                                       |  |   |  |                                                                                                                                       |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | MAIN BODY<br>(ITEM 1,3, & 4)                                                                                                          |  | CONTACT<br>(ITEM 2)                                                                 |  |
|                                                                                                                                                                                  |  |   |  |                                                    |  |  |  |
|                                                                                                                                                                                  |  |   |  |                                                                                                                                       |  | CRIMP FERRULES<br>(ITEM 5)                                                          |  |
|                                                                                                                                                                                  |  |   |  |                                                                                                                                       |  |  |  |
| ASSEMBLY INSTRUCTION                                                                                                                                                             |  |   |  |                                                                                                                                       |  |                                                                                     |  |
| CABLES: RG59B/U, 62A/U, 140/U, 210/U, URM90 KX6A, KX25, KX52, KX53                                                                                                               |  |   |  |                                                                                                                                       |  |                                                                                     |  |
| STEP 1<br>1. SLIDE METAL CRIMP FERRULE OVER CABLE                                                                                                                                |  |   |  |                                                     |  |                                                                                     |  |
| STEP 2<br>1. STRIP CABLE TO DIMENSIONS AS SHOWN                                                                                                                                  |  |   |  |                                                   |  |                                                                                     |  |
| STEP 3<br>1. FIT CONTACT OVER CENTRE CONDUCTOR TO BUTT AGAINST DIELECTRIC.<br>2. CRIMP USING TOOL AS NOTES ON PAGE 1.                                                            |  |   |  | RECOMMENDED CENTRE CONTACT<br>A/F HEX<br><br>1.75 |  |                                                                                     |  |
| STEP 4<br>1. PRESS SUB-ASSEMBLY INTO BODY, UNTIL CONTACT IS FULLY LOCATED BY AN AUDIBLE CLICK.<br>2. ENSURE THAT KNURLED HOUSING INSERTS BETWEEN THE DIELECTRIC AND CABLE BRAID. |  |   |  | <br>HOUSING END UNDER BRAID                       |  |                                                                                     |  |
| STEP 5<br>1. SLIDE CRIMP FERRULE ALONG THE CABLE UNTIL IT BUTTS AGAINST THE HOUSING BODY.<br>2. CRIMP USING TOOL AS NOTED ON PAGE 1.<br>3. CRIMP DIMENSION AS SHOWN.             |  |   |  | RECOMMENDED CRIMP SLEEVE<br>A/F HEX<br><br>6.50   |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | THIS DRAWING IS A CONTROLLED DOCUMENT.                                                                                                |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | DWN RITA ZUO 11 Mar 09                                                                                                                |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | CHK ANSON MA 11 Mar 09                                                                                                                |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | APVD BOB ZHAO 11 Mar 09                                                                                                               |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | PRODUCT SPEC                                                                                                                          |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | 108-112000                                                                                                                            |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | APPLICATION SPEC                                                                                                                      |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | SHEET 2                                                                                                                               |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | WEIGHT -                                                                                                                              |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | CUSTOMER DRAWING                                                                                                                      |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | Tyco Electronics Tyco Electronics Corporation Kunshan,Jiangsu,PRC 215312                                                              |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | NAME BNC STRAIGHT JACK CRIMP 75 OHM RG59B/U, 62A/U, 140/U, 210/U, URM90 KX6A, KX25, KX52, KX53                                        |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | SIZE CAGE CODE DRAWING NO RESTRICTED TO                                                                                               |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | A2 00779 C=1634514 -                                                                                                                  |  |                                                                                     |  |
|                                                                                                                                                                                  |  |   |  | SCALE NTS SHEET 2 OF 2 REV D                                                                                                          |  |                                                                                     |  |

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)