



A



SECTION A-A





NOTES:
1. BALANCERS ARE 100% INSPECTED & PRE-TENSIONED AT FACTORY.
2. HOUSINGS MADE OF ALUMINUM CASTING & ARE POWDER COATED TO MEET HARSH INDUSTRIAL ENVIRONMENTS.
3. ALWAYS READ INSTRUCTIONS MANUAL BEFORE USING BALANCERS.
4. BALANCERS ARE NOT TO BE USED AS RETRACTORS, THEIR MAIN PURPOSE BEING TO BALANCE A LOAD AND NOT TO RETRACT ONE.
5. OVERALL DIMENSIONS ARE FOR REFERENCE ONLY.
6. WHEN MOUNTING BALANCER, ALWAYS MAKE SURE THAT SAFETY PIN WHICH COMES WITH SHACKLE IS INSTALLED & SECURED.
7. ALL BALANCERS ARE EQUIPPED WITH SAFETY CHAIN.

RELEASE TO SALES
EC NO: IPG2017-0821 2017/04/28
DRWN: VOU
CH'KD: BPATTERS 2017/04/28
APPR: JFMURPHY 2017/05/03
DESCRIPTION
REV A

QUALITY SYMBOLS
▼=0
Ⓒ▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±---	±---
3 PLACES	±---	±.005
2 PLACES	±0.13	±.010
1 PLACE	±0.25	±.020
ANGULAR ±.5°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: INCH / MM
SCALE: NTS
DESIGN UNITS: INCH
THIRD ANGLE PROJECTION

DRAWN BY: MCHOJECK DATE: 2012/07/24
CHECKED BY: BPATTERS DATE: 2017/04/28
APPROVED BY: JFMURPHY DATE: 2017/05/03

TITLE: EB BALANCER

MOLEX INCORPORATED

MATERIAL NO.: SEE TABLE
DOCUMENT NO.: SD-130171-004
SHEET NO.: 1 OF 2

SIZE B

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

BALANCER MODEL		LOAD CAPACITY CHART		CABLE TRAVEL (FOOT /METERS)		BALANCER OPTION: R = RATCHET LOCK BU = UPPER & LOWER BULLARD HOOKS BCU = BULLARD HOOKS & ADJUSTABLE CLAMPS S = CABLE TRAVEL = 1.5 M -SS = STAINLESS STEEL CABLE NC = NYLON COATED CABLE
		WEIGHT RANGE FOR EACH BALANCER MODEL				
MATERIAL NUMBER	MODEL NUMBER	LBS.	KGS.	FT.	M.	
1301710300	25EB	18 - 25	8.2 - 11.4	6.6	2.0	STANDARD BALANCER
1301710301	25EBR	18 - 25	8.2 - 11.4	6.6	2.0	STANDARD BAL. W/ RATCHET LOCK
1301710311	25EBBU	18 - 25	8.2 - 11.4	6.6	2.0	BALANCER W/UPPER & LOWER BULLARD HOOKS
1301710318	25EBRBU	18 - 25	8.2 - 11.4	6.6	2.0	BAL. W/UPPER & LOWER BULLARD HOOKS & RATCHET LOCK
1301710319	25EBBCU	18 - 25	8.2 - 11.4	6.6	2.0	BAL. W/UPPER & LOWER BULLARD HOOKS & ADJ. CLAMPS
1301710320	25EBNC	18 - 25	8.2 - 11.4	6.6	2.0	STANDARD BAL. W/ NYLON COATED CABLE
1301710302	35EB	25 - 35	11.4 - 15.9	6.6	2.0	STANDARD BALANCER
1301710052	35EB-SS	25 - 35	11.4 - 15.9	6.6	2.0	STANDARD BALANCER W/ STAINLESS STEEL CABLE
1301710303	35EBR	25 - 35	11.4 - 15.9	6.6	2.0	BALANCER W/ RATCHET LOCK
1301710312	35EBBCU	25 - 35	11.4 - 15.9	6.6	2.0	BAL. W/UPPER & LOWER BULLARD HOOKS & ADJ. CLAMPS
1301710313	35EBBU	25 - 35	11.4 - 15.9	6.6	2.0	BAL. W/UPPER & LOWER BULLARD HOOKS
1301710314	35EBRBU	25 - 35	11.4 - 15.9	6.6	2.0	BAL. W/UPPER & LOWER BULLARD HOOKS & RATCHET LOCK
1301710321	35EBNC	25 - 35	11.4 - 15.9	6.6	2.0	STANDARD BALANCER W/ NYLON COATED CABLE
1301710304	35EBS	25 - 35	11.4 - 15.9	4.9	1.5	STANDARD BALANCER W/ CABLE TRAVEL 1.5 M
1301710305	45EB	35 - 45	15.9 - 20.5	6.6	2.0	STANDARD BALANCER
1301710306	45EBR	35 - 45	15.9 - 20.5	6.6	2.0	BALANCER W/ RATCHET LOCK
1301710315	45EBBU	35 - 45	15.9 - 20.5	6.6	2.0	BAL. W/UPPER & LOWER BULLARD HOOKS
1301710316	45EBRBU	35 - 45	15.9 - 20.5	6.6	2.0	BAL. W/UPPER & LOWER BULLARD HOOKS & RATCHET LOCK
1301710322	45EBNC	35 - 45	15.9 - 20.5	6.6	2.0	STANDARD BALANCER W/ NYLON COATED CABLE
1301710307	48EBS	35 - 48	15.9 - 21.8	4.9	1.5	STANDARD BALANCER W/ CABLE TRAVEL 1.5 M
1301710308	48EBSR	35 - 48	15.9 - 21.8	4.9	1.5	BALANCER W/ RATCHET LOCK & CABLE TRAVEL 1.5 M
1301710309	60EBS	45 - 60	20.5 - 27.3	4.9	1.5	STANDARD BALANCER W/ CABLE TRAVEL 1.5 M
1301710310	60EBSR	45 - 60	20.5 - 27.3	4.9	1.5	BALANCER W/ RATCHET LOCK & CABLE TRAVEL 1.5 M
1301710317	60EBSBU	45 - 60	20.5 - 27.3	4.9	1.5	BAL. W/UPPER & LOWER BULLARD HOOKS & CABLE TRAVEL 1.5 M

REV	DESCRIPTION
A	RELEASE TO SALES EC NO: IPG2017-0821 2017/04/28 DRWN: VOU 2017/04/28 CH'KD: BPATTERS 2017/04/28 APPR: JFMURPHY 2017/05/03

QUALITY SYMBOLS
▼=0
Ⓒ=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±---	±---
3 PLACES	±---	±.005
2 PLACES	±0.13	±.010
1 PLACE	±0.25	±.020
ANGULAR ±.5°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: INCH / MM
SCALE: NTS
DESIGN UNITS: INCH
THIRD ANGLE PROJECTION

DRAWN BY: MCHOJECK DATE: 2012/07/24
CHECKED BY: BPATTERS DATE: 2017/04/28
APPROVED BY: JFMURPHY DATE: 2017/05/03

TITLE: EB BALANCER

MOLEX INCORPORATED

MATERIAL NO.: SEE TABLE
DOCUMENT NO.: SD-130171-004
SHEET NO.: 2 OF 2

SIZE: B

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

LifeElectronics
Живое партнерство

ООО «ЛайфЭлектроникс» **“LifeElectronics” LLC**

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru

www.lifeelectronics.ru