
## **CUSTOMER DRAWING**



Product	Pro	oduct Dimension	ons	Cable Dimensions		
Name	L	øΑ	øΒ	øD	$\phi E^1$	
Ivaille	max	min	min			
D-607-10	24.0	4.0	2.8	1.8 to 4.0	1.9 to 2.8	
	(0.945)	(0.155)	(0.110)	(0.070 to 0.155)	(0.075 to 0.110)	

1) Shield may be folded back over jacket to increase diameter.

## **MATERIALS**

- 1. INSULATION SLEEVE: Heat-shrinkable, transparent blue, radiation cross-linked polyvinylidene fluoride.
- 2. SOLDER PREFORM WITH FLUX:

SOLDER: TYPE Sn63 per ANSI-J-STD-006.

FLUX: TYPE ROL1 per ANSI-J-STD-004.


3. TERMINATOR BODY BASE METAL: Copper alloy.

Plating: Tin lead solder per SAE Specification AMS-P-81728.

## **APPLICATION**

- 1. These parts are designed to provide an environment protected shield termination on cables, rated for 125°C minimum, meeting the dimensional criteria listed, having tin, or silver plated copper shields.
- 2. Temperature range: -55°C to +150°C. Install using Raychem-approved convection or infrared tools in accordance with TE Connectivity assembly procedure ES-61139.

For best results, prepare the cable as shown:



=1		TITLE: PCB TERMINATOR						
Unless otherwise specified dimensions are in millimeters. [Inches dimensions are shown in brackets] Raychem DIMENSIONING AND TOLERANCING PER ASME T14.5-2009  TOLERANCES: ANGLES: N/A Tyco Electronics reserves the right to				DOCUMENT NO.:	D-607-10			
0.00 N/A 0.0 N/A 0 N/A	ROUGHNESS IN MICRON	Tyco Electronics reserves the right to amend this drawing at any time. Users should evaluate the suitability of the product for their application.		REV:		DATE: September 20, 2012		
PREPARED BY: RODRIGUEZ	CAGE CODE: 06090	ECO NUMBER: ECO-12	2-016931	SCALE: NTS		SIZE:	SHEET: 1 of 1	



OOO «ЛайфЭлектроникс" "LifeElectronics" LLC

ИНН 7805602321 КПП 780501001 P/C 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 3010181090000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

## Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный) Email: org@lifeelectronics.ru