






PRODUCT # 70244-101LF




RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.
MINI-POWER



RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.
MINI-COAX

ASSEMBLY AFTER HOT RIVETTING.







NOTE:


1. INDICATED HOLES ARE UNPLATED.
2. MATERIAL:
LIQUID CRYSTAL POLYMER 30% GLASS
FLAME RETARDANT ACC. UL 94-V0
COLOR NATURAL.
3. THIS PRODUCT WITH "LF" SUFFIX MEETS EUROPEAN UNION DIRECTIVES
AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS -22-008.
4. THE HOUSING WILL WITHSTAND EXPOSURE TO 260 DEGREE PEAK TEMPERATURE
FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.6mm MINIMUM THICK
CIRCUIT BOARD.

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		 ELECTRONICS www.fciconnect.com			
SEE NOTE 2													
ltr	ecn	no	dr	date	linear				title	product family	code		
H	005-0357	Clu	050927										
C	H20755	DAN	921124		angles				MINI-POWER/COAX HEAT STAKE	213			
D	H40355	DOB	940616	dr	D Andrews	910912							
E	H50047	RVI	950119	eng	E. Feijen	940616							
F	H80710	DOB	981023	chr	Av Zanten	910912							
G	H90489	HME	990816	app	M. Cozijnmans	950119							
sheet		revision		H	H				scale	5:1	A2	70244	sheet 1 of 2
Index				sheet		1		2					
PDM: Rev.H				STATUS: Released				Printed: May 19, 2011					

PRODUCT NUMBER 70244-102LF




RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.
MINI-POWER



RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.
MINI-COAX

PRODUCT AFTER PC BOARD APPLICATION



- NOTE:
1. INDICATED HOLES ARE UNPLATED.
 2. MATERIAL:
LIQUID CRYSTAL POLYMER 30% GLASS
FLAME RETARDANT ACC. UL 94-V0
COLOR NATURAL.
 3. THIS PRODUCT WITH "LF" SUFFIX MEETS EUROPEAN UNION DIRECTIVES
AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS -22-008.
 4. THE HOUSING WILL WITHSTAND EXPOSURE TO 260 DEGREE PEAK TEMPERATURE
FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.6mm MINIMUM THICK
CIRCUIT BOARD.

mat'l. code SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER COPY		ELECTRONICS www.fciconnect.com	
ltr	ecn no	dr	date	linear	projection	title	R.A. RECEPTACLE
H				angles	mm	product family	MINI-POWER/COAX PRESS PEG
		dr	D. de Bili	940616		size	213
		eng	E. Feijen	940616		dwg no	70244
		chr	E. Feijen	940616	scale	5:1	sheet
		app	M. Cozijnmans	950119			2 of 2
sheet	revision						
index	sheet						

PDM: Rev.H

STATUS: Released

Printed: May 19, 2011

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru