

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20






© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.


REVISIONS

| P | LTR | DESCRIPTION     | DATE      | DWN | APVD |
|---|-----|-----------------|-----------|-----|------|
|   | A   | INITIAL RELEASE | 23JUN2015 | DL  | CW   |
|   |     |                 |           |     |      |
|   |     |                 |           |     |      |
|   |     |                 |           |     |      |



NOTES:  
1. TECHNICAL CHARACTERISTICS:  
BODY MATERIAL: DIE CAST ALUMINIUM ALLOY  
SURFACE TREATMENT: POWDER-COATED, GRAY  
OPERATION TEMPERATURE: -40-+125°C  
DEGREE OF PROTECTION: IP65 (MATED)

注释:  
1. 技术参数:  
主体材料: 铝合金  
表面处理: 粉末喷涂, 灰色  
工作温度: -40-+125°C  
防护等级: IP65(配合)



|                      |        |                           |      |      |
|----------------------|--------|---------------------------|------|------|
| TI490160121-000      | TYPE I | HI6B-SDRH-BO-PG2I         | PG2I | -    |
| TI490160129-000      |        | HI6B-SDRH-BO-PG29         | PG29 | -    |
| TI490160132-000      |        | HI6B-SDRH-BO-M32          | M32  | -    |
| TI490160221-000      |        | HI6B-SDRH-BO-2PG2I        | PG2I | PG2I |
| TI490160229-000      |        | HI6B-SDRH-BO-2PG29        | PG29 | PG29 |
| TI490160232-000      |        | HI6B-SDRH-BO-2M32         | M32  | M32  |
| ASSEMBLY PART NUMBER | TYPE   | ASSEMBLY PART DESCRIPTION | IG1  | IG2  |

TYPE I: HIGH BODY + PLASTIC PROTECTION COVER

|                                        |  |                             |                              |                 |
|----------------------------------------|--|-----------------------------|------------------------------|-----------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN DAVID LI 23JUN2015      | TE Connectivity              |                 |
| DIMENSIONS: mm                         |  | CHK CHRIS WANG 23JUN2015    |                              |                 |
|                                        |  | APVD XU XIANG 23JUN2015     |                              |                 |
|                                        |  | PRODUCT SPEC 108-137013     |                              |                 |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | APPLICATION SPEC 114-137013 | NAME HI6B-SDRH-BO-PG/M       |                 |
| MATERIAL TBD                           |  | WEIGHT -                    |                              |                 |
| FINISH -                               |  | CUSTOMER DRAWING            | SIZE A3                      | CAGE CODE -     |
|                                        |  |                             | DRAWING NO. ©-TI49016XXXX000 | RESTRICTED TO - |
|                                        |  |                             | SCALE 1:2                    | SHEET 1 OF 2    |
|                                        |  |                             |                              | REV A           |

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20







© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.


REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
|   | -   | SEE SHEET 1 | -    | -   | -    |
|   |     |             |      |     |      |
|   |     |             |      |     |      |
|   |     |             |      |     |      |



TYPE 2: HIGH BODY + METAL PROTECTION COVER  
OTHER SPEC REFER TO TYPE 1

|                      |        |                           |      |      |
|----------------------|--------|---------------------------|------|------|
| TI490161121-000      | TYPE 2 | HI6B-SDRHM-BO-PG21        | PG21 | -    |
| TI490161129-000      |        | HI6B-SDRHM-BO-PG29        | PG29 | -    |
| TI490161132-000      |        | HI6B-SDRHM-BO-M32         | M32  | -    |
| TI490161221-000      |        | HI6B-SDRHM-BO-2PG21       | PG21 | PG21 |
| TI490161229-000      |        | HI6B-SDRHM-BO-2PG29       | PG29 | PG29 |
| TI490161232-000      |        | HI6B-SDRHM-BO-2M32        | M32  | M32  |
| ASSEMBLY PART NUMBER | TYPE   | ASSEMBLY PART DESCRIPTION | IG1  | IG2  |

|                                                                                       |  |                                |                                                                                                       |  |  |  |              |                |  |  |  |                 |                                |  |  |  |          |
|---------------------------------------------------------------------------------------|--|--------------------------------|-------------------------------------------------------------------------------------------------------|--|--|--|--------------|----------------|--|--|--|-----------------|--------------------------------|--|--|--|----------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWN<br>DAVID LI<br>23JUN2015   |  TE Connectivity |  |  |  |              |                |  |  |  |                 |                                |  |  |  |          |
|                                                                                       |  | CHK<br>CHRIS WANG<br>23JUN2015 |                                                                                                       |  |  |  |              |                |  |  |  |                 |                                |  |  |  |          |
| DIMENSIONS:<br>mm                                                                     |  | APVD<br>XU XIANG<br>23JUN2015  | NAME<br>HI6B-SDRHM-BO-PG/M                                                                            |  |  |  |              |                |  |  |  |                 |                                |  |  |  |          |
|  |  | PRODUCT SPEC<br>108-137013     | SIZE<br>A3                                                                                            |  |  |  |              |                |  |  |  |                 |                                |  |  |  |          |
|                                                                                       |  | APPLICATION SPEC<br>114-137013 |                                                                                                       |  |  |  |              | CAGE CODE<br>- |  |  |  |                 |                                |  |  |  |          |
|                                                                                       |  | WEIGHT<br>-                    |                                                                                                       |  |  |  |              |                |  |  |  |                 | DRAWING NO<br>C-TI49016XXXX000 |  |  |  |          |
|                                                                                       |  |                                |                                                                                                       |  |  |  |              |                |  |  |  |                 |                                |  |  |  |          |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:                                                |  | CUSTOMER DRAWING               |                                                                                                       |  |  |  |              |                |  |  |  |                 |                                |  |  |  |          |
| 0 PLC ±-                                                                              |  |                                |                                                                                                       |  |  |  | SCALE<br>1:2 |                |  |  |  |                 |                                |  |  |  |          |
| 1 PLC ±-                                                                              |  |                                |                                                                                                       |  |  |  |              |                |  |  |  | SHEET<br>2 OF 2 |                                |  |  |  |          |
| 2 PLC ±-                                                                              |  |                                |                                                                                                       |  |  |  |              |                |  |  |  |                 |                                |  |  |  | REV<br>A |
| 3 PLC ±-                                                                              |  |                                |                                                                                                       |  |  |  |              |                |  |  |  |                 |                                |  |  |  |          |
| 4 PLC ±-                                                                              |  |                                |                                                                                                       |  |  |  |              |                |  |  |  |                 |                                |  |  |  |          |
| ANGLES ±-                                                                             |  |                                |                                                                                                       |  |  |  |              |                |  |  |  |                 |                                |  |  |  |          |
| MATERIAL<br>TBD                                                                       |  | FINISH<br>-                    |                                                                                                       |  |  |  |              |                |  |  |  |                 |                                |  |  |  |          |
|                                                                                       |  |                                |                                                                                                       |  |  |  |              |                |  |  |  |                 |                                |  |  |  |          |

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)