








A-A



RECOMMENDED P.C.B LAYOUT  
TOLERANCE: ±0.05, UNLESS SPECIFIED

NOTE:

1. INSULATOR: LCP, BLACK COLOR
2. USB CONTACT: BRASS 0.15MM THICK, 30u" GOLD PLATING ON CONTACT AREA, GOLD FLASH PLATED ON SOLDER TAIL, 80u" MIN. NICKEL UNDERPLATING OVERALL
3. SHELL: STAINLESS STEEL, 0.3MM THICK, GOLD FLASH PLATED ON THE SOLDERING TAB
4. ALL CONNECTOR DIMENSION TOLERANCE: ±0.2, UNLESS OTHERWISE SPECIFIED



THIS SERIES FULLY CONFORMS  
TO THE EUROPEAN UNION  
DIRECTIVES 2002/95/EC AND  
2002/96/EC FOR ROHS COMPLIANCY

## MICRO USB 3.0-B SMT TYPE



EDAC INC  
TORONTO, ONTARIO  
CANADA

YOUR CONNECTION TO QUALITY & SERVICE

THESE DRAWINGS AND SPECIFICATIONS  
ARE THE PROPERTY OF EDAC INC. AND  
SHALL NOT BE REPRODUCED, OR COPIED  
OR USED AS THE BASIS FOR THE  
MANUFACTURE OR SALE OF APPARATUS  
WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO. 690-010-295-484

DRAWN: R.STA.MONICA DATE: JUN.8/2010

CHECKED: DATE:



SCALE: NOT TO SCALE SHEET 1 OF 2

DRAWING NUMBER

690-010-295-484

ISSUE

2



NOTE:  
1. TAPE MATERIAL: PS  
2. TAPE LENGTH: 18.6 METERS  
3. TOTAL 1500PCS PRODUCT SPACES (13" REEL)

|      |          |          |          |          |         |
|------|----------|----------|----------|----------|---------|
| ITEM | W        | F        | P        | P2       | P0      |
| DIM  | 24.0±0.3 | 11.4±0.1 | 12.0±0.1 | 2.03±0.1 | 4.0±0.1 |

|      |         |          |           |         |         |           |
|------|---------|----------|-----------|---------|---------|-----------|
| ITEM | D       | E        | BO        | KO      | AO      | T         |
| DIM  | 1.5±0.1 | 1.75±0.1 | 14.80±0.1 | 3.6±0.1 | 6.2±0.1 | 0.35±0.05 |

MICRO USB 3.0-B SMT TYPE  
TAPE AND REEL PACKAGING



EDAC INC  
TORONTO, ONTARIO  
CANADA

YOUR CONNECTION TO QUALITY & SERVICE

THESE DRAWINGS AND SPECIFICATIONS  
ARE THE PROPERTY OF EDAC INC. AND  
SHALL NOT BE REPRODUCED, OR COPIED  
OR USED AS THE BASIS FOR THE  
MANUFACTURE OR SALE OF APPARATUS  
WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO. 690-010-295-484

DRAWN: R.STA.MONICA DATE: JUN.10/2010

CHECKED: DATE:

SCALE: NOT TO SCALE SHEET 2 OF 2

DRAWING NUMBER

690-010-295-484

ISSUE

2

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)