



## LEDs for Automotive and Outdoor Applications



High-performance Vishay TELUX LEDs feature a full color range of devices with a wide viewing angle and high luminous flux.

### APPLICATIONS

- Automotive
  - Brake lights
  - Taillights
  - Turn signals
- Outdoors
  - Traffic signals
  - Message panels
  - Warning lights

### RESOURCES

- View full LED portfolio: <http://www.vishay.com/leds>
- View the full Optoelectronics portfolio: <http://www.vishay.com/optoelectronics>
- For technical questions: [LED@Vishay.com](mailto:LED@Vishay.com)
- Sales contacts: <http://www.vishay.com/doc?99914>
- Material categorization: For definitions of compliance please see <http://www.vishay.com/doc?99912>



One of the World's Largest Manufacturers of  
**Discrete Semiconductors and Passive Components**





# OPTOELECTRONICS TELUX LEDs




Optoelectronics - AEC-Q101 Qualified TELUX LEDs

High-performance Vishay TELUX™ LEDs feature a full color range of devices with a wide viewing angle and high luminous flux.

TELUX LEDs are especially designed for rough applications that require a high luminous intensity. These include automotive applications such as brake lights, taillights, and turn signals, as well as outdoor applications such as traffic signals, message panels, and warning lights.

TELUX LEDs are offered in red, yellow, true green, blue, and white versions, and with a choice of 30°, 45°, and 55° angles of half intensity or oval emission characteristics with 25° x 68° and 40° x 90° angles of half intensity.

With their excellent luminous flux performance and extended operating temperature range for AlInGaP from -40 °C to +110 °C, TELUX LEDs are the premier solution for all exterior automotive and outdoor LED applications.





**OPTOELECTRONICS**  
**TELUX LEDs**



Optoelectronics - AEC-Q101 Qualified TELUX LEDs

TELUX												
Part Number	Color	Angle of Half Intensity (+/- °) φ	Dominant Wavelength (nm) or Color Coordinate (x/y)			Luminous Flux Φ <sub>v</sub> (mlm)			Forward Voltage, V <sub>F</sub> (V)			I <sub>F</sub> (mA) for LD, Φ <sub>v</sub> , V <sub>F</sub>
			Min	Typ	Max	Min	Typ	Max	Min	Typ	Max	
TLWR7600	Red	30	611	618	634	1500	2100		1.83	2.2	2.67	70
TLWR7900	Red	45	611	618	634	1500	2100		1.83	2.2	2.67	70
TLWR8600	Red	30	611	615	634	2000	3000		1.83	2.2	2.67	70
TLWR8900	Red	45	611	615	634	2000	3000		1.83	2.2	2.67	70
TLWR8901	Red	45	611	615	634	2000	3000	4800	1.83	2.2	2.67	70
TLWR8902	Red	45	611	615	634	3000		4800	1.95	2.2	2.67	70
TLWR8903	Red	45	611	615	634	2500		4200	1.83	2.2	2.67	70
TLWR9000	Red	55	611	615	634	2500	3200		1.83	2.2	2.67	70
TLWR9600	Red	30	611	615	634	2500	3200		1.83	2.2	2.67	70
TLWR9900	Red	45	611	615	634	2500	3200		1.83	2.2	2.67	70
VLWR9430	Red	25 x 68	611	615	634	5000	6000		1.83	2.2	3.03	70
VLWR9530	Red	40 x 90	611	615	634	5000	6000		1.83	2.2	3.03	70
VLWR9630	Red	30	611	615	634	4000		12200	1.83	2.2	3.03	70
VLWR9930	Red	45	611	615	634	4000		12200	1.83	2.2	3.03	70
VLWR9931	Red	45	611	615	634	5000		12200	1.83	2.2	3.03	70
VLWR9932	Red	45	611	615	634	6000		12200	1.95	2.2	2.67	70
TLWY7600	Yellow	30	585	592	597	1000	1400		1.83	2.1	2.67	70
TLWY7900	Yellow	45	585	592	597	1000	1400		1.83	2.1	2.67	70
TLWY8600	Yellow	30	585	590	597	2000	3000		1.83	2.1	2.67	70
TLWY8900	Yellow	45	585	590	597	2000	3000		1.83	2.1	2.67	70
VLWY9630	Yellow	30	585	592	597	4000		12200	1.83	2.2	3.03	70
VLWY9930	Yellow	45	585	592	597	4000		12200	1.83	2.2	3.03	70
VLWY9932	Yellow	45	597	592	597	6000		12200	1.95	2.2	2.67	70
VLWB9600	Blue	30	462	470	476	800	1200			3.9	4.7	50
VLWB9900	Blue	45	462	470	476	800	1200			3.9	4.7	50
VLWTG9600	True green	30	509	523	535	2000	2500			3.9	4.7	50
VLWTG9900	True green	45	509	523	535	2000	2500			3.9	4.7	50
VLWW8605	White	30		0.30/0.30		630	1000			4.3	5.2	50
VLWW9600	White	30		0.30/0.30		1500	2200			4.3	5.2	50
VLWW9900	White	45		0.33/0.33		1500	2200			4.3	5.2	50

**WORLDWIDE SALES CONTACTS****THE AMERICAS****UNITED STATES**

VISHAY AMERICAS  
ONE GREENWICH PLACE  
SHELTON, CT 06484  
UNITED STATES  
PH: +1-402-563-6866  
FAX: +1-402-563-6296

**ASIA****SINGAPORE**

VISHAY INTERTECHNOLOGY ASIA PTE LTD.  
37A TAMPINES STREET 92 #07-00  
SINGAPORE 528886  
PH: +65-6788-6668  
FAX: +65-6788-0988

**P.R. CHINA**

VISHAY CHINA CO., LTD.  
15D, SUN TONG INFOPORT PLAZA  
55 HUAI HAI WEST ROAD  
SHANGHAI 200030  
P.R. CHINA  
PH: +86-21-5258 5000  
FAX: +86-21-5258 7979

**JAPAN**

VISHAY JAPAN CO., LTD.  
SHIBUYA PRESTIGE BLDG. 4F  
3-12-22, SHIBUYA  
SHIBUYA-KU  
TOKYO 150-0002  
JAPAN  
PH: +81-3-5466-7150  
FAX: +81-3-5466-7160

**EUROPE****GERMANY**

VISHAY ELECTRONIC GMBH  
DR.-FELIX-ZANDMAN-PLATZ 1  
95100 SELB  
GERMANY  
PH: +49-9287-71-0  
FAX: +49-9287-70435

**FRANCE**

VISHAY S.A.  
199, BD DE LA MADELEINE  
06003 NICE, CEDEX 1  
FRANCE  
PH: +33-4-9337-2727  
FAX: +33-4-9337-2726

**UNITED KINGDOM**

VISHAY LTD.  
SUITE 6C, TOWER HOUSE  
ST. CATHERINE'S COURT  
SUNDERLAND ENTERPRISE PARK  
SUNDERLAND SR5 3XJ  
UNITED KINGDOM  
PH: +44-191-516-8584  
FAX: +44-191-549-9556

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)