



a) Part as supplied.

202K232



b) Part after unrestricted recovery.



DIMENSIONS in millimetres  
(in inches, for reference)

| Part No. | Min          | Max            | Min           | Max           | ±10%         | ±10%         | ±10%          | ±10%          | ±10%         | ±10%         | ±20%          | ±20%          | ±20%         | ±20%         |
|----------|--------------|----------------|---------------|---------------|--------------|--------------|---------------|---------------|--------------|--------------|---------------|---------------|--------------|--------------|
|          | a            | b              | a             | b             | b            | b            | b             | b             | b            | b            | b             | b             | b            | b            |
| 202K232  | 25<br>(0.98) | 13.8<br>(0.54) | 8.0<br>(0.31) | 3.3<br>(0.13) | 55<br>(2.17) | 28<br>(1.10) | 3.0<br>(0.12) | 1.0<br>(0.04) | 15<br>(0.59) | 16<br>(0.63) | 1.8<br>(0.07) | 0.5<br>(0.02) | 24<br>(0.94) | 23<br>(0.90) |

## Copyright (!)

The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn J.RIBBONS Checked

Issue 5

Date March 2010


Conforms to ISO Recommendations

Approval  
Design

MKTG.

Q.A.

3rd Angle Projection  
Not to Scale



|                                           |              |                                                |                                   |
|-------------------------------------------|--------------|------------------------------------------------|-----------------------------------|
| <b>Tyco Electronics</b><br><b>Raychem</b> |              | <b>Specification</b><br><b>Control Drawing</b> | Part Number<br>202K232 Issue 5    |
| Iss.                                      | Date         | E.C.R. No.                                     | Details of Change                 |
| 2                                         | May 1990     | 5629                                           | Ja min was 7.0                    |
| 3                                         | June 2001    | CR01-HM-0011                                   | -12 added to available materials  |
| 4                                         | October 2006 | CR06-DM-104                                    | Material description name changed |
| 5                                         | March 2010   | ECR-10-004980                                  | Y dim was 18.                     |

## Ordering Information

|              |                                                             |
|--------------|-------------------------------------------------------------|
| 202K232-*/** |                                                             |
| ↑            | Adhesive Slash Number (if required see compatibility chart) |
| ↑            | Material Dash Number (see compatibility chart)              |
|              | Base Part Number                                            |

## COMPATIBILITY CHART

| Material Dash Number | Material Description            | SPEC Number      | Coating Slash Number |
|----------------------|---------------------------------|------------------|----------------------|
| -3                   | POLYOLEFIN, SEMI-RIGID          | RT-301, RK-6703  | /42, /86, /180       |
| -4                   | POLYOLEFIN, FLEXIBLE            | RT-1304 RT-1050  | /42, /86, /180       |
| -6                   | SILICON                         | RT-602, RK-6706  | N/A                  |
| -12                  | FLUOROELASTOMER, FLEXIBLE       | RT-1312, RW-2071 | /225                 |
| -25                  | ELASTOMER, FLUID RESISTANT      | RT-1325, RK-6713 | /42, /86, /225       |
| -130                 | POLYOLEFIN, COMMERCIAL FLEXIBLE | RW-2008          | /42                  |
|                      |                                 |                  |                      |

## NOTES

- As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.
- Potting Ports are optional, when specified by suffix "-00" they will be located as shown.

|                                                                                                                              |                                                                                                                                         |
|------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Tyco Electronics UK Ltd.<br>Faraday Road,<br>Swindon, Wiltshire, SN3 5HH<br>England<br>Telephone: (01793) 528171 Fax: 572516 | Tyco Electronics Corporation<br>300, Constitution Drive,<br>Menlo Park, CA 94025<br>USA<br>Telephone (650) 361-3860 Fax: (650) 361-5579 |
| Cage Code K1010                                                                                                              | Cage Code 06090                                                                                                                         |

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)