

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

- . -



COPYRIGHT 2011

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN





APVD

SEE SHEET 1.




AMP LOGO &
DATE CODEMYLAR ATTACHED
(UNDER SHELL)

RIB

SECTION A-A



CONNECTOR OUTLINE

RECOMMENDED PCB LAYOUT (TOP VIEW)
PCB THICKNESS: 1.6MM, TOLERANCE: ±0.05

NOTE:

1. MATERIAL:

1.1 HOUSING: PA46, WITH 30% GF, UL94V-0, BLACK COLOR.
OR LCP WITH 30% G.F. UL94V-0, BLACK COLOR.
(SEE TABLE)1.2 INSERT HOUSING: PA46, WITH 30% GF, UL94V-0, BLACK COLOR.
OR LCP WITH 30% G.F. UL94V-0, BLACK COLOR.
(SEE TABLE)

1.3 CONTACTS: PHOSPHOR BRONZE.

1.4 SHELL: BRASS.

1.5 MYLAR: SILICONE POLYMER.

2. FINISH:

2.1 CONTACTS: (SEE TABLE) GOLD PLATED ON CONTACT AREA.
GOLD FLASH ON SOLDER TAIL.
1.27um [50u"] MIN. NICKEL UNDERPLATED OVERALL.

2.2 SHELL: 0.508um [20u"] MIN. NICKEL PLATED.

3. APPLIED TO WAVE SOLDERING PROCESS.

4. OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI.

OBSOLETE

LCP	TAPE & REEL	3.5	0.152um[6u"]	1-1734509-5
PA46	TAPE & REEL	2.2	1.27um[50u"]	1-1734509-4
			0.762um[30u"]	1-1734509-3
			0.381um[15u"]	1-1734509-2
			0.152um[6u"]	1-1734509-1
HOUSING&INSERT MATERIAL	PACKAGE	DIM N	MIN. GOLD THICKNESS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

MODULAR JACK RJ45 8P8C,
WITH SHELL, DIP,
REVERSE TYPE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1734509

SCALE

SHEET

2 OF 4

REV

A6

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

- . - .



COPYRIGHT 2011

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE


DWN

APVD

SEE SHEET 1.




DETAIL C




TOP COVER


LABEL



INNER BOX




BOX




SEE DETAIL C

TRAY

DESICCATING AGENTS




10 LAYERS



180

300

180



380

320

LABEL

200

NOTES:

1. MATERIAL:

TRAY: PVC.

BOX: CORRUGATED FIBER.

2. DIMENSION: SEE DRAWING

3. QUANTITY: SEE TABLE

4. WEIGHT: SEE TABLE

9.65Kg	7.65Kg	90	20	1800	1734509-X
GROSS WEIGHT	NET WEIGHT	PCS /TRAY	TRAY /BOX	PCS /BOX	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	 TE Connectivity		
DIMENSIONS: mm		CHK			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD			
0 PLC ± -		PRODUCT SPEC			
1 PLC ± 0.3		APVD	NAME		
2 PLC ± 0.2		PRODUCT SPEC			
3 PLC ± 0.15		APVD	MODULAR JACK RJ45 8P8C, WITH SHELL, DIP, REVERSE TYPE		
4 PLC ± -		APVD			
ANGLES ± 3°		PRODUCT SPEC	SIZE		
FINISH		APPLICATION SPEC	CAGE CODE		
MATERIAL		WEIGHT	DRAWING NO		
		CUSTOMER DRAWING	RESTRICTED TO		
			A300779C=1734509		
			SCALE		
			SHEET 3 OF 4		
			REV A6		

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

- . - .



COPYRIGHT 2011

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DW

P

LTR





DESCRIPTION

DATE

DWN


APVD

SEE SHEET 1.



9.20KG	5.77KG	180	8	1440	1-1734509-X
GROSS WEIGHT	NET WEIGHT	PCS /REEL	REEL /BOX	PCS /BOX	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mmTOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	± -
1 PLC	± 0.3
2 PLC	± 0.2
3 PLC	± 0.15
4 PLC	± -
ANGLES	± 3°

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

MODULAR JACK RJ45 8P8C,
WITH SHELL, DIP,
REVERSE TYPE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1734509

SCALE

SHEET

4 OF 4

REV

A6

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru