



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	B1	REVISED PER ECO-15-003239	24MAR2015	AP	DD




1.6 MIN
BOARD THICKNESS

9.7

1.2
TAIL LENGTH




- 1 MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- 2 FINISH:
30µm SELECTIVE GOLD IN CONTACT AREA. SELECTIVE TIN
ON PCB TAILS, NICKEL OVERALL.
- 3 FINISH:
30µm SELECTIVE GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD
ON PCB TAILS, NICKEL OVERALL.
- 4 RIGHT GUIDED RIGHT ANGLE MALE MATES TO
LEFT GUIDED RIGHT ANGLE RECEPTACLE.
5. CONNECTOR SUPPLIED WITH MOUNTING SCREW.



RECOMMENDED PCB LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	06APR2011	 TE Connectivity												
DIMENSIONS:		CHK	06APR2011													
	mm	APVD	06APR2011	NAME	IMPACT, STD, RAM, 2 PAIR, 10 COLUMN, RIGHT GUIDED OPEN END WALL SIGNAL MODULE, 0.39 EYELET											
		TOLERANCES UNLESS OTHERWISE SPECIFIED:														
		0 PLC ±														
		1 PLC ±0.25														
	ANGLES	2 PLC ±0.13		PRODUCT SPEC	SIZE											
		3 PLC ±														
	FINISH	4 PLC ±		APPLICATION SPEC	CAGE CODE											
		SEE TABLE														
		Customer Drawing		DRAWING NO		RESTRICTED TO										
							A100779	©=2143018								
									SCALE	5:1						
											SHEET	1				
													OF	2		
															REV	B1

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-




COPLANAR MATED SIGNAL PATHS



	5.50	2143018-6
	4.90	2143018-5
	5.50	2143018-3
	4.90	2143018-2
FINISH	DIM M	PART NUMBER

REFER TO WWW.TE.COM
FOR PRODUCT AVAILABILITY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	06APR2011		 TE Connectivity										
DIMENSIONS:		CHK	J. EABY 06APR2011												
	mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	IMPACT, STD, RAM, 2 PAIR, 10 COLUMN, RIGHT GUIDED OPEN END WALL SIGNAL MODULE, 0.39 EYELET										
		APVD		PRODUCT SPEC											
		J. EABY 06APR2011													
		-													
		APPLICATION SPEC													
		-													
	0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES	±. ±.25 ±0.13 ±. ±. ±.		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO								
		-		A100779	C=2143018	-	-								
		SEE TABLE													
		-													
		Customer Drawing						SCALE	5:1	SHEET	2	OF	2	REV	B1

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru