

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
B5		REVISED PER ECO-13-020287	16JAN2014	DD	DS
B6		REVISED PER ECO-15-000098	06JAN2015	DD	DS
B7		REVISED PER ECO-15-003872	25MAR2015	DD	DS


ACCEPTS #3 SELF TAPPING THREAD FORMING SCREWS OR METRIC EQUIVALENT. DRIVE TO 0.6-0.8 N-m.

HOUSING COLORS ARE MECHANICALLY KEYED TO MATE ONLY WITH IDENTICALLY COLORED PLUG ASSEMBLIES.

3. HEADER MATES TO PLUG ASSEMBLY 776273 WHICH USES REELED TERMINAL 770520 AND LOOSE PIECE TERMINAL 770854

MATERIAL: HEADER HOUSING - GLASS FILLED PBT
PIN - TIN OR GOLD PLATED BRASS

DATE CODE TO BE BRANDED ON THIS SURFACE PER TE SPEC 102-60. USE 5 DIGIT CODE: FIRST 2 DIGITS = YEAR, SECOND 2 DIGITS = WEEK, LAST DIGIT = DAY.




776266-1 & 1-776266-1 SHOWN


BLUE	DURAGOLD PLATED	1-776266-5
GRAY	DURAGOLD PLATED	1-776266-4
NATURAL	DURAGOLD PLATED	1-776266-2
BLACK	DURAGOLD PLATED	1-776266-1
BLUE	TIN PLATED	776266-5
GRAY	TIN PLATED	776266-4
NATURAL	TIN PLATED	776266-2
BLACK	TIN PLATED	776266-1
2. HEADER HOUSING COLOR	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. DRUMMOND 18AUG2010	TE Connectivity	
		CHK D. STRAUSSER 18AUG2010		
DIMENSIONS:		APVD D. STRAUSSER 18AUG2010	NAME	
mm		PRODUCT SPEC	HEADER ASSEMBLY, 14 POSITION, RIGHT ANGLE, AMPSEAL	
		108-1329		
		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO	
		114-16016		
MATERIAL		WEIGHT	A100779C=776266	
		CUSTOMER DRAWING	SCALE 4:1 SHEET 1 OF 2 REV B7	



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




RECOMMENDED PC BOARD LAYOUT
FOR 1.57 PC BOARD





RECOMMENDED MOUNTING HOLE LAYOUT
FOR 5.0 MAXIMUM THICK PANEL




SECTION A-A
OPTIONAL CONSTRUCTION IF
THICKNESS IS GREATER THEN 2.0




SECTION A-A
OPTIONAL CONSTRUCTION IF
THICKNESS IS GREATER THEN 2.0




776266-1 & 1-776266-1
KEY LOCATION
SCALE 2:1



776266-2 & 1-776266-2
KEY LOCATION
SCALE 2:1



776266-4 & 1-776266-4
KEY LOCATION
SCALE 2:1



776266-5 & 1-776266-5
KEY LOCATION
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. DRUMMOND CHK D. STRAUSSER APVD D. STRAUSSER	18AUG2010 18AUG2010 18AUG2010	TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ±0.2 1 PLC ±0.2 2 PLC ±0.13 3 PLC ±0.13 4 PLC ±0.13 ANGLES ±4°		PRODUCT SPEC 108-1329 APPLICATION SPEC 114-16016	
MATERIAL		WEIGHT		SIZE A100779	
-		-		CAGE CODE 776266	
-		CUSTOMER DRAWING		RESTRICTED TO -	
		SCALE 4:1		SHEET 2 OF 2	
				REV B7	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru