






RECEPTACLE



ALTERNATE CONFIGURATION

OPTIONAL MOUNTING EAR (2 PL.)
(STD. MOUNTING EAR SHOWN)
SEE DETAIL 3 OR 4

CIRCUIT I.D.



RECEPTACLE HOUSING

DIMENSIONS SHOWN (METRIC) INCH				▽ = 0 ▼ = 0		REVISE ONLY ON CAD SYSTEM	
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± .004 10				TITLE		.093/(2.36) HOUSING, PLUG AND RECEPTACLE, 4 CKT ±.198/(5.03) CTRS.	
INCH		METRIC		PART NO.		DRAWING NO.	
3 PLACE	± .010	---	---	SEE CHART		SD-1490-*	
2 PLACE	± .014	± 0.25	---	FILE NAME		SD1490X2.DWG	
1 PLACE	---	± 0.35	---	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.		DIV. CP	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRAWN BY		SCALE	
APP'D. BY				CEP		2 : 1	
REVISED BY				RAS			
LTR.				REVISIONS			
LTR.				REVISIONS			

PLUG		RECEPTACLE	
PART NO.	ENG. NO.	PART NO.	ENG. NO.
03-09-2041	I490-P	03-09-1041	I490-R
03-09-2042	I490-PI	03-09-1042	I490-RI
03-09-7041	I490-PBK	03-09-6041	I490-RBK
03-09-7042	I490-PIBK	03-09-6042	I490-RIBK
PRELIMINARY	I490-P2	03-09-1043	I490-R2
03-09-3042	I490-PIBU	03-09-6043	I490-RBU
		03-09-6045	I490-RGN


LEGEND:

I490-***-*



P = PLUG
R = RECEPTACLE

BLANK = WITH STANDARD EARS
1 = WITHOUT EARS
2 = WITH PREBENT EARS, PER DETAIL 4



COLOR: BLANK=NATURAL COLOR
AM=AMBER BK=BLACK BU=BLUE
BN=BROWN GY=GRAY GN=GREEN
OR=ORANGE RD=RED YW=YELLOW
BLANK = MATERIAL CODE A



DETAIL 3
.093/(2.36) STANDARD MOUNTING EAR
(SCALE 4:1)



HOUSING	DIM. *A*	DIM. *B*	DIM. *C*
PLUG	1.131/(28.73)	.375/(9.52)	.36/(9.1)
RECEPTACLE	1.038/(26.36)	.312/(7.92)	.37/(9.4)



DETAIL 4
.093/(2.36) PREBENT MOUNTING EAR
(SCALE 4:1)

NOTES:

- MATERIAL CODES:
A = NYLON 6/6, 94V-2
- THIS PART COMPLIES WITH MOLEX PRODUCT SPEC. 02-09.
- FOR DIMENSION SEE SHEET 1 AND 2.
- CIRCUIT I.D. NUMBERS ON HOUSING APPEAR ON PARTS FROM TOOLS BUILT AFTER 8/7/91.

DIMENSIONS SHOWN (METRIC) INCH				UNLESS OTHERWISE SPECIFIED: TOLERANCES: ANGULAR ± .001 TO				REVISIONS				REVISIONS				REVISIONS				REVISIONS			
INCH				METRIC				T				S				RI				P			
3 PLACE ± .010				2 PLACE ± .014				1 PLACE --- ± 0.35				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRWG. BY CEP				CHKD. BY RW			
SCALE 2 : 1				APP'D. BY RAS				LTR.				LTR.				LTR.				LTR.			
TITLE				PART NO.				DRAWING NO.				FILE NAME				SD-1490-X3				DIV.			
SEE CHART				MOLEX INCORPORATED				LITEL,LLC.				60532				U.S.A.				CP			
3				4				5				6				7				8			
9				10				11				12				13				14			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru