

1. MATERIAL:




HOUSING - THERMOPLASTIC, GLASS PREINFORCED, COLOR, BLACK, UL 94V-0
CONTACTS- COPPER ALLOY.

2. FINISH:

MATING AREA - NOBLE METAL OVERALL NICKEL.

SOLDER TAIL - MATTE TIN OVERALL NICKEL.


3 MARK P/N AND DATA CODE IN APPROX. AREA AS SHOWN.



CONNECTOR ACCEPTS
1.6±0.14 mm PCB

SECTION AC-AC


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 01SEP2017 SEAN ZHANG CHK		PART NUMBER 8322260-1	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±0.40 2 PLC ±0.20 3 PLC ±0.10 4 PLC ±. ANGLES ±2°		APVD 01SEP2017 SUNY ZHAO PRODUCT SPEC 108-128060 APPLICATION SPEC	
MATERIAL		FINISH		NAME HIGE DENSITY HYBRID POWER CARD EDGE SOLDER TYPE LOW PROFILE	
-		-		SIZE A1	
-		-		CAGE CODE 00779	
-		-		DRAWING NO C=2322260	
-		-		RESTRICTED TO -	
CUSTOMER DRAWING		SCALE		1:1 SHEET 1 OF 2 REV A	

RECOMMENDED CARD EDGE CONFIGURATION
TYP.BOTH SIDE

RECOMMENDED MOUNTING BOARD LAYOUT
COMPONENT SIDE

NOTES FOR MOUNTING BOARD, UNLESS OTHERWISE SPECIFIED:

1. PLATED THROUGH HOLE, SIGNAL:
FINISHED HOLE SIZE: 0.85mm.
DRILL HOLE SIZE: 0.95 ± 0.025 mm.
2. PLATED THROUGH HOLE, POWER:
FINISHED HOLE SIZE: 1.2mm.
DRILL HOLE SIZE: 1.3 ± 0.025 mm.
3. COPPER PLATING THICKNESS: 0.025~0.05mm.
4. SURFACE FINISH: OSP OR IMMERSION TIN PLATING
IS RECOMMENDED.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: 01SEP2017 SEAN ZHANG CHK		 TE Connectivity				
DIMENSIONS: mm		APVD: 01SEP2017 SUNY ZHAO PRODUCT SPEC 108-128060 APPLICATION SPEC				NAME		
		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±0.40 2 PLC ±0.20 3 PLC ±0.10 4 PLC ±. ANGLES ±2		HIGH DENSITY HYBRID POWER CARD EDGE SOLDER TYPE LOW PROFILE				
MATERIAL		FINISH		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
-		-		A1		00779C=2322260	-	
CUSTOMER DRAWING				SCALE		1:1	SHEET 2 of 2	REV A

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru